

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/01

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	50	49	47	46	46	59	43	36.2	41	39	33	29	28	54	26
09:00	50.8	52	52	51	50	50	62	44	58.1	59	59	58	58	57	62	55
10:00	50.4	52	51	50	49	49	64	43	58.0	59	58	58	58	57	61	56
11:00	48.6	50	50	48	46	45	63	31	57.1	58	58	57	54	54	61	38
12:00																
13:00	51.9	53	53	51	50	50	69	44	51.3	48	46	42	37	37	60	26
14:00	52.7	54	54	52	51	51	67	48	39.7	44	42	37	33	32	57	27
15:00	50.9	52	52	51	49	49	68	47	38.1	43	41	36	33	32	55	27
16:00	52.7	55	54	52	51	50	68	48	40.2	45	43	37	33	32	58	27
17:00	52.2	54	53	52	50	50	74	47	37.7	43	41	35	31	30	57	25

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/02

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	52	51	49	48	47	65	44	40.9	45	43	38	33	32	59	24
09:00	53.2	54	54	53	51	51	67	44	48.7	50	49	46	45	45	66	28
10:00	54.0	55	55	54	53	53	66	47	48.3	50	49	48	47	47	56	45
11:00	53.2	55	54	51	50	49	68	36	49.3	51	49	46	43	43	70	24
12:00	39.3	42	41	39	37	36	56	34	32.8	37	36	30	26	25	50	21
13:00	49.9	49	48	47	46	45	58	34	46.9	46	45	42	40	39	62	21
14:00	51.2	52	52	51	50	50	59	45	48.2	50	49	48	47	47	67	45
15:00	51.8	53	53	52	51	50	62	47	45.6	45	44	41	39	38	59	23
16:00	51.1	53	52	51	49	49	67	46	38.4	41	40	35	31	30	65	25
17:00	51.8	53	53	51	50	50	71	46	37.2	42	39	34	30	29	57	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	49	48	46	44	44	61	40	33.3	37	35	31	27	26	52	23
09:00	53.8	55	55	54	51	50	59	37	48.0	50	49	48	45	45	57	34
10:00	49.7	48	48	44	42	41	71	35	43.2	44	42	37	35	34	59	27
11:00	55.5	57	56	55	54	54	68	50	47.6	49	49	47	46	46	59	45
12:00	41.9	45	43	40	38	37	60	34	35.6	39	37	31	27	26	53	22
13:00	54.4	56	54	53	51	51	69	37	48.6	51	50	46	45	44	64	30
14:00	52.2	53	52	50	49	49	59	42	46.9	48	47	43	41	40	59	26
15:00	50.2	52	51	49	48	47	65	43	36.6	41	39	33	30	29	53	26
16:00	51.1	53	52	51	50	49	60	47	37.5	42	40	34	30	29	57	26
17:00	51.6	54	53	51	50	49	65	46	34.2	38	36	31	28	27	61	21

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	48	47	45	43	42	61	39	25.8	30	28	24	21	21	41	18
09:00	44.7	47	46	43	42	41	63	38	26.2	31	29	24	22	21	43	18
10:00	44.6	47	46	44	42	41	61	38	27.1	31	30	25	22	21	42	18
11:00	46.2	48	47	45	44	43	65	39	26.7	31	30	24	21	20	43	18
12:00	47.9	50	49	47	45	45	69	40	26.9	31	30	25	21	21	43	18
13:00	48.5	50	50	48	46	46	62	42	29.8	32	29	24	21	21	52	17
14:00	48.0	50	49	47	45	45	66	42	29.7	34	32	27	23	23	47	20
15:00	49.0	51	50	48	46	45	70	43	32.5	37	36	29	25	23	49	19
16:00	50.7	53	52	50	49	48	67	44	36.2	42	40	33	27	26	53	21
17:00	53.6	55	54	52	51	51	84	49	36.4	42	40	34	29	27	51	21

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/05

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	50	47	45	45	65	41	40.3	43	41	36	32	31	58	24
09:00	49.2	52	51	48	46	45	64	42	37.8	42	40	34	30	29	56	24
10:00	47.3	50	49	47	44	44	62	41	34.3	39	37	32	28	27	50	23
11:00	50.2	52	51	49	48	47	63	43	35.8	39	38	33	29	28	57	23
12:00	50.9	53	52	50	49	49	63	45	34.4	38	37	31	27	26	51	22
13:00	51.0	53	52	51	49	49	68	45	38.9	44	42	36	32	31	58	26
14:00	52.6	54	53	52	52	51	64	45	49.1	51	50	48	47	46	67	45
15:00	53.3	55	54	53	52	52	69	48	48.0	50	49	48	47	47	60	45
16:00	54.8	56	56	55	54	53	65	49	50.4	53	52	47	45	45	67	27
17:00	53.8	56	55	53	52	52	66	49	37.0	42	40	34	29	28	55	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/06

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.1	52	51	48	47	46	75	43	39.2	44	42	34	30	30	59	23
09:00	51.9	53	53	52	51	51	63	46	48.1	50	49	48	47	47	55	46
10:00	52.1	53	53	52	51	51	64	46	48.1	50	49	48	47	46	61	45
11:00	51.4	52	52	51	50	49	57	39	47.4	49	48	47	46	46	58	41
12:00																
13:00	54.0	56	55	54	53	52	61	49	49.5	52	51	48	47	47	70	45
14:00	52.9	54	54	53	52	52	64	47	48.1	50	49	47	46	46	66	45
15:00	52.9	55	54	53	51	51	62	46	36.4	41	39	33	30	29	54	25
16:00	53.5	55	54	53	52	52	69	50	41.3	46	44	36	31	30	61	27
17:00	52.4	54	54	52	51	51	61	49	35.9	40	38	32	29	28	55	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/07

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	50	49	47	45	45	74	43	39.8	44	41	34	29	28	58	23
09:00	51.8	53	52	51	50	49	66	43	46.3	47	46	43	41	41	55	26
10:00	52.3	54	53	52	48	47	64	36	47.5	49	49	47	45	44	61	38
11:00	53.3	54	54	53	52	52	60	47	48.6	51	50	48	47	47	58	45
12:00																
13:00																
14:00																
15:00	53.6	55	55	53	52	52	64	50	43.6	49	46	40	34	33	59	27
16:00	53.5	55	55	53	52	51	61	49	38.6	43	42	36	32	31	53	27
17:00	59.1	61	59	55	53	53	87	49	43.5	47	45	39	33	32	61	27

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/08

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	51	51	49	47	47	64	43	32.1	36	35	30	27	27	48	23
09:00	53.3	52	50	48	46	46	85	43	39.2	42	40	35	30	29	65	22
10:00	54.7	54	54	52	51	51	85	46	45.5	46	45	41	39	39	58	22
11:00	53.3	55	54	53	52	52	58	46	48.2	50	49	47	46	46	61	44
12:00																
13:00	53.5	55	54	53	52	52	67	48	47.3	49	49	47	46	46	55	44
14:00	51.8	54	53	51	50	49	67	46	39.4	43	41	36	32	31	58	25
15:00	53.4	55	54	53	52	51	73	49	44.1	48	46	39	33	32	64	27
16:00	52.4	54	54	52	51	50	61	48	39.4	44	42	35	31	31	60	27
17:00	52.5	54	54	52	51	50	67	48	42.1	46	44	37	32	31	57	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	50	47	46	45	61	41	37.5	41	38	32	29	28	63	23
09:00	49.9	51	51	50	49	49	59	43	48.0	50	49	47	46	46	62	44
10:00	49.9	51	51	50	49	48	55	42	47.4	49	48	47	46	46	60	44
11:00	48.8	49	49	47	44	44	55	29	46.4	47	46	45	42	42	57	24
12:00	33.0	36	35	32	30	29	47	26	32.6	37	36	30	26	25	47	21
13:00	49.8	51	51	48	46	46	56	28	47.1	49	48	46	43	43	61	24
14:00	51.7	53	52	51	50	50	60	43	47.3	49	48	46	44	44	58	29
15:00	54.2	55	55	53	52	51	80	49	40.1	45	43	37	32	31	60	27
16:00	53.4	55	55	53	51	51	66	49	44.1	48	47	41	35	34	65	25
17:00	54.9	57	55	53	52	52	76	49	35.6	40	38	32	29	28	53	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	51	50	48	46	45	71	41	37.8	42	39	33	29	27	58	22
09:00	52.3	54	53	52	51	51	65	46	48.6	51	50	48	47	47	65	45
10:00	52.7	54	54	53	51	51	62	46	48.7	51	50	48	47	46	66	44
11:00	53.2	54	54	53	52	52	65	47	49.3	53	51	48	46	46	66	44
12:00																
13:00																
14:00																
15:00	55.7	58	57	54	52	52	64	39	48.0	50	49	47	45	45	63	40
16:00	56.2	59	58	55	54	53	67	50	45.5	47	46	43	41	40	65	27
17:00	52.8	55	54	53	51	51	65	46	36.3	41	40	34	29	28	51	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/11

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.0	47	46	43	41	41	63	38	29.4	33	32	27	24	23	42	20
09:00	44.0	47	46	43	41	40	60	37	30.3	35	33	28	24	23	43	19
10:00	46.5	49	48	43	41	40	66	36	28.0	32	30	26	23	22	45	19
11:00	44.1	47	46	43	41	41	63	35	27.2	32	30	25	22	22	40	20
12:00	45.9	48	47	45	43	43	63	38	29.2	34	32	26	23	22	43	19
13:00	45.7	48	47	45	43	43	63	38	27.3	31	30	25	22	21	42	18
14:00	48.2	50	49	48	46	46	62	40	28.7	33	31	26	22	22	50	19
15:00	48.7	50	50	48	47	46	66	43	26.9	31	30	25	23	22	41	19
16:00	49.6	51	51	49	47	47	70	42	27.6	31	30	26	23	23	45	20
17:00	51.5	53	52	51	49	49	65	46	30.6	35	34	28	25	24	50	21

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/12

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.5	47	46	42	39	39	61	35	27.7	32	30	26	22	22	42	19
09:00	45.5	49	47	43	41	40	73	36	30.7	33	32	29	25	25	58	20
10:00	45.4	47	47	45	43	43	62	41	35.0	37	35	31	30	30	58	28
11:00	47.7	50	49	47	45	45	64	42	32.7	36	34	32	31	30	48	29
12:00	48.0	50	49	48	46	46	55	42	33.8	38	36	32	30	30	51	28
13:00	48.6	51	50	48	46	46	64	42	39.8	45	43	36	32	31	60	28
14:00	50.4	53	52	50	48	48	63	45	40.8	46	45	36	31	30	60	27
15:00	50.3	52	52	50	49	48	61	45	38.5	44	42	34	30	30	54	27
16:00	51.3	53	52	51	50	49	64	48	38.2	43	41	34	31	30	57	27
17:00	51.8	54	53	51	50	49	66	48	39.3	45	43	35	29	28	54	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	42.7	46	44	41	39	38	66	36	27.1	32	30	25	22	22	38	19
09:00	43.8	48	46	42	39	38	63	36	29.1	34	32	27	23	22	48	19
10:00	44.6	48	47	43	40	39	63	35	28.9	33	32	27	23	23 <sup>2</sup>	41	20
11:00	47.9	51	50	46	44	43	67	38	29.5	34	33	27	23	23	44	19
12:00	46.0	48	47	45	43	42	59	36	28.7	33	32	27	23	22	45	19
13:00	44.9	47	46	44	41	40	64	38	29.7	34	33	27	23	23	44	19
14:00	48.7	51	50	48	47	46	61	43	33.9	38	36	29	25	24	49	18
15:00	48.9	51	51	49	47	46	59	42	31.4	36	35	29	25	24	46	20
16:00	50.3	53	52	50	48	48	62	45	33.9	39	37	31	26	25	48	21
17:00	50.5	52	52	50	49	48	66	46	36.6	42	40	33	28	27	51	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.7	48	47	44	42	41	70	38	28.2	33	31	26	22	22	44	17
09:00	47.8	49	49	46	44	44	80	39	28.2	32	31	27	24	24	44	21
10:00	44.8	47	46	44	42	41	64	39	28.0	32	31	26	24	23	47	20
11:00	45.7	48	47	44	42	42	66	39	27.6	32	31	26	22	21	41	18
12:00	49.6	51	49	46	44	44	72	41	33.6	36	34	27	23	22	51	19
13:00	62.3	61	58	54	50	49	96	45	43.2	44	42	37	32	31	69	21
14:00	52.9	55	54	52	50	50	67	43	31.2	35	33	28	25	25	49	22
15:00	51.8	53	53	51	50	49	69	46	27.9	32	31	26	23	22	45	18
16:00	48.9	51	51	48	46	46	66	42	28.6	31	30	25	22	22	58	19
17:00	49.7	52	51	49	47	46	69	44	28.0	32	31	26	23	22	44	19

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.8	48	47	44	41	41	57	38	27.5	32	31	26	22	22	43	18
09:00	44.2	48	46	43	40	40	59	37	28.7	32	31	26	23	22	51	19
10:00	45.8	49	48	44	42	41	65	37	28.3	32	31	26	23	22	50	19
11:00	48.6	52	50	46	44	43	68	40	30.1	34	32	27	23	23	47	19
12:00	47.6	49	48	46	44	44	73	40	27.8	32	31	25	22	22	46	19
13:00	48.1	50	49	47	45	45	68	41	29.1	34	32	27	23	23	46	19
14:00	48.1	50	49	47	45	44	73	41	33.6	36	35	29	25	24	51	19
15:00	48.5	51	50	48	46	45	61	40	37.2	42	40	33	28	26	52	20
16:00	48.9	52	51	48	46	46	68	42	36.5	42	40	34	28	27	50	23
17:00	50.0	52	52	50	48	47	68	45	36.6	42	40	34	29	27	50	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.6	56	55	51	47	46	69	42	33.6	36	35	29	25	24	52	20
09:00	52.6	56	55	51	46	45	73	42	31.2	36	34	28	25	24	48	21
10:00	51.8	54	54	51	48	48	75	43	34.2	39	37	31	26	25	51	20
11:00	50.4	54	53	49	46	46	66	42	35.0	40	37	30	25	24	56	21
12:00	51.4	54	53	50	47	47	72	43	34.7	39	37	31	26	25	58	20
13:00	51.9	55	54	51	49	49	67	46	32.4	37	35	29	25	24	47	20
14:00	52.0	54	53	51	50	49	69	47	31.9	36	34	28	24	23	51	19
15:00	51.6	54	53	51	49	49	66	47	30.1	34	32	27	24	23	52	20
16:00	52.0	55	54	51	50	49	66	46	30.3	35	33	27	24	23	50	19
17:00	51.5	54	53	51	49	48	69	46	30.7	35	33	27	24	23	49	20



## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.0	52	51	49	47	47	63	39	38.3	39	38	35	30	29	55	22
09:00	51.5	53	52	51	51	50	64	46	48.9	51	50	48	47	47	61	45
10:00	51.8	53	53	52	51	51	63	46	47.8	50	49	47	47	46	58	45
11:00	51.8	53	53	50	49	49	64	36	49.9	53	51	48	46	46	64	40
12:00																
13:00																
14:00																
15:00	50.6	52	51	50	49	49	62	46	46.2	47	45	43	42	42	61	38
16:00	51.2	54	53	50	48	48	68	46	36.2	40	38	33	29	28	53	23
17:00	51.6	54	53	50	47	46	68	43	33.5	38	36	30	27	26	51	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.3	46	45	42	41	40	65	38	25.3	29	28	24	21	20	39	15
09:00	48.3	51	50	47	45	44	61	38	27.6	32	30	25	22	22	48	19
10:00	44.3	46	45	42	40	40	70	37	26.8	31	30	25	22	21	44	19
11:00	44.5	47	46	43	41	41	64	37	27.0	31	30	25	21	21	40	18
12:00	44.7	47	47	44	42	41	59	38	27.0	31	29	25	21	21	52	18
13:00	47.0	50	49	46	44	43	60	39	30.5	35	33	27	23	22	55	18
14:00	45.5	48	47	44	42	41	67	38	32.9	38	36	29	24	23	51	20
15:00	49.0	52	50	47	45	44	70	40	33.1	38	36	30	26	25	47	22
16:00	48.5	51	50	48	46	45	60	42	31.9	37	35	29	25	25	47	21
17:00	49.1	51	51	49	47	47	63	45	34.8	40	38	32	27	26	51	21

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	44	63	42	39.3	43	41	36	31	30	58	24
09:00	51.7	53	53	51	50	50	61	43	47.8	49	48	46	44	44	57	26
10:00	48.4	50	49	44	42	41	61	34	45.0	47	46	41	37	36	58	24
11:00	49.0	49	48	45	43	43	57	33	45.2	46	45	41	38	37	55	23
12:00	37.0	40	39	36	34	34	51	31	31.7	36	34	30	26	26	46	23
13:00	50.8	51	51	50	46	46	58	32	48.1	50	49	46	43	42	63	27
14:00	51.3	52	52	51	50	50	61	45	49.0	51	50	48	47	47	61	45
15:00	58.6	56	55	53	52	52	92	48	49.3	51	50	49	48	47	66	46
16:00	60.5	64	61	53	49	49	88	46	45.7	51	48	40	35	34	67	28
17:00	55.7	57	55	51	49	49	84	47	40.1	44	41	33	30	29	65	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	50	48	46	45	60	42	38.1	42	39	34	30	28	57	25
09:00	53.2	54	54	53	52	52	59	45	48.9	51	50	48	47	47	61	45
10:00	52.7	54	53	53	52	52	59	47	47.4	49	48	47	47	46	55	45
11:00	51.4	52	51	50	47	47	60	35	46.5	48	47	46	43	42	58	28
12:00	39.6	42	41	38	36	36	64	32	35.5	39	37	32	27	26	59	21
13:00	48.1	46	46	44	40	40	59	33	43.7	45	43	38	33	31	57	22
14:00	52.2	53	53	52	51	51	57	47	48.3	50	49	48	47	47	60	45
15:00	50.8	53	52	50	46	46	62	39	47.7	50	49	47	44	44	62	39
16:00	51.9	54	53	51	50	49	62	39	48.0	51	49	46	45	44	65	33
17:00	50.2	53	52	49	48	48	69	46	37.7	42	38	33	29	29	55	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	50	47	45	45	64	42	42.0	46	44	37	30	29	62	25
09:00	51.6	53	52	52	51	51	58	46	49.8	52	51	49	48	47	66	45
10:00	50.2	51	51	48	47	46	57	36	47.0	49	48	46	45	45	56	37
11:00	51.6	53	52	51	51	51	60	46	48.9	52	50	48	47	47	61	45
12:00																
13:00	52.5	54	53	52	49	49	63	35	48.2	50	49	48	46	46	61	38
14:00	51.7	54	53	50	47	47	63	36	48.0	50	49	47	45	45	58	39
15:00	52.3	53	53	52	51	51	63	46	48.2	50	49	48	47	47	60	45
16:00	47.7	50	49	44	41	41	60	35	44.5	47	47	42	37	36	57	28
17:00	43.8	46	44	41	40	39	72	36	42.2	48	46	38	32	31	58	26

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.9	47	46	43	42	41	65	39	41.9	47	45	38	33	31	62	25
09:00	55.3	56	56	55	54	53	61	41	49.0	51	50	49	47	46	61	32
10:00	55.8	57	57	56	55	54	64	50	50.0	52	51	49	48	48	66	46
11:00	55.2	56	56	55	54	54	69	51	48.7	51	50	48	47	47	61	45
12:00																
13:00	52.0	53	53	52	51	51	63	47	49.8	52	51	49	48	48	65	46
14:00	52.0	53	53	52	51	51	57	45	48.5	50	50	48	47	47	59	45
15:00	51.1	54	53	50	48	48	66	45	44.7	47	45	40	36	35	63	25
16:00	54.8	56	55	53	52	51	81	47	46.6	47	45	38	33	32	68	28
17:00	53.4	54	54	53	52	51	71	45	36.1	40	38	33	31	30	53	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	50	47	44	44	64	41	41.7	46	44	38	33	31	62	23
09:00	51.6	52	52	51	49	49	64	41	46.7	47	46	43	41	41	57	25
10:00	53.2	55	54	53	52	52	62	47	48.0	50	49	48	47	47	58	45
11:00	52.4	54	53	52	51	50	60	40	49.0	51	50	49	47	47	59	42
12:00																
13:00	53.7	55	54	54	53	52	64	49	48.1	50	49	48	47	47	60	45
14:00	52.5	54	53	52	51	51	65	44	47.6	49	48	47	46	45	60	37
15:00	49.4	52	51	49	47	47	65	44	44.0	47	45	38	32	31	67	25
16:00	50.1	52	51	49	48	47	68	44	41.1	45	43	37	34	33	61	29
17:00	50.2	53	52	49	48	47	66	45	42.5	46	44	38	34	32	58	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.1	46	45	43	42	41	66	38	36.1	39	38	33	30	29	57	23
09:00	51.5	52	51	50	49	49	63	39	48.9	50	49	44	41	41	69	25
10:00	54.0	55	55	54	53	52	64	46	49.3	51	50	48	47	47	66	45
11:00	53.5	55	54	53	52	51	62	42	48.7	51	50	48	46	46	66	41
12:00																
13:00	53.4	55	54	53	52	52	72	48	50.3	54	52	49	47	47	69	45
14:00	68.2	62	60	57	55	55	102	51	50.9	53	50	48	47	46	77	44
15:00	70.3	70	67	58	53	52	102	45	51.6	55	52	44	39	38	77	25
16:00	56.6	58	57	54	51	50	71	46	38.9	43	41	35	32	31	57	26
17:00	51.0	54	53	50	48	48	66	46	35.6	38	34	30	28	27	59	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.6	49	48	46	44	43	61	41	25.8	30	28	24	22	22	44	18
09:00	43.9	47	46	43	41	41	59	38	27.5	32	30	25	22	22	42	19
10:00	44.3	47	46	43	41	41	65	37	27.0	31	29	25	23	22	45	20
11:00	45.7	48	48	45	42	41	62	38	28.3	33	31	26	23	22	44	20
12:00	46.5	49	48	46	43	43	60	38	28.4	32	31	26	23	22	44	19
13:00	43.9	47	45	43	41	41	64	38	30.2	34	33	26	23	23	48	19
14:00	46.8	49	48	46	44	44	61	41	37.3	43	40	31	26	25	55	21
15:00	48.4	51	50	48	46	45	72	43	34.1	39	37	29	24	24	53	21
16:00	47.8	50	49	47	45	45	65	42	30.8	36	33	27	24	23	47	20
17:00	47.5	50	49	47	45	45	64	42	30.4	35	33	27	24	23	50	20

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	50	47	46	45	83	41	38.0	41	39	34	30	29	60	24
09:00	52.5	54	54	51	49	48	64	37	48.0	50	49	46	44	43	63	33
10:00	50.6	51	50	48	45	45	60	39	46.2	48	47	44	41	41	66	32
11:00	53.4	55	54	53	51	50	63	41	49.1	51	50	48	47	46	59	40
12:00																
13:00	53.3	55	54	53	52	52	61	48	48.9	51	50	48	47	47	61	45
14:00	53.4	55	54	53	52	52	65	47	48.5	50	50	48	47	47	60	45
15:00	53.3	55	54	53	52	52	60	47	48.4	51	50	48	47	47	62	45
16:00	51.0	53	52	50	48	48	73	45	49.0	52	50	45	40	39	73	29
17:00	50.4	53	51	48	46	46	68	44	38.7	41	39	33	28	27	69	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/08/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	52	51	49	47	47	63	43	37.4	42	40	34	31	30	56	26
09:00	52.5	54	53	52	51	51	61	44	48.5	50	49	47	46	45	64	29
10:00	53.2	54	54	53	52	52	63	48	49.0	51	50	48	47	47	62	45
11:00	52.7	54	54	53	50	49	65	38	47.8	50	49	48	46	46	56	40
12:00																
13:00	53.3	54	54	53	52	52	65	47	51.0	54	53	49	47	47	66	45
14:00	53.6	55	54	54	53	53	65	46	49.6	52	51	48	47	47	64	45
15:00	53.5	55	54	53	53	52	63	48	48.2	50	49	48	47	47	61	45
16:00	45.6	47	46	43	40	40	61	36	46.1	46	44	37	32	31	66	25
17:00	41.8	45	43	40	39	38	58	35	35.6	39	37	32	28	27	54	22

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/08/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.8	47	46	43	41	41	59	38	40.5	45	42	36	32	31	59	24
09:00	51.0	51	50	47	45	45	64	37	48.4	51	49	44	39	38	66	28
10:00	54.2	55	55	54	53	53	64	48	48.7	50	50	48	48	47	58	46
11:00	53.6	55	55	52	51	51	64	39	49.3	52	51	47	45	45	65	31
12:00	41.5	44	43	40	38	38	61	36	35.9	41	39	33	28	27	49	20
13:00	53.8	55	55	53	51	51	64	38	49.7	53	52	48	45	44	66	28
14:00	54.3	55	55	54	53	53	67	48	49.1	52	51	48	47	46	65	45
15:00	54.4	56	55	54	53	53	68	49	48.8	51	50	48	47	47	62	45
16:00	54.4	55	55	54	53	52	67	44	47.7	49	48	46	45	44	61	28
17:00	49.0	51	50	48	46	46	69	43	33.8	38	36	31	28	27	50	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	54.8	57	56	54	52	52	70	50	37.1	41	39	35	32	31	54	26
09:00	52.2	53	53	52	51	51	67	46	45.9	47	46	45	43	43	55	28
10:00	52.5	52	52	51	47	47	83	39	46.6	48	47	46	43	43	61	36
11:00	52.9	54	53	52	51	51	73	40	46.8	49	48	45	43	43	61	28
12:00	43.8	44	43	41	40	39	76	37	33.5	38	37	32	28	27	46	23
13:00	51.9	53	52	50	48	48	70	37	46.5	48	47	44	42	41	60	25
14:00	52.4	54	53	52	51	51	66	45	47.3	49	48	46	45	45	58	36
15:00	52.5	54	53	52	50	50	66	47	36.9	40	39	34	31	31	53	24
16:00	50.5	53	52	50	48	48	66	46	41.3	44	42	34	29	28	64	22
17:00	50.0	52	51	49	48	48	70	46	32.1	35	33	29	26	25	57	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	50	49	46	44	43	78	41	37.8	40	38	33	29	28	56	21
09:00	52.2	53	53	52	51	50	65	43	51.5	53	52	48	46	45	69	28
10:00	50.7	52	51	49	46	45	61	36	47.6	49	48	45	42	42	61	30
11:00	52.3	53	53	52	51	51	64	47	48.8	50	50	48	48	48	63	46
12:00																
13:00	52.2	53	53	52	51	51	63	46	48.9	50	50	49	48	48	57	46
14:00	51.5	53	52	51	50	49	74	45	48.1	49	48	44	42	42	59	27
15:00	50.7	52	51	48	46	46	76	42	37.3	41	38	33	30	29	58	24
16:00	49.4	52	51	48	46	46	63	43	42.9	45	43	37	32	30	63	24
17:00	60.4	60	58	55	52	51	70	46	42.9	44	43	37	33	32	54	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/08/31

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	50	49	47	46	46	68	43	35.5	40	38	32	28	27	53	24
09:00	53.2	54	53	52	52	51	60	43	48.5	48	47	46	45	44	58	25
10:00	53.6	54	54	54	53	52	61	46	48.4	50	49	48	47	47	58	45
11:00	49.7	52	51	48	47	47	63	43	42.6	43	42	37	33	32	61	23
12:00	46.6	49	48	46	45	44	70	42	35.5	39	37	31	27	26	53	23
13:00	48.0	50	49	47	46	46	64	43	42.6	46	44	36	32	31	64	23
14:00	47.7	50	49	47	46	46	58	44	36.6	40	38	35	32	31	55	24
15:00	48.3	50	49	47	46	46	66	43	39.8	42	40	32	28	27	63	23
16:00	49.2	51	50	48	47	47	69	45	40.2	42	40	34	29	28	61	25
17:00	48.4	51	50	48	46	46	66	45	35.6	37	33	29	26	25	57	22