

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	50	49	46	44	44	65	41	26.4	30	29	24	20	20	48	16
09:00	46.3	50	48	45	44	43	65	42	25.7	30	28	24	21	21	41	19
10:00	46.6	49	48	45	44	44	66	42	27.0	31	30	25	23	22	43	20
11:00	45.2	47	47	45	43	43	59	41	27.2	31	29	24	22	21	48	19
12:00	49.6	50	50	48	45	45	70	42	33.6	36	35	30	25	24	48	20
13:00	46.1	48	47	46	45	44	55	42	26.9	31	29	25	23	23	43	20
14:00	46.7	49	48	46	44	44	61	42	26.9	30	29	25	23	23	46	21
15:00	47.2	50	49	46	44	44	60	42	27.7	31	30	26	23	22	47	19
16:00	48.1	51	50	47	45	45	63	42	31.2	35	33	28	24	24	50	21
17:00	48.1	50	50	47	46	46	64	43	27.4	31	30	26	23	23	41	21

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	50	49	47	46	45	63	43	39.5	44	42	36	31	30	56	25
09:00	49.9	51	51	50	49	48	60	43	48.0	49	48	46	44	44	63	26
10:00	50.7	52	51	51	50	49	60	46	49.4	52	51	48	47	47	65	45
11:00	50.4	51	51	50	50	49	60	44	50.1	53	52	49	48	47	67	46
12:00																
13:00	51.3	52	52	51	50	50	62	47	50.9	54	52	49	48	47	67	45
14:00	50.6	52	51	51	49	49	60	45	49.7	52	51	49	48	48	66	45
15:00	50.8	52	52	51	50	50	61	44	49.6	51	51	49	48	48	65	47
16:00	54.1	55	54	51	49	48	68	45	46.6	47	46	42	39	39	60	25
17:00	53.5	54	53	51	48	47	67	45	38.2	43	40	33	29	28	61	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	47	45	45	64	42	38.6	43	41	35	30	29	61	24
09:00	53.6	55	54	53	53	52	66	48	50.0	53	51	49	48	48	65	46
10:00	53.7	55	54	54	53	52	65	48	49.4	51	51	49	48	48	61	46
11:00	53.0	54	54	53	52	52	64	41	51.0	54	53	50	48	48	68	45
12:00																
13:00	52.2	53	53	52	51	51	62	48	50.3	53	52	49	48	48	63	47
14:00	52.1	53	53	52	51	51	65	45	51.7	54	53	50	49	48	67	47
15:00	51.9	53	53	52	51	51	63	44	50.4	52	51	50	49	48	65	47
16:00	48.8	51	50	48	46	45	71	42	42.2	43	42	36	32	31	63	22
17:00	48.7	52	50	47	46	45	65	43	42.1	44	43	41	38	38	58	24

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	49	47	45	44	64	42	35.2	39	37	32	29	28	53	22
09:00	53.3	54	54	53	52	52	68	47	50.2	52	52	50	48	48	63	46
10:00	53.6	55	54	54	53	52	67	49	50.8	54	53	49	48	48	67	45
11:00	54.0	55	55	54	53	53	61	46	49.6	52	51	49	48	47	65	46
12:00																
13:00	51.0	50	50	48	47	45	63	35	49.6	51	50	45	43	42	65	29
14:00	53.1	54	54	53	52	52	61	47	49.4	52	51	49	48	47	61	45
15:00	64.5	63	63	59	56	55	78	43	46.1	46	44	41	38	38	59	24
16:00	59.6	58	56	51	48	47	78	43	43.1	46	44	40	36	34	60	25
17:00	50.2	53	52	49	47	47	70	43	43.5	48	46	40	35	34	59	25

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/05

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	44	65	41	38.0	42	40	34	29	28	56	22
09:00	50.7	52	51	51	50	49	62	45	49.8	52	51	49	48	48	61	46
10:00	50.6	52	51	50	50	49	60	45	49.2	51	50	49	48	48	58	46
11:00	50.5	52	51	51	49	49	56	43	48.3	50	49	48	47	47	57	45
12:00																
13:00	51.9	53	53	52	51	51	59	44	48.6	51	50	48	47	47	60	45
14:00	52.3	53	53	52	51	51	63	46	48.7	50	50	48	48	47	60	46
15:00	52.8	54	54	53	52	51	60	46	49.4	51	50	49	48	48	64	46
16:00	51.9	54	53	51	49	49	62	45	44.8	46	46	42	41	41	55	33
17:00	48.8	51	50	48	46	46	67	43	39.1	41	40	36	33	32	55	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/06

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	48	48	45	44	43	63	41	35.3	40	39	32	28	27	53	22
09:00	50.3	52	52	48	47	47	58	32	48.6	51	50	47	46	45	63	29
10:00	47.6	48	46	43	39	39	60	30	45.1	44	43	39	34	33	61	22
11:00	50.8	53	52	50	49	48	67	40	48.0	50	49	45	44	43	63	23
12:00	46.6	51	49	44	42	41	65	39	29.3	34	32	27	24	23	44	19
13:00	46.3	49	48	45	43	42	63	38	39.7	41	39	34	29	29	59	21
14:00	46.0	49	47	44	43	42	65	40	35.2	40	37	31	27	26	55	22
15:00	45.9	49	47	45	43	43	61	41	34.4	38	37	31	28	27	54	23
16:00	47.2	50	49	47	45	44	63	42	39.0	43	41	33	29	28	60	25
17:00	47.6	50	49	47	45	45	65	42	35.2	38	36	30	27	26	58	21

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	49	48	44	42	42	66	38	35.2	38	36	32	26	25	58	20
09:00	52.1	53	53	52	51	51	63	45	49.4	51	51	49	48	48	57	46
10:00	49.3	50	49	45	43	42	67	34	47.0	49	48	45	42	42	61	32
11:00	48.0	49	48	45	42	42	58	29	46.5	48	46	40	36	35	64	22
12:00	33.6	37	36	32	30	29	51	27	30.8	36	34	28	25	24	46	21
13:00	50.9	52	52	51	47	47	64	29	48.9	51	50	48	44	43	61	23
14:00	50.7	52	52	51	50	49	61	46	48.8	51	50	48	47	47	60	45
15:00	53.2	54	53	51	49	48	68	42	47.2	49	47	45	43	43	59	28
16:00	51.0	54	52	45	43	43	71	40	37.1	41	39	32	28	28	58	23
17:00	46.9	49	48	46	44	44	64	41	36.4	40	38	30	27	26	58	22

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	42.4	45	44	41	39	39	61	37	26.0	30	29	24	22	21	41	19
09:00	42.3	45	44	41	39	39	61	36	26.1	30	29	24	21	21	40	18
10:00	66.1	59	57	50	43	42	84	36	32.4	36	34	28	24	23	50	19
11:00	43.1	46	45	41	39	38	60	36	26.7	31	29	25	22	22	43	20
12:00	42.2	45	44	41	39	38	61	36	27.6	32	30	25	22	22	45	19
13:00	43.7	46	45	42	40	39	68	36	27.7	31	30	26	23	23	45	20
14:00	44.2	47	46	44	41	41	58	38	29.6	34	32	27	23	23	47	20
15:00	44.2	47	46	43	42	41	61	39	31.5	35	34	28	25	24	49	20
16:00	44.8	47	46	44	43	42	68	40	26.4	30	29	25	23	22	39	20
17:00	46.1	49	47	44	43	42	67	40	30.2	34	32	27	23	23	50	20

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00																
09:00	52.7	54	54	53	51	51	61	47	49.5	51	51	49	48	48	59	47
10:00	51.9	53	53	52	51	51	62	46	49.9	52	51	49	48	48	66	45
11:00	52.4	54	53	52	51	51	61	46	48.1	50	49	48	47	47	57	45
12:00																
13:00	52.7	54	54	53	51	50	59	37	50.0	53	52	49	48	47	58	41
14:00	52.8	54	54	53	52	50	65	40	49.4	51	51	49	48	47	61	41
15:00	54.0	55	55	54	53	53	66	48	49.8	52	51	49	49	48	58	47
16:00	51.2	53	52	50	48	48	67	45	47.3	51	49	42	37	36	67	27
17:00	49.1	52	50	48	46	46	71	43	39.4	44	42	36	31	30	58	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.6	48	47	44	42	42	64	39	41.8	45	42	34	28	26	63	22
09:00	50.9	52	51	50	49	49	55	41	49.7	50	49	45	43	43	68	24
10:00	52.9	54	54	53	52	51	62	47	49.4	52	51	48	47	47	66	45
11:00	52.8	54	54	53	52	51	62	46	49.3	52	51	48	47	47	63	45
12:00																
13:00	52.8	54	54	53	52	51	60	46	49.6	52	51	49	47	47	65	45
14:00	53.1	54	54	53	52	52	64	47	49.7	52	51	48	48	47	65	45
15:00	52.6	54	53	53	52	51	65	48	50.1	52	51	49	48	47	67	46
16:00	52.4	54	53	52	51	51	64	44	49.0	51	50	47	46	46	61	34
17:00	49.2	52	51	48	46	46	65	43	45.1	46	44	37	30	29	63	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	48	47	44	43	42	67	39	35.8	38	37	33	29	28	57	21
09:00	54.1	55	55	54	53	53	62	48	48.8	51	50	48	48	47	56	45
10:00	55.1	57	56	55	54	53	68	49	49.2	51	50	49	48	47	64	45
11:00	53.0	53	53	52	51	50	60	42	47.4	49	49	47	46	46	56	45
12:00																
13:00	54.1	55	55	54	53	53	64	49	48.6	50	49	48	47	47	59	45
14:00	54.6	56	55	54	53	53	72	49	51.5	54	53	49	48	48	69	46
15:00	54.8	56	56	55	54	53	69	50	50.2	53	52	49	48	47	73	46
16:00	51.3	52	51	49	48	47	64	42	46.9	47	45	40	37	36	63	24
17:00	47.6	50	49	46	45	45	65	42	45.4	46	43	36	30	29	66	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	49	47	45	43	43	64	39	35.9	39	37	34	29	28	56	24
09:00	52.1	53	53	52	51	51	62	46	48.8	51	50	49	48	47	57	45
10:00	53.2	55	54	53	52	52	62	47	50.8	53	52	49	48	47	68	46
11:00	52.6	54	54	52	51	51	60	48	52.0	55	54	49	48	47	67	45
12:00																
13:00	52.4	53	53	52	52	51	59	47	48.6	50	50	48	47	47	60	45
14:00	48.5	50	49	47	45	45	65	42	43.1	43	42	38	35	34	61	26
15:00	48.0	50	49	45	44	43	72	41	35.2	40	38	32	29	29	53	25
16:00	49.0	52	51	48	46	46	65	42	42.5	48	46	39	32	31	61	27
17:00	48.4	51	50	47	46	45	65	42	39.2	42	40	34	30	29	57	23

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	49	47	44	42	42	63	39	38.9	44	41	34	29	28	56	22
09:00	52.8	54	54	53	52	51	62	47	49.9	51	51	50	49	48	57	47
10:00	53.1	54	54	53	52	52	63	45	48.6	50	50	48	47	47	63	46
11:00	52.2	53	52	51	50	50	66	40	47.8	49	48	46	44	44	63	24
12:00	44.0	47	46	43	41	41	62	39	33.2	38	36	31	26	26	45	22
13:00	46.3	48	47	45	43	43	69	39	40.0	44	43	37	32	32	58	24
14:00	46.6	49	48	45	43	43	67	41	37.4	42	40	34	30	28	57	23
15:00	48.1	51	50	47	45	45	66	41	40.8	45	43	37	32	31	55	24
16:00	48.9	52	50	47	45	45	73	42	40.2	45	43	35	30	29	59	25
17:00	49.1	52	50	47	45	45	72	42	42.0	46	44	37	30	29	62	22

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.9	47	46	43	41	41	58	39	35.2	38	37	31	27	27	57	22
09:00	52.9	54	54	53	52	52	68	46	49.2	52	51	48	47	47	66	45
10:00	53.2	54	54	53	52	52	63	47	49.0	51	50	49	47	47	62	45
11:00	52.5	54	53	52	49	49	64	35	48.7	50	50	48	47	46	58	39
12:00																
13:00	52.6	54	54	52	50	50	63	39	49.8	52	51	49	48	47	64	40
14:00	52.1	53	53	52	51	51	59	48	49.3	52	50	49	48	47	63	45
15:00	53.3	54	54	53	52	52	82	48	49.3	52	50	49	48	48	63	47
16:00	51.6	53	52	50	49	48	68	41	47.2	48	46	42	40	40	61	23
17:00	47.6	51	49	46	44	43	66	41	37.4	41	39	33	27	27	58	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/15

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.8	47	46	43	41	41	67	39	33.8	39	37	29	24	23	53	20
09:00	44.7	47	46	44	42	41	64	39	35.7	42	39	31	25	24	52	20
10:00	45.8	49	48	44	42	41	63	39	37.6	43	41	33	27	25	53	21
11:00	44.3	48	46	43	41	41	60	38	36.5	42	40	31	26	24	52	20
12:00	44.1	47	46	43	41	40	64	37	36.1	42	40	32	25	23	50	20
13:00	44.6	48	47	44	42	41	58	38	35.5	41	39	30	24	24	53	20
14:00	44.8	48	47	44	42	41	60	38	33.8	39	37	30	25	24	48	20
15:00	47.7	49	47	43	41	40	72	36	32.8	38	36	29	24	23	49	20
16:00	44.5	47	46	43	41	41	68	38	31.6	37	34	28	23	22	51	19
17:00	44.7	47	46	44	42	42	73	39	30.4	36	34	27	24	23	48	20

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/16

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.6	49	47	43	41	40	66	37	28.5	33	32	26	22	21	44	17
09:00	60.5	64	63	57	51	49	74	39	33.2	38	36	31	27	25	46	20
10:00	51.2	52	51	46	43	43	68	40	36.3	41	39	33	28	26	52	19
11:00	47.1	51	49	46	43	43	63	40	38.5	44	42	35	29	28	52	23
12:00	47.6	51	50	45	43	43	66	41	38.9	45	42	34	29	27	54	23
13:00	46.0	49	48	45	43	42	64	40	35.8	41	39	32	27	26	52	20
14:00	45.5	48	47	45	43	42	60	39	33.7	38	37	31	27	26	51	22
15:00	45.3	49	47	44	42	42	59	40	33.7	38	36	31	26	25	50	21
16:00	45.5	48	47	44	42	42	67	39	30.9	36	34	28	24	23	44	18
17:00	46.0	48	47	44	42	42	76	39	28.9	34	32	27	23	22	43	18



## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/17

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.0	53	52	47	43	42	66	39	36.6	41	39	33	28	28	54	24
09:00	53.4	55	54	53	52	52	64	47	50.1	52	51	50	49	49	62	47
10:00	53.5	55	54	53	53	52	64	48	49.2	51	50	49	48	47	65	46
11:00	53.8	55	55	54	53	53	59	48	48.1	50	49	48	47	47	59	45
12:00	48.4	47	46	44	40	39	58	35	43.4	44	43	38	33	32	58	23
13:00	54.1	56	55	54	51	51	70	40	48.1	50	50	48	46	46	63	38
14:00	53.4	55	54	53	52	52	67	47	48.4	51	50	48	47	47	61	45
15:00	48.9	48	47	45	43	42	63	37	44.3	44	43	39	35	34	57	24
16:00	53.1	54	53	52	49	49	62	39	47.7	50	49	44	41	40	60	25
17:00	49.8	52	51	49	47	47	64	43	43.2	43	41	36	30	30	67	24

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/18

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.4	53	52	47	44	43	65	40	42.7	45	43	36	31	30	63	24
09:00	52.2	54	53	52	50	50	61	42	48.9	51	50	47	45	45	62	28
10:00	53.0	55	54	52	52	51	68	47	48.0	50	49	47	47	46	62	44
11:00	52.7	54	54	53	51	50	62	42	47.1	49	48	47	46	45	58	42
12:00																
13:00	53.5	55	55	53	52	52	60	48	48.6	50	49	48	47	47	63	45
14:00	52.1	54	53	49	47	46	69	41	43.0	43	41	36	33	32	58	24
15:00	49.5	52	50	48	46	45	72	42	43.1	44	42	33	29	28	67	24
16:00	47.8	50	49	47	45	45	62	42	34.7	38	36	31	29	28	59	25
17:00	49.8	52	51	48	46	46	65	43	35.9	39	37	31	28	28	57	24

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/19

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	52	50	47	45	45	63	41	40.1	45	43	35	30	29	57	23
09:00	52.4	53	53	52	52	51	60	46	48.5	50	50	48	47	47	59	45
10:00	51.1	52	52	51	50	50	61	45	48.1	50	49	48	47	47	59	45
11:00	50.4	53	51	48	47	47	71	41	46.2	46	46	42	40	40	60	23
12:00	45.4	48	47	44	42	42	65	39	31.9	36	35	29	26	25	48	22
13:00	47.4	51	49	45	43	43	68	40	40.8	44	42	35	30	29	64	24
14:00	47.7	51	50	47	44	44	66	40	43.3	47	45	39	33	32	62	25
15:00	51.5	52	52	51	49	49	65	42	49.4	52	51	46	43	43	63	26
16:00	49.9	51	51	48	47	47	61	42	46.6	48	46	42	39	38	63	25
17:00	47.8	50	49	46	44	43	70	41	40.2	43	42	35	30	28	58	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/20

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	48	47	44	42	42	62	39	39.8	43	42	38	34	32	53	24
09:00	47.6	50	48	45	43	43	70	40	38.9	41	40	36	33	32	55	23
10:00	51.3	53	52	51	50	50	59	42	48.4	50	49	46	45	44	59	28
11:00	51.4	52	52	51	50	50	60	45	48.7	51	50	48	47	47	64	45
12:00																
13:00	51.5	52	52	51	51	50	59	46	49.0	51	50	48	47	47	64	45
14:00	50.7	52	51	50	50	49	61	45	48.2	50	49	48	47	47	59	45
15:00	49.1	50	49	48	46	46	61	42	45.5	45	44	39	36	36	62	26
16:00	46.7	50	48	45	43	43	72	41	37.9	41	39	33	28	28	63	23
17:00	50.7	53	50	46	44	44	75	41	35.8	39	37	31	28	27	55	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/21

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	49	46	43	43	73	40	39.1	43	41	35	30	29	59	24
09:00	52.5	53	53	52	52	51	61	46	49.7	52	51	49	48	48	65	45
10:00	53.8	55	54	54	53	52	68	47	49.1	51	50	48	47	47	64	45
11:00	53.9	55	55	54	53	53	64	48	48.0	50	49	48	47	46	58	45
12:00																
13:00	52.5	54	53	52	52	52	63	48	49.1	51	50	49	48	47	60	45
14:00	53.4	55	54	53	52	52	66	47	49.0	51	50	48	48	47	63	45
15:00	48.7	50	49	47	45	44	65	40	43.6	43	41	36	33	33	63	23
16:00	48.0	51	50	46	44	44	70	40	42.1	44	41	34	29	28	72	24
17:00	47.9	51	49	46	44	43	72	40	35.5	37	35	31	27	26	54	23

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/22

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.9	51	50	45	42	41	75	36	32.2	34	32	26	24	23	49	20
09:00	45.4	47	46	44	42	42	76	39	30.5	33	31	26	24	23	48	20
10:00	46.4	49	48	45	43	43	64	40	27.1	31	30	25	23	22	41	19
11:00	46.3	49	48	46	44	43	59	41	33.1	38	36	31	27	26	48	21
12:00	46.1	49	48	45	43	43	65	40	32.7	37	35	29	24	23	49	20
13:00	45.0	48	47	44	42	42	57	39	27.2	32	30	25	22	22	41	19
14:00	43.6	46	45	43	41	40	58	37	26.3	30	29	25	23	22	41	19
15:00	43.3	46	45	43	40	40	56	37	26.2	30	29	25	22	22	41	19
16:00	44.4	47	46	43	40	40	69	37	27.3	32	30	25	22	21	43	18
17:00	44.1	47	46	43	41	40	61	38	26.2	31	29	24	22	21	40	18

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.7	48	47	44	41	41	64	39	28.5	33	31	26	22	22	44	17
09:00	44.1	47	46	43	41	40	60	38	28.8	34	32	27	23	22	42	18
10:00	44.5	47	46	44	41	40	63	38	29.3	34	32	28	24	23	44	18
11:00	45.5	48	47	44	41	41	69	39	30.3	35	33	28	25	24	42	20
12:00	44.9	47	46	43	41	40	66	37	30.1	35	33	28	24	23	44	20
13:00	46.8	49	48	45	42	41	72	39	33.1	38	36	30	25	24	50	20
14:00	47.4	51	49	46	43	43	67	40	37.3	42	40	33	28	27	55	21
15:00	47.5	50	49	46	44	44	62	41	37.8	43	41	35	29	28	53	20
16:00	47.1	50	49	46	44	44	62	41	38.3	44	42	35	29	27	53	21
17:00	46.8	50	48	45	43	43	68	40	35.2	40	38	32	27	25	50	19

## 騒音・振動データ収録装置

1時間値

日報データ

測定日：2024/09/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	51	50	47	45	44	72	41	35.8	39	37	32	28	27	59	22
09:00	53.6	55	54	53	53	52	60	48	49.7	52	51	49	48	48	62	47
10:00	53.4	55	55	51	48	48	64	35	48.6	51	50	47	45	45	60	36
11:00	54.7	56	55	55	54	51	60	37	49.4	51	50	49	48	47	57	39
12:00																
13:00																
14:00	52.4	53	53	52	52	51	61	48	50.3	53	52	49	48	48	62	47
15:00	53.3	55	54	53	52	52	63	47	49.8	52	51	49	49	48	62	47
16:00	53.2	54	54	53	52	51	67	43	49.9	52	50	48	46	46	65	27
17:00	47.3	50	49	46	43	43	68	40	41.2	41	38	30	26	26	68	21

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	52	51	48	46	45	64	42	39.9	44	42	37	31	29	57	25
09:00	53.1	54	54	53	52	52	64	47	50.3	52	51	50	49	49	59	48
10:00	53.5	54	54	53	53	53	59	46	50.2	52	51	49	48	48	65	47
11:00	53.1	54	54	53	53	52	56	47	49.0	51	50	49	48	48	57	47
12:00																
13:00	53.1	54	54	53	52	52	63	47	51.2	53	52	50	48	48	67	47
14:00	55.2	56	56	55	54	54	61	48	49.3	51	50	49	48	48	59	47
15:00	56.8	58	58	57	56	56	65	51	50.2	52	52	50	49	48	60	47
16:00	50.9	52	50	48	46	45	68	41	43.3	41	39	34	30	29	62	20
17:00	48.2	52	50	46	44	44	67	41	42.2	43	40	32	27	26	68	20

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	44	66	41	41.0	45	43	37	31	29	57	23
09:00	52.7	54	53	52	51	50	61	39	49.4	50	49	47	46	45	63	25
10:00	52.1	52	51	49	46	45	65	33	49.2	49	48	45	43	41	67	23
11:00	53.5	54	54	53	53	52	60	48	49.2	52	51	48	47	47	64	45
12:00																
13:00	52.2	53	53	52	51	51	67	47	52.5	54	53	51	49	49	70	46
14:00	52.7	54	53	53	52	52	60	47	48.6	50	50	48	48	47	60	46
15:00	48.4	50	49	47	45	45	58	41	42.8	43	41	36	33	32	59	23
16:00	48.3	51	49	46	44	44	75	40	36.6	40	38	33	29	29	58	23
17:00	48.4	52	50	47	45	44	67	42	37.8	43	40	33	28	27	62	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/27

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	50	49	46	44	43	63	40	42.3	43	42	36	31	30	54	24
09:00	46.4	50	48	45	43	42	60	39	38.2	42	40	37	33	31	52	24
10:00	51.0	52	52	50	49	48	58	41	48.9	49	48	45	44	43	63	27
11:00	51.0	52	52	51	50	50	60	44	50.6	54	52	49	48	47	67	46
12:00																
13:00	52.4	53	53	52	52	52	58	44	48.0	49	49	48	47	47	56	45
14:00	52.0	53	53	52	51	51	58	45	48.6	50	49	48	47	47	64	45
15:00	49.7	51	50	48	47	46	64	40	46.5	45	43	40	37	37	57	21
16:00	46.8	49	48	46	43	43	67	41	33.9	39	37	31	26	25	55	21
17:00	47.5	50	49	46	44	43	69	40	38.5	42	39	32	28	27	65	22

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/28

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.4	50	49	46	44	43	66	38	41.8	46	44	37	31	30	58	23
09:00	53.2	54	54	53	52	52	63	46	49.0	51	50	49	48	47	59	45
10:00	53.7	55	54	54	53	53	62	48	49.9	53	52	49	47	47	69	45
11:00	53.8	55	55	54	53	53	59	48	49.5	52	51	49	47	47	60	45
12:00																
13:00	53.9	55	55	54	53	53	62	47	49.9	52	51	49	48	48	60	46
14:00	53.7	55	54	54	53	52	63	47	51.0	54	53	49	48	47	66	45
15:00	54.5	56	55	54	54	53	63	48	49.2	51	50	49	48	48	63	46
16:00	51.2	52	51	48	47	46	67	40	45.2	45	44	40	37	36	61	24
17:00	46.8	50	48	45	43	42	68	39	35.5	40	38	32	27	26	57	20

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.3	46	45	42	39	38	63	35	24.9	30	28	23	19	19	40	16
09:00	43.4	47	46	43	39	39	58	35	26.8	31	29	24	21	20	44	16
10:00	64.2	62	61	56	48	46	80	36	34.0	37	35	30	26	25	51	17
11:00	62.4	59	57	51	43	41	81	34	31.6	35	34	28	23	22	45	16
12:00	42.7	46	45	42	38	38	61	34	25.8	30	29	23	19	18	42	15
13:00	43.6	47	45	42	39	38	65	35	26.7	31	30	24	20	19	45	14
14:00	43.4	47	46	42	39	38	57	35	26.3	31	29	24	20	19	44	15
15:00	43.1	46	45	42	39	39	59	36	27.0	32	30	24	20	19	45	15
16:00	44.2	47	46	43	40	39	59	36	27.9	32	30	25	21	20	45	16
17:00	44.4	47	46	43	41	40	65	36	26.8	32	30	25	21	20	40	16

## 騒音・振動データ収録装置

## 1時間値 日報データ

測定日：2024/09/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	50	47	45	45	67	41	39.1	43	40	34	31	30	58	24
09:00	53.4	55	54	53	52	52	60	46	50.3	52	51	50	49	49	57	47
10:00	54.0	55	55	54	53	53	64	49	50.3	53	52	49	48	48	69	45
11:00	54.2	55	55	54	53	52	58	42	48.4	50	49	48	47	47	57	41
12:00																
13:00																
14:00	54.0	55	55	54	53	53	62	48	49.0	51	50	49	48	48	57	47
15:00	54.2	55	55	54	53	53	63	47	49.6	52	51	49	48	48	62	46
16:00	53.5	55	54	53	51	51	64	45	50.7	54	53	49	46	45	68	29
17:00	46.5	50	48	45	43	42	67	39	32.1	36	34	30	26	25	51	20