

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.8	55	54	52	49	49	70	46	33.3	38	36	32	29	28	48	24
09:00	52.0	54	53	51	49	48	72	45	34.5	39	37	33	30	29	51	25
10:00	53.0	55	54	52	50	49	68	44	33.3	37	36	32	29	28	48	25
11:00	52.7	55	54	52	50	50	68	46	33.7	38	36	32	29	29	50	25
12:00	52.1	54	54	51	49	48	69	45	33.5	38	36	31	27	27	47	23
13:00	53.4	56	55	53	51	50	68	47	33.2	38	36	32	29	28	44	25
14:00	52.9	55	54	52	49	49	69	46	32.7	36	35	31	28	28	48	24
15:00	53.9	56	55	53	51	50	77	46	33.1	37	35	32	29	28	48	25
16:00	53.6	55	54	52	49	49	80	46	31.3	35	34	30	27	27	46	24
17:00	52.5	55	54	51	49	49	72	46	31.0	35	33	30	27	27	44	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.8	55	54	51	49	49	71	46	34.7	39	38	33	29	28	48	24
09:00	52.7	56	55	51	49	49	69	46	34.8	39	38	33	29	28	51	24
10:00	51.0	54	53	50	49	48	64	46	35.3	40	38	33	28	28	49	25
11:00	50.5	53	52	50	48	47	66	45	34.2	38	36	31	27	27	51	22
12:00	49.6	52	51	48	47	46	68	43	31.6	36	34	29	25	24	50	21
13:00	48.5	51	50	48	46	45	63	43	31.0	35	34	29	25	25	47	20
14:00	48.4	51	50	48	46	45	63	43	31.1	35	34	29	26	25	44	20
15:00	49.4	51	50	47	45	45	81	42	30.5	35	33	29	25	25	49	21
16:00	48.3	50	49	47	45	45	68	42	31.7	36	34	29	26	25	47	20
17:00	48.1	50	49	46	44	44	67	42	33.6	39	37	30	26	25	50	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/03

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.2	55	53	50	49	48	70	44	32.9	37	36	32	28	28	45	23
09:00	49.6	52	51	48	46	45	74	42	33.3	37	36	32	28	27	47	24
10:00	51.4	53	52	49	47	46	73	42	33.6	38	36	32	28	27	50	23
11:00	50.5	53	52	49	47	46	68	42	32.3	37	35	30	27	26	45	20
12:00	50.7	52	51	48	45	45	80	42	31.4	36	34	29	25	24	47	21
13:00	50.5	52	51	49	46	46	70	42	31.8	36	34	30	26	26	50	22
14:00	49.3	52	51	48	46	45	65	42	31.5	36	34	30	27	26	44	23
15:00	48.9	52	50	47	44	44	70	41	30.7	35	33	29	26	25	47	20
16:00	48.2	51	50	46	44	43	67	41	31.1	35	34	29	25	25	47	22
17:00	48.5	51	49	46	44	44	68	42	29.6	34	32	28	25	25	45	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/04

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	50	49	47	46	45	68	43	31.9	36	34	29	26	25	48	23
09:00	48.0	50	49	47	45	45	68	43	33.9	38	37	31	27	27	50	23
10:00	47.1	49	48	46	44	44	72	41	33.3	38	36	31	27	26	52	22
11:00	48.6	51	49	46	44	44	75	41	32.7	37	35	30	26	25	53	20
12:00	45.8	48	47	45	43	43	63	40	32.9	38	36	30	25	24	50	18
13:00	50.0	54	52	48	46	45	67	42	42.6	47	46	39	31	30	57	23
14:00	48.4	52	50	47	45	44	70	42	39.5	45	43	36	30	28	53	23
15:00	49.4	53	52	48	45	45	68	42	41.3	46	45	38	32	31	55	23
16:00	50.7	54	52	49	46	46	75	42	42.1	47	46	40	35	33	54	26
17:00	50.2	53	51	48	46	46	78	43	40.7	45	44	37	31	29	55	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/05

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.2	47	46	43	41	40	64	38	29.9	35	33	27	23	22	49	18
09:00	46.3	49	47	44	41	40	70	37	31.9	36	34	29	24	23	50	18
10:00	44.7	48	46	43	41	40	63	37	36.1	39	37	31	26	25	55	18
11:00	43.7	47	46	43	40	40	59	37	36.2	41	39	30	24	22	58	17
12:00	44.6	47	46	43	41	41	67	38	37.1	42	40	32	25	24	54	17
13:00	46.2	50	48	45	42	42	64	39	40.6	46	43	34	27	25	57	19
14:00	45.6	49	47	45	43	42	65	40	40.1	46	44	35	27	25	58	20
15:00	48.4	52	50	46	44	44	70	42	44.4	50	47	38	30	28	65	22
16:00	48.9	52	51	47	45	44	69	42	44.3	50	48	39	31	29	59	23
17:00	47.8	51	49	46	44	44	67	41	41.0	47	45	37	30	29	56	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/06

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	47	45	43	41	40	85	38	26.4	31	30	24	21	20	42	18
09:00	47.7	48	47	43	41	41	74	38	31.7	36	35	27	23	22	48	17
10:00	46.9	50	49	46	44	43	65	41	38.3	44	41	33	26	25	57	19
11:00	47.6	51	49	46	44	44	67	42	40.4	46	44	35	28	27	58	22
12:00	46.0	49	48	45	43	43	64	41	37.8	43	41	32	26	24	56	19
13:00	51.5	53	52	49	47	46	62	42	35.8	41	39	31	24	23	57	19
14:00	47.1	50	48	45	44	43	69	40	38.0	44	41	33	27	25	56	18
15:00	46.5	49	48	45	43	43	65	40	38.0	43	41	32	25	24	59	19
16:00	46.4	50	48	45	43	43	61	41	39.1	45	42	33	25	23	58	18
17:00	45.5	48	47	44	42	42	64	39	34.1	39	37	28	23	22	54	16

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	48	47	45	43	42	71	39	34.2	39	36	30	25	24	54	20
09:00	49.6	53	50	45	42	42	71	38	37.3	43	40	33	27	26	54	20
10:00	48.9	51	50	47	44	43	60	38	43.8	44	42	38	31	30	55	19
11:00	52.1	53	52	51	49	48	59	38	48.5	49	49	46	42	40	57	19
12:00	44.1	47	46	43	41	40	56	38	34.2	39	37	31	26	25	47	17
13:00	53.1	55	54	51	50	49	72	42	48.2	50	49	46	43	41	60	24
14:00	51.3	53	51	46	43	42	78	39	41.6	42	40	35	30	29	62	20
15:00	47.8	51	50	47	44	44	63	40	43.3	46	44	37	30	28	64	21
16:00	50.8	55	53	49	46	45	67	41	43.3	48	46	40	34	32	58	24
17:00	48.2	51	49	46	44	43	69	40	34.4	39	37	30	26	26	50	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	48	47	44	41	41	65	37	40.2	43	40	33	28	26	61	20
09:00	47.8	52	50	46	43	42	65	37	42.3	47	45	38	33	31	56	25
10:00	47.2	51	49	46	43	42	67	37	44.1	50	48	39	32	30	62	21
11:00	52.5	54	53	51	48	47	66	39	50.5	52	51	48	43	41	61	23
12:00	44.7	48	47	43	41	41	65	38	39.1	44	42	34	27	26	58	19
13:00	52.5	55	53	51	49	49	67	40	50.5	53	52	48	43	42	64	23
14:00	53.5	56	55	53	52	52	64	50	50.5	53	52	50	49	49	60	47
15:00	53.9	56	55	53	52	52	68	50	51.0	53	53	50	49	49	65	46
16:00	52.6	54	53	52	50	49	71	42	50.7	52	51	48	45	44	66	24
17:00	47.7	51	49	45	43	43	71	39	35.6	39	37	30	26	25	55	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.2	54	53	49	46	46	69	43	45.5	50	48	43	38	36	63	29
09:00	55.4	58	57	55	53	52	68	46	50.3	53	52	50	47	47	63	37
10:00	55.2	57	57	55	53	53	68	51	51.4	54	53	51	49	49	65	46
11:00	53.9	56	55	52	50	49	72	40	50.0	52	51	48	45	45	62	24
12:00	45.8	49	48	45	42	41	67	38	37.2	42	40	34	28	27	50	19
13:00	53.4	55	55	52	50	50	71	39	51.7	55	54	50	46	45	62	20
14:00	54.4	57	56	54	52	52	68	49	51.5	54	53	51	49	49	66	48
15:00	53.7	56	55	53	52	51	63	49	51.5	54	53	51	49	49	68	47
16:00	51.7	54	53	50	48	48	66	39	49.1	52	51	45	41	40	64	23
17:00	50.4	54	52	48	45	45	75	41	46.4	51	49	43	37	36	64	27

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.7	49	47	44	42	42	64	39	36.1	41	38	31	27	26	53	22
09:00	53.1	55	55	52	50	50	66	40	50.4	53	52	48	46	45	65	23
10:00	54.6	57	55	53	52	51	74	49	49.8	52	51	49	48	48	64	45
11:00	52.4	54	54	51	50	49	63	38	49.3	52	51	48	45	44	63	23
12:00	47.9	48	46	43	40	40	74	36	35.3	40	38	31	26	24	52	19
13:00	53.1	55	54	53	50	50	68	40	49.3	52	51	49	47	46	62	29
14:00	54.6	57	56	54	53	52	69	50	50.2	53	52	49	48	48	68	45
15:00	54.8	57	56	54	53	52	65	50	49.9	52	51	49	48	48	60	46
16:00	53.9	55	55	52	50	50	67	43	48.1	50	49	45	42	41	59	26
17:00	48.1	51	49	47	45	44	67	41	38.8	43	41	35	30	28	56	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	51	50	46	43	42	65	39	39.1	41	40	32	27	26	59	20
09:00	46.9	50	49	46	43	43	66	40	43.8	46	44	39	32	31	60	26
10:00	46.2	50	48	45	42	41	64	38	37.5	42	40	34	29	28	54	22
11:00	47.6	51	49	45	42	41	73	37	45.9	49	47	40	31	28	64	21
12:00	53.9	54	53	49	42	41	67	35	31.8	37	35	29	24	23	49	17
13:00	51.8	53	52	48	45	44	72	37	47.9	48	47	42	34	33	60	18
14:00	53.3	56	54	53	51	51	69	49	51.1	54	53	50	49	49	68	46
15:00	53.9	55	55	54	52	52	70	49	49.5	51	51	49	48	48	58	47
16:00	53.6	55	54	52	50	49	77	43	47.1	48	47	44	41	40	55	26
17:00	48.7	52	51	47	45	45	70	42	36.2	41	39	33	28	27	55	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	48	47	45	42	42	61	36	40.5	40	38	31	25	23	62	19
09:00	48.1	51	50	46	43	43	67	39	39.4	44	41	35	29	27	64	18
10:00	44.9	48	47	44	41	41	62	36	35.1	40	37	31	25	24	53	18
11:00	44.5	48	46	43	40	40	64	36	33.6	38	36	29	24	23	54	18
12:00	44.0	47	46	43	40	39	63	35	33.2	38	36	30	26	25	49	18
13:00	52.6	54	53	51	50	49	67	36	49.5	51	50	47	44	43	70	23
14:00	51.2	53	52	50	48	47	64	40	47.8	50	49	45	42	42	60	27
15:00	47.8	52	50	46	43	42	63	39	45.2	50	49	42	34	33	59	21
16:00	47.4	51	50	46	43	42	64	39	43.6	49	47	40	34	32	60	25
17:00	48.7	53	51	46	44	43	73	40	44.5	50	48	42	35	33	60	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.5	48	47	43	41	40	62	36	36.9	42	40	33	27	26	53	18
09:00	48.3	52	50	46	43	43	63	37	35.6	40	38	32	27	26	50	20
10:00	47.2	50	49	46	43	43	74	39	35.6	41	39	31	26	25	50	18
11:00	46.6	50	49	46	43	42	62	39	38.4	43	42	35	28	27	54	20
12:00	45.7	48	48	45	42	41	62	39	34.5	40	38	32	26	25	48	19
13:00	45.0	48	47	44	42	41	61	38	36.0	41	39	33	27	25	49	20
14:00	49.6	52	51	49	47	46	64	42	36.0	41	39	33	28	27	51	21
15:00	49.8	52	51	49	47	46	65	42	35.5	40	39	33	28	27	48	21
16:00	47.3	50	49	46	44	44	67	41	39.2	44	42	36	29	28	51	22
17:00	47.1	51	49	46	43	42	66	40	38.3	43	41	35	29	28	55	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.1	49	47	44	42	42	75	39	37.1	40	37	30	26	25	58	20
09:00	52.8	55	54	52	50	50	61	40	50.3	53	52	49	45	45	65	22
10:00	52.2	54	53	52	51	50	69	48	50.8	53	52	50	49	48	67	46
11:00	52.5	55	54	52	48	48	74	41	50.4	53	52	49	45	45	72	30
12:00	43.7	47	45	42	40	39	67	36	32.9	37	35	29	24	23	53	18
13:00	52.9	55	54	52	50	49	70	37	51.4	54	53	49	45	44	70	20
14:00	53.3	56	54	51	49	49	72	42	48.5	50	49	47	45	44	62	26
15:00	45.8	49	48	44	42	42	65	40	39.3	44	42	34	29	27	52	22
16:00	51.7	53	53	50	49	48	65	42	48.5	50	49	46	44	43	60	29
17:00	48.1	51	50	46	44	43	69	41	46.5	45	43	37	32	31	70	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	53	51	47	46	45	71	42	44.3	49	47	38	32	30	64	24
09:00	53.5	56	55	52	51	51	66	43	52.7	55	54	51	48	47	61	27
10:00	56.1	59	57	54	53	52	76	48	54.5	57	56	54	51	51	62	40
11:00	54.0	58	56	52	49	49	72	45	47.7	53	51	44	36	35	63	26
12:00	51.8	56	54	49	47	46	73	43	46.1	52	50	42	34	32	65	25
13:00	52.6	56	54	51	49	48	67	43	52.3	54	53	49	44	43	63	27
14:00	54.2	56	56	54	52	52	69	50	54.1	55	55	54	53	53	67	51
15:00	55.1	57	56	53	52	52	79	49	54.0	55	55	54	53	53	68	51
16:00	49.0	51	50	46	44	44	72	39	46.8	44	42	37	32	31	60	22
17:00	48.7	51	49	44	42	41	71	38	38.7	40	38	32	26	25	58	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.7	50	48	45	43	43	69	38	40.2	44	42	36	31	29	62	25
09:00	46.2	50	48	42	40	39	68	36	36.6	41	39	33	28	27	55	21
10:00	50.7	52	51	48	44	44	65	35	52.0	49	48	44	39	38	65	22
11:00	51.8	52	52	50	47	46	64	37	52.3	51	50	48	43	42	64	24
12:00	42.5	46	45	41	38	38	61	35	34.1	37	36	30	25	24	51	18
13:00	52.7	55	54	52	50	49	66	37	53.3	55	54	52	49	48	62	22
14:00	52.1	54	53	51	49	49	62	37	53.0	55	54	51	49	48	60	23
15:00	44.0	47	46	42	40	39	62	36	33.8	38	37	31	26	25	50	20
16:00	49.1	52	50	46	44	43	68	37	40.9	43	41	35	30	29	58	21
17:00	48.4	51	50	47	45	44	67	42	38.4	43	41	35	29	28	53	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	51	49	45	43	42	73	39	40.9	44	43	38	32	31	62	23
09:00	49.5	52	50	46	43	43	76	38	40.8	44	42	35	30	29	62	23
10:00	51.4	54	53	48	46	45	69	35	52.2	51	50	45	41	40	62	20
11:00	53.3	56	55	52	50	50	69	38	53.3	55	54	52	49	49	61	26
12:00	44.6	46	45	42	39	39	71	35	34.8	40	38	31	26	25	51	18
13:00	53.5	56	55	53	50	49	72	36	52.8	54	54	53	48	47	62	22
14:00	53.7	55	54	52	51	50	73	40	52.5	53	53	51	50	50	62	38
15:00	51.6	52	52	49	47	46	72	38	51.1	50	50	45	41	40	62	23
16:00	53.4	54	54	52	50	49	64	42	51.4	51	50	48	45	44	62	28
17:00	46.4	50	48	45	43	42	63	40	35.0	39	37	31	26	25	53	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	52	51	45	42	41	65	37	37.8	41	39	33	28	27	54	21
09:00	53.8	56	55	48	44	42	66	37	35.6	40	38	32	27	26	55	21
10:00	56.5	60	59	55	52	50	67	42	35.6	40	38	33	29	28	54	22
11:00	54.0	57	56	52	49	49	65	38	53.4	55	55	51	46	46	62	24
12:00	43.3	47	45	42	39	39	63	35	32.5	37	36	30	25	24	48	20
13:00	53.3	56	55	52	49	49	67	39	53.0	55	54	50	48	46	70	23
14:00	46.6	49	48	44	41	41	68	36	43.9	43	41	35	30	29	56	23
15:00	53.3	55	55	53	51	51	63	43	53.2	55	54	52	50	50	60	30
16:00	47.0	50	49	46	44	44	67	41	40.7	46	44	37	31	30	56	21
17:00	47.7	51	50	46	43	43	66	40	36.5	40	38	30	26	25	59	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/19

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.0	48	47	43	41	40	65	37	37.4	42	39	32	27	26	57	20
09:00	48.5	49	48	46	43	43	66	38	47.9	44	43	38	32	31	60	20
10:00	53.3	55	54	53	52	51	71	49	53.1	54	54	53	52	52	64	49
11:00	51.7	53	53	51	49	48	61	41	52.2	53	52	49	45	45	60	25
12:00	45.3	48	47	44	42	42	62	39	37.9	43	41	34	29	28	59	24
13:00	52.4	54	54	51	49	49	64	41	52.9	55	54	51	49	48	67	28
14:00	53.6	55	55	54	52	51	62	42	53.3	54	54	53	51	51	61	39
15:00	45.8	49	48	45	42	42	64	37	39.5	44	42	36	31	29	55	22
16:00	46.8	50	48	45	43	42	67	40	36.0	41	39	32	27	26	53	23
17:00	49.5	54	52	46	43	42	70	39	34.7	39	37	31	26	24	51	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/20

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.8	48	46	43	41	40	75	38	27.5	31	30	26	23	23	48	20
09:00	44.0	47	46	43	41	40	62	38	29.2	33	32	27	24	24	44	20
10:00	48.4	49	47	44	42	41	72	36	29.6	34	32	27	23	22	45	16
11:00	43.0	46	45	42	40	40	61	36	33.4	39	36	29	23	22	51	18
12:00	47.3	51	48	42	40	39	69	36	32.0	37	36	29	23	22	45	17
13:00	43.1	46	45	43	41	40	60	36	33.9	39	37	30	25	24	50	18
14:00	45.1	48	47	44	42	41	64	38	34.3	40	37	31	25	24	51	19
15:00	45.6	48	47	43	41	41	71	39	35.6	41	37	30	24	23	55	18
16:00	44.7	47	46	43	42	41	64	39	31.2	36	34	27	23	22	50	16
17:00	51.5	53	51	47	43	42	74	39	31.0	36	34	27	23	22	49	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.9	55	53	47	44	43	65	37	38.7	43	41	35	29	28	57	23
09:00	48.0	51	49	45	42	41	64	38	36.3	41	39	34	29	28	51	21
10:00	46.3	50	48	44	41	41	73	37	38.0	43	41	35	29	27	54	21
11:00	49.6	52	50	46	43	42	70	38	41.5	46	44	38	33	32	56	22
12:00	44.3	47	46	43	41	40	60	37	32.9	37	36	31	26	25	48	21
13:00	52.7	54	53	51	49	49	68	37	52.8	52	51	50	46	46	62	23
14:00	52.9	54	54	52	50	49	63	40	52.9	53	53	51	48	47	61	25
15:00	46.9	50	49	45	42	42	68	38	39.9	44	41	35	29	28	58	20
16:00	51.5	55	53	49	47	46	77	42	47.5	52	50	44	39	38	62	30
17:00	49.3	53	51	48	45	45	67	41	44.4	49	48	41	36	34	59	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	47	44	42	41	66	37	38.0	41	39	34	28	27	55	23
09:00	47.0	50	48	45	41	41	71	37	44.2	43	41	37	30	28	56	21
10:00	52.1	55	52	49	48	47	72	38	52.1	50	49	46	43	41	65	22
11:00	53.5	56	55	52	50	50	66	40	53.0	55	55	51	48	48	67	26
12:00	44.1	47	46	43	41	40	58	38	36.0	41	39	31	26	24	53	18
13:00	54.4	57	56	54	51	50	68	40	53.5	55	55	53	49	49	66	25
14:00	54.0	56	56	53	52	52	69	50	53.7	55	55	53	52	52	68	50
15:00	54.3	57	56	54	52	52	64	50	53.3	55	54	53	52	52	62	50
16:00	53.1	55	54	52	50	49	64	43	51.1	52	51	48	45	44	61	27
17:00	48.3	51	50	47	45	44	68	42	40.0	45	43	35	29	27	61	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	49	46	45	44	77	42	42.9	46	44	37	30	29	62	24
09:00	47.1	50	49	46	44	43	68	40	36.6	41	39	34	29	28	52	23
10:00	52.4	53	53	51	50	49	69	41	50.7	49	48	46	43	42	56	22
11:00	53.5	55	55	53	51	51	66	42	52.3	53	53	52	50	49	58	30
12:00	47.9	51	50	46	43	43	73	38	34.6	39	38	32	28	27	49	23
13:00	53.3	55	54	52	50	49	68	41	52.0	54	53	51	47	46	58	27
14:00	48.3	51	50	46	43	43	68	40	35.2	39	38	32	27	27	55	22
15:00	49.6	53	51	48	46	45	69	40	40.1	42	40	35	30	29	61	23
16:00	50.2	53	52	49	46	46	66	42	44.1	48	46	39	33	30	61	23
17:00	50.2	53	51	47	45	44	72	40	39.9	38	36	32	29	28	61	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.4	49	47	44	41	41	64	38	33.1	38	36	30	26	25	52	20
09:00	52.5	54	54	51	48	48	70	37	52.1	52	51	47	44	44	65	22
10:00	54.2	56	55	53	52	51	72	45	53.5	55	55	53	51	51	64	39
11:00	47.0	51	49	44	41	41	66	37	37.6	40	38	32	28	27	56	19
12:00	44.3	48	46	43	40	39	60	36	34.1	39	36	30	25	24	53	18
13:00	53.1	55	55	53	50	50	61	38	53.6	55	55	53	48	48	64	22
14:00	53.7	55	55	53	52	52	67	50	53.8	55	55	54	53	53	67	51
15:00	54.8	57	56	54	53	52	71	49	53.9	55	55	54	53	53	60	52
16:00	53.3	56	55	52	50	49	68	42	52.7	55	54	51	48	47	63	25
17:00	48.3	52	50	47	44	44	69	41	41.2	47	45	38	32	31	59	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	51	50	46	43	43	69	38	44.7	47	45	38	32	31	65	22
09:00	51.8	54	53	50	48	47	63	37	50.9	47	46	43	40	39	58	21
10:00	52.9	55	54	53	51	51	69	49	53.5	55	54	53	53	52	58	51
11:00	53.4	55	55	53	51	50	65	40	53.4	55	54	53	51	50	59	30
12:00	48.2	54	50	43	40	39	70	35	32.4	37	35	29	25	23	55	19
13:00	53.9	56	55	53	50	50	69	36	53.1	55	55	51	48	47	73	20
14:00	47.5	50	49	46	43	42	69	38	45.8	48	46	39	32	31	67	21
15:00	48.6	50	49	46	44	43	73	40	42.8	44	41	33	29	28	67	22
16:00	47.9	51	50	47	44	43	64	40	42.5	47	45	39	31	30	59	23
17:00	50.5	51	49	45	43	42	82	38	41.3	40	38	32	27	25	66	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	51	49	45	42	41	70	37	40.9	46	44	37	30	29	58	21
09:00	51.8	55	53	49	47	46	64	36	50.8	49	47	43	40	39	61	21
10:00	52.9	55	54	52	51	51	67	48	52.7	54	53	53	52	52	60	50
11:00	52.1	55	53	50	46	46	64	35	50.8	49	48	45	39	38	61	20
12:00	44.0	48	46	43	39	38	67	34	31.3	36	34	29	24	23	49	17
13:00	53.8	55	55	53	51	50	82	40	53.5	55	54	54	49	48	58	21
14:00	52.7	55	54	51	48	47	71	38	51.5	50	49	45	42	40	57	20
15:00	46.9	50	49	46	44	43	64	41	32.5	37	35	29	25	24	53	20
16:00	46.5	51	49	44	42	42	62	38	39.4	43	41	32	26	25	60	16
17:00	46.1	49	48	44	41	41	68	37	32.2	37	35	29	25	24	48	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	52	49	42	39	38	67	34	26.6	31	30	25	21	20	40	16
09:00	49.1	55	52	43	40	40	68	37	34.9	40	37	29	23	22	57	17
10:00	51.2	58	56	45	42	42	66	38	39.2	44	42	32	25	23	63	17
11:00	49.4	55	52	46	43	43	65	40	39.7	46	43	33	26	24	58	19
12:00	48.5	53	51	46	43	42	68	39	40.6	47	44	34	26	24	58	18
13:00	48.5	54	51	45	42	42	64	39	40.1	46	43	33	25	24	60	18
14:00	45.7	49	47	43	41	40	69	38	37.8	43	41	32	25	23	54	19
15:00	44.2	47	46	43	40	40	65	36	37.6	44	41	30	23	22	57	17
16:00	49.6	50	48	44	41	40	77	37	36.1	41	38	30	24	23	55	18
17:00	45.2	49	47	43	40	39	67	36	32.2	37	35	28	24	23	48	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/04/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.7	50	49	45	43	42	66	38	40.2	44	41	36	30	29	56	23
09:00	53.4	55	53	50	46	45	76	38	36.2	40	39	33	30	29	57	23
10:00	57.5	60	59	55	52	52	73	47	53.5	55	55	51	50	50	66	30
11:00	53.0	55	54	53	50	50	65	41	53.4	55	54	54	50	49	59	25
12:00	45.5	48	47	44	42	42	68	37	37.5	42	40	33	27	26	57	19
13:00	53.6	55	55	53	51	50	68	41	53.8	55	55	54	50	49	59	22
14:00	56.0	58	57	56	54	53	73	50	54.3	55	55	54	53	53	60	52
15:00	55.6	58	57	54	52	52	75	49	54.3	55	55	54	54	53	60	52
16:00	50.1	52	51	49	47	46	67	40	50.5	51	49	43	35	34	69	23
17:00	50.6	53	52	48	46	45	82	42	39.9	45	43	35	28	27	58	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	50	49	46	43	43	69	39	36.0	40	39	33	27	26	52	20
09:00	50.2	53	52	49	46	45	70	41	37.9	43	41	34	29	28	53	21
10:00	48.5	52	51	47	45	44	63	40	40.2	46	44	36	30	28	56	22
11:00	48.0	52	50	46	44	43	63	38	39.2	44	42	35	28	27	54	19
12:00	46.6	51	49	45	42	41	65	37	36.8	43	40	32	26	24	53	18
13:00	47.6	50	48	44	42	41	71	36	35.4	40	38	31	26	25	50	20
14:00	47.9	50	49	45	42	42	74	38	37.0	42	40	33	28	26	50	20
15:00	46.3	49	48	44	41	41	69	38	33.8	39	37	30	25	24	51	19
16:00	47.4	50	49	45	43	42	68	39	34.3	37	36	29	24	23	54	18
17:00	46.0	49	48	45	43	42	66	39	31.0	36	34	28	23	22	50	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/04/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	52	49	46	46	69	43	43.0	47	46	41	36	35	55	26
09:00	50.2	53	52	49	47	47	65	42	48.8	49	48	43	39	38	60	29
10:00	53.7	55	55	53	52	52	67	50	54.4	55	55	54	54	53	60	52
11:00	53.1	55	54	52	51	50	62	40	53.1	55	54	52	49	49	60	27
12:00	44.6	48	47	42	40	39	64	35	38.1	43	41	34	28	27	59	19
13:00	52.7	55	54	52	50	49	65	37	53.0	55	54	52	49	48	62	24
14:00	49.2	51	50	46	44	44	66	38	49.3	47	46	41	37	36	57	23
15:00	46.4	50	48	44	42	41	66	37	38.4	42	40	35	30	29	57	24
16:00	47.9	51	50	47	44	43	68	41	43.1	48	47	41	33	31	58	24
17:00	51.3	56	55	47	44	43	68	42	48.7	54	52	45	38	33	64	28