

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	51	50	45	43	42	74	39	38.5	41	39	32	27	26	58	22
09:00	54.0	56	54	51	48	47	77	40	52.6	53	52	49	45	44	66	26
10:00	54.4	56	55	54	53	52	72	50	54.5	55	55	54	54	54	60	52
11:00	54.0	56	56	53	51	50	66	38	54.2	56	55	53	50	49	61	20
12:00	45.6	49	47	43	41	40	64	37	38.2	43	40	32	26	25	61	19
13:00	55.3	57	57	55	52	52	69	42	54.5	56	55	55	51	50	61	27
14:00	54.7	57	57	54	52	52	67	50	54.9	56	56	55	54	54	64	52
15:00	55.1	58	57	54	52	52	67	50	55.2	57	56	55	54	54	65	52
16:00	53.7	55	55	52	50	50	67	42	53.3	54	53	50	48	46	62	28
17:00	48.3	51	50	46	44	44	70	39	40.6	44	42	35	29	28	57	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	50	49	46	43	43	67	39	39.9	43	42	36	32	30	57	22
09:00	48.4	51	50	48	45	45	65	41	42.0	47	45	39	33	32	55	25
10:00	50.9	52	51	48	45	45	85	41	42.8	48	46	40	35	34	58	26
11:00	48.6	53	51	47	44	43	62	40	42.8	47	46	39	32	31	59	23
12:00	46.2	50	49	45	42	42	61	37	38.5	44	42	35	29	28	54	21
13:00	58.7	62	61	56	53	52	72	44	54.4	56	56	54	51	50	61	29
14:00	56.0	59	58	54	52	51	70	46	51.7	51	50	48	42	42	60	26
15:00	56.6	59	58	55	52	52	73	47	39.6	44	42	38	34	33	55	27
16:00	55.9	59	58	55	52	51	67	47	43.4	47	46	41	37	35	56	28
17:00	58.0	60	59	55	53	52	84	48	44.2	48	46	41	36	34	64	26

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/05/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.9	52	51	48	45	44	68	41	39.1	44	42	36	30	28	52	22
09:00	49.4	53	51	47	44	43	73	41	36.0	41	39	33	28	26	50	20
10:00	46.7	50	49	45	42	42	64	37	32.7	37	35	30	26	24	48	19
11:00	43.4	47	45	42	39	39	61	35	28.7	34	32	26	22	21	45	17
12:00	43.4	47	45	41	38	38	68	35	29.4	34	33	27	22	21	45	17
13:00	43.8	48	46	42	39	39	63	35	32.4	36	34	28	23	22	54	17
14:00	45.7	49	47	44	41	41	67	38	38.2	44	41	33	26	25	54	22
15:00	45.2	49	47	44	41	41	63	37	35.7	41	39	31	26	25	53	21
16:00	45.7	49	48	44	42	41	61	38	36.3	41	39	31	26	25	56	20
17:00	47.7	51	50	46	44	43	65	40	40.3	45	43	35	29	27	56	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/05/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	48	45	42	41	64	38	29.3	34	33	27	25	24	45	21
09:00	46.7	50	49	44	42	42	67	37	31.2	36	35	29	26	25	45	21
10:00	45.9	50	49	44	41	41	63	37	29.7	34	33	27	24	24	45	21
11:00	46.0	49	48	44	42	41	72	37	32.6	38	36	29	25	24	48	20
12:00	45.5	50	48	43	40	40	65	36	33.4	37	34	26	22	22	56	18
13:00	47.5	50	48	44	41	41	76	37	34.4	39	38	31	26	24	48	19
14:00	47.4	51	49	46	43	43	67	40	39.5	43	42	36	31	30	55	23
15:00	51.5	55	54	49	46	46	68	41	47.2	52	50	43	35	33	63	22
16:00	51.8	56	54	50	47	46	71	43	46.0	51	49	41	35	33	62	25
17:00	50.1	54	53	48	45	44	68	40	44.5	49	47	40	32	30	61	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	53	52	48	42	41	66	36	29.8	34	33	28	24	23	41	17
09:00	48.0	52	51	45	40	39	67	36	29.2	33	32	27	23	22	41	17
10:00	45.8	51	49	43	40	40	63	36	29.7	34	33	27	23	22	40	17
11:00	46.0	50	48	43	40	40	69	36	31.0	36	35	28	23	23	42	17
12:00	44.6	49	47	42	39	38	61	35	29.7	35	33	26	21	20	44	15
13:00	49.7	50	49	45	42	41	76	35	38.1	42	40	32	25	24	57	17
14:00	48.8	52	51	48	46	45	69	41	39.5	45	43	33	27	26	57	20
15:00	48.1	51	50	47	45	44	67	40	39.3	45	43	34	27	26	55	22
16:00	48.8	51	50	46	44	44	79	41	42.3	47	45	37	29	28	61	22
17:00	48.6	53	51	46	44	43	67	41	43.5	50	47	37	28	26	60	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.7	54	54	52	51	51	62	48	31.8	35	34	31	28	28	48	24
09:00	54.7	56	56	54	53	52	70	49	33.6	37	36	33	30	29	48	25
10:00	53.6	55	55	53	52	51	71	46	33.2	37	35	32	29	29	49	24
11:00	48.9	50	50	48	46	45	63	41	31.0	34	33	29	26	26	46	20
12:00	48.6	51	50	48	46	45	70	42	29.7	34	32	27	24	24	45	20
13:00	48.0	50	49	47	45	44	70	41	28.2	32	31	26	23	23	43	19
14:00	50.3	53	51	49	47	46	71	43	30.3	35	33	29	25	25	44	21
15:00	48.9	51	50	47	44	44	67	40	29.5	33	32	28	25	25	45	22
16:00	47.3	50	49	46	44	43	64	40	28.1	32	30	26	24	23	50	19
17:00	48.1	50	49	46	44	43	68	38	27.5	32	30	26	22	22	43	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	58.3	63	61	55	52	51	75	47	49.0	54	53	47	41	39	62	32
09:00	57.3	61	59	56	54	54	70	49	55.2	57	56	55	53	52	61	34
10:00	57.2	61	59	56	54	54	74	52	55.6	57	57	55	55	55	61	53
11:00	56.1	59	58	55	54	53	73	51	55.2	56	56	55	54	54	61	53
12:00	50.9	55	53	49	46	45	69	42	44.9	49	48	40	35	34	58	23
13:00	55.7	58	57	55	53	53	69	45	54.4	55	55	53	51	50	63	28
14:00	55.0	57	57	55	53	52	67	44	54.4	56	55	55	52	52	63	39
15:00	48.4	51	50	47	45	45	65	41	42.2	45	44	37	32	30	62	23
16:00	48.0	50	49	46	44	43	75	40	43.7	45	43	36	30	29	67	22
17:00	46.1	50	48	44	42	41	66	38	41.3	43	40	30	25	25	63	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.3	50	48	44	41	41	68	38	33.5	38	36	31	26	25	51	20
09:00	53.1	55	54	53	50	50	63	40	54.6	56	56	55	50	49	59	21
10:00	53.2	55	54	53	52	52	64	49	54.5	56	55	54	54	54	60	51
11:00	52.2	54	53	51	49	49	64	38	53.5	54	53	52	50	49	58	26
12:00	43.5	47	46	42	39	38	62	35	31.8	37	35	29	24	23	48	18
13:00	46.4	50	48	44	41	40	69	36	43.9	44	42	35	29	28	68	19
14:00	47.2	51	49	46	43	42	68	39	45.3	48	46	41	34	32	65	25
15:00	46.7	50	49	45	43	42	65	39	40.1	45	43	36	29	28	57	22
16:00	48.1	51	50	47	44	44	68	41	44.5	48	46	39	33	32	69	23
17:00	47.3	51	49	46	43	43	65	40	38.8	44	42	35	29	28	53	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	50	48	44	42	41	73	38	38.7	41	39	34	29	28	59	22
09:00	52.7	55	54	52	50	50	64	39	53.4	55	55	50	49	48	63	24
10:00	53.7	56	55	53	52	52	70	48	54.4	56	55	54	53	53	71	51
11:00	52.1	53	52	50	48	47	68	40	51.2	50	49	45	42	41	60	23
12:00	45.3	48	47	44	42	41	65	38	35.8	41	39	32	26	25	55	20
13:00	48.1	52	50	47	45	44	63	41	44.1	49	47	41	34	33	64	26
14:00	47.9	51	50	47	45	44	64	41	41.1	46	44	37	32	31	58	24
15:00	48.3	52	50	47	45	44	63	41	40.7	45	43	37	32	31	56	24
16:00	49.9	53	51	47	45	45	70	42	43.3	45	43	36	30	29	69	23
17:00	48.3	51	50	47	45	44	66	42	39.1	44	41	34	29	28	55	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	49	48	45	43	42	66	39	36.5	38	36	31	27	26	56	24
09:00	52.7	54	53	52	50	50	68	39	51.7	52	51	49	47	46	61	25
10:00	51.6	54	53	50	48	47	66	41	49.7	51	50	47	41	40	58	25
11:00	52.3	54	54	51	49	48	67	41	50.8	53	52	46	41	40	63	24
12:00	45.5	48	47	44	42	41	66	37	30.1	34	33	28	25	24	43	21
13:00	53.1	55	54	53	51	50	68	40	52.2	54	54	52	48	48	63	26
14:00	54.1	56	55	54	52	52	66	49	52.7	54	53	53	52	52	60	49
15:00	53.8	56	55	53	51	51	68	42	52.7	54	54	51	50	50	58	27
16:00	46.1	49	47	44	42	42	67	39	34.7	37	35	29	26	25	55	23
17:00	47.3	50	49	45	43	43	69	39	38.5	39	38	32	29	28	58	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.3	49	47	44	42	41	71	39	28.4	33	31	26	23	23	45	20
09:00	47.0	50	49	45	43	42	67	39	34.7	39	37	31	26	25	50	20
10:00	47.4	50	49	46	43	43	68	39	34.7	40	38	31	25	24	48	18
11:00	47.0	50	48	44	42	41	73	38	32.0	37	35	27	23	22	49	16
12:00	44.2	47	46	43	41	40	63	36	31.4	36	34	27	23	22	48	16
13:00	43.7	47	45	42	40	39	65	35	29.7	33	32	27	23	23	43	18
14:00	47.3	50	47	43	40	39	70	36	29.1	33	32	27	23	23	50	20
15:00	45.2	49	47	43	40	40	64	37	27.6	32	30	25	22	21	46	17
16:00	46.8	48	47	43	41	40	74	36	27.0	31	29	24	21	20	53	17
17:00	46.0	49	47	44	41	41	76	38	25.6	30	28	24	21	20	40	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.7	51	49	46	44	43	66	38	37.4	41	39	34	29	27	55	22
09:00	49.0	51	50	47	44	44	65	41	45.0	43	42	37	30	30	57	22
10:00	52.1	53	52	50	47	46	65	39	50.2	49	47	42	37	37	60	21
11:00	46.5	50	49	45	42	42	67	38	35.0	39	37	31	26	25	57	18
12:00	46.5	47	46	44	41	40	76	38	31.9	36	34	29	25	24	55	19
13:00	46.9	50	48	45	42	42	69	38	40.2	44	41	34	28	27	60	21
14:00	53.9	56	55	53	52	51	65	40	52.9	55	54	51	48	48	63	24
15:00	49.3	52	50	47	44	43	61	39	46.9	43	42	36	32	31	57	22
16:00	47.8	51	50	47	44	43	64	40	41.5	46	43	36	29	27	62	22
17:00	48.0	52	50	46	43	42	71	39	38.4	43	40	34	28	27	58	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	50	48	44	42	41	67	37	37.3	41	39	33	29	28	58	19
09:00	61.3	64	63	60	55	54	70	43	52.7	54	54	53	49	48	60	24
10:00	56.0	59	58	55	49	49	74	40	48.8	49	47	42	36	35	62	23
11:00	52.4	54	54	51	50	49	63	38	52.0	54	53	50	48	47	63	21
12:00	45.3	48	46	42	39	39	66	37	30.9	36	34	28	24	23	49	19
13:00	45.4	48	47	44	42	41	63	38	36.9	42	40	34	28	27	54	20
14:00	50.7	52	50	48	45	44	69	38	49.4	47	46	42	35	34	59	21
15:00	53.5	55	54	53	52	52	68	49	53.1	54	54	53	52	52	62	50
16:00	52.5	54	53	51	49	49	70	41	51.8	52	51	48	45	44	60	23
17:00	50.4	54	52	47	44	44	76	41	37.3	42	40	33	28	27	54	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.0	49	48	44	41	41	68	37	35.1	40	38	32	27	26	53	20
09:00	51.5	52	51	49	46	45	70	38	49.8	47	46	43	37	36	60	23
10:00	52.4	54	51	47	44	43	76	38	48.3	49	48	43	39	38	61	24
11:00	47.1	49	47	44	41	40	73	36	37.7	42	40	33	28	27	55	19
12:00	54.3	58	57	50	44	43	67	37	37.0	41	40	34	29	28	51	20
13:00	54.8	57	56	54	52	52	74	45	52.7	54	54	51	49	49	58	31
14:00	54.3	56	56	54	53	52	64	50	53.1	54	54	53	52	52	60	50
15:00	52.4	55	54	51	49	48	64	39	51.8	54	54	49	47	46	63	28
16:00	52.9	55	53	51	48	48	70	40	51.8	52	51	48	44	43	64	24
17:00	47.7	51	49	44	42	41	68	38	36.1	42	39	31	27	26	55	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	48	44	42	41	73	38	35.1	39	37	32	28	27	55	22
09:00	53.8	55	55	54	51	51	64	40	53.0	54	54	53	49	48	58	26
10:00	52.0	53	53	50	48	48	60	39	51.3	52	51	48	44	43	64	23
11:00	51.1	52	51	50	47	47	60	39	50.5	50	49	46	43	42	60	22
12:00	44.6	48	46	43	41	40	70	37	34.2	38	37	31	26	25	53	18
13:00	45.9	48	47	44	42	41	74	38	38.5	43	41	35	29	27	55	22
14:00	46.3	50	48	45	43	42	68	39	38.0	43	42	34	30	28	53	25
15:00	47.0	50	49	46	44	43	67	40	45.3	48	46	40	34	32	65	23
16:00	47.3	50	49	46	43	43	67	39	40.1	45	43	36	31	30	57	23
17:00	47.5	50	48	45	43	42	70	40	36.5	41	39	32	27	26	55	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.8	49	47	44	43	42	64	38	37.2	41	39	33	29	28	55	21
09:00	53.2	55	54	53	51	51	61	42	52.3	54	53	51	49	49	61	30
10:00	53.0	55	54	53	52	51	65	49	52.8	54	54	53	52	51	60	50
11:00	52.0	53	52	50	48	48	73	38	51.1	50	50	47	44	43	59	23
12:00	44.3	48	46	43	40	39	66	35	32.8	38	36	30	25	24	47	18
13:00	46.2	50	48	44	42	41	63	38	40.9	42	40	34	29	28	63	22
14:00	50.2	52	51	48	45	45	73	39	42.9	44	42	36	31	30	71	25
15:00	49.4	51	50	46	44	44	77	40	37.5	42	40	34	30	29	58	23
16:00	49.6	53	50	45	43	42	77	39	36.1	41	39	32	28	27	55	22
17:00	49.2	52	49	45	43	43	70	40	35.8	40	38	31	27	26	56	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	50	47	45	44	71	40	37.4	42	40	34	29	28	58	24
09:00	48.8	52	50	47	44	44	68	41	38.8	42	40	33	29	28	65	24
10:00	53.9	55	55	54	53	52	67	50	52.3	54	53	52	51	51	58	48
11:00	55.2	57	56	55	53	53	67	48	51.3	53	53	49	48	47	61	27
12:00	56.5	57	57	55	53	53	69	48	37.5	40	39	36	33	33	50	27
13:00	56.6	58	58	56	54	54	68	50	51.4	53	53	50	49	48	57	34
14:00	54.9	57	56	54	53	52	71	46	52.3	54	53	52	50	50	61	39
15:00	48.2	51	49	47	45	45	73	43	37.7	42	40	32	27	26	56	22
16:00	48.6	51	50	47	46	45	68	43	44.2	46	44	37	32	30	64	23
17:00	47.1	50	48	46	43	43	65	39	32.9	35	33	28	25	25	55	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.6	47	46	43	40	40	69	37	25.9	31	29	24	21	20	43	18
09:00	45.4	48	47	44	42	41	66	38	28.0	32	30	26	23	23	46	19
10:00	44.3	48	46	43	41	40	65	38	28.3	33	31	26	24	23	47	21
11:00	46.0	49	47	44	41	41	71	38	29.5	33	31	27	23	23	53	19
12:00	44.1	48	46	43	40	40	60	36	27.4	32	30	25	22	22	45	19
13:00	45.1	48	46	43	39	39	75	35	26.7	30	29	25	23	22	43	18
14:00	45.4	47	45	41	39	39	72	36	28.5	33	31	27	24	24	47	19
15:00	44.4	48	47	43	40	39	64	35	29.1	33	32	26	23	22	44	18
16:00	45.7	48	46	42	39	39	72	36	27.3	31	29	25	22	21	49	17
17:00	44.3	48	46	43	40	39	61	37	28.2	33	31	26	23	22	41	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	49	47	45	44	71	41	40.3	46	43	36	31	29	57	25
09:00	49.4	53	51	48	45	44	70	41	38.7	44	42	36	30	29	53	23
10:00	52.1	54	53	50	48	48	67	40	50.4	50	49	44	41	40	60	24
11:00	52.0	54	53	50	48	47	67	39	50.2	52	51	45	42	41	58	24
12:00	47.3	51	49	46	43	42	69	39	39.6	44	42	35	30	28	57	22
13:00	52.7	54	54	51	50	49	68	41	51.5	53	52	48	47	46	58	26
14:00	50.1	52	50	47	44	43	73	39	46.6	44	42	37	33	32	58	23
15:00	46.5	50	48	45	43	42	66	39	36.2	40	38	34	29	28	55	23
16:00	45.8	49	48	44	42	41	65	38	34.9	38	36	30	27	26	56	22
17:00	48.2	52	50	44	42	41	75	38	42.8	43	41	31	27	25	72	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	51	49	46	43	43	69	41	39.8	43	42	36	31	30	57	25
09:00	47.3	50	49	45	42	42	74	39	36.2	41	39	32	28	27	56	23
10:00	53.3	56	55	52	49	48	70	39	51.6	54	53	50	44	43	63	24
11:00	52.7	54	53	51	48	48	67	37	50.5	50	49	47	45	44	59	22
12:00	43.1	46	45	42	39	39	63	36	31.7	37	35	29	24	23	46	19
13:00	50.4	52	51	48	45	43	67	36	49.9	50	49	44	37	35	67	20
14:00	53.8	56	55	54	50	49	64	42	53.2	55	54	53	50	49	62	41
15:00	53.7	55	55	53	52	52	72	50	53.8	55	55	54	53	53	63	51
16:00	51.3	53	52	49	47	46	67	40	50.1	50	48	44	40	38	61	25
17:00	51.6	51	49	45	43	43	85	39	44.1	45	43	37	30	29	69	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.6	50	48	44	42	41	67	38	38.7	42	40	34	29	28	60	23
09:00	48.4	51	50	46	42	42	68	38	44.0	43	41	36	31	29	61	24
10:00	53.1	55	54	51	50	50	67	38	52.6	53	52	50	48	47	61	24
11:00	45.4	49	47	43	41	40	66	37	34.8	39	37	32	27	26	57	22
12:00	45.0	48	47	44	41	41	64	38	37.7	43	41	34	28	27	54	22
13:00	50.7	52	51	49	46	46	63	39	50.4	49	48	43	39	38	62	23
14:00	49.0	52	50	46	44	44	69	39	46.1	45	44	38	34	33	58	23
15:00	46.5	49	48	46	43	43	67	40	38.2	43	41	35	30	29	55	24
16:00	48.5	51	50	47	45	44	79	42	41.9	47	45	37	31	29	62	24
17:00	48.4	52	50	47	44	43	65	41	37.7	41	39	32	28	27	54	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/05/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.0	53	52	48	45	44	68	39	35.2	39	37	32	28	27	55	22
09:00	51.9	53	52	50	47	47	67	38	51.5	49	49	46	43	42	60	23
10:00	50.8	54	51	47	43	42	77	38	45.4	47	45	39	32	31	57	24
11:00	52.0	54	53	51	50	49	70	38	52.5	54	54	51	49	48	66	25
12:00	44.0	47	46	42	39	39	65	35	32.9	38	36	30	26	25	48	20
13:00	52.2	54	53	51	49	49	70	37	52.3	54	54	49	48	47	62	23
14:00	53.7	56	55	53	52	52	67	50	53.3	55	54	53	52	52	59	50
15:00	49.8	51	50	48	45	45	68	41	48.4	47	45	40	35	34	58	24
16:00	49.2	52	50	46	44	44	73	41	44.0	48	46	37	32	31	65	24
17:00	51.5	56	53	49	46	46	72	42	46.3	51	50	43	37	36	60	29

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.4	50	48	45	43	42	70	38	40.0	43	41	35	30	28	62	21
09:00	54.9	58	57	54	51	50	67	39	53.2	55	54	53	49	48	60	24
10:00	54.5	56	56	53	52	52	71	50	53.0	54	54	53	52	52	64	50
11:00	53.3	55	55	53	51	51	71	43	53.4	55	54	53	51	51	64	31
12:00	47.9	50	48	44	42	41	73	38	35.7	41	39	33	28	26	56	19
13:00	54.2	57	56	53	50	49	69	38	53.6	55	55	52	48	47	60	23
14:00	51.9	54	53	50	47	47	68	41	51.8	55	53	48	45	44	67	27
15:00	47.8	51	50	47	44	44	70	42	42.2	47	45	39	34	32	60	25
16:00	49.7	53	52	47	44	44	70	41	43.7	48	46	39	33	32	65	26
17:00	48.2	52	50	46	44	43	68	40	41.9	47	45	38	33	31	56	25

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	48	44	42	41	71	38	34.3	39	37	31	26	25	56	22
09:00	46.0	49	48	45	41	41	75	38	36.1	41	39	32	27	26	55	21
10:00	51.0	51	51	49	46	45	64	35	51.1	47	46	42	37	36	67	20
11:00	53.4	55	55	53	51	51	65	42	53.1	55	54	52	51	50	64	34
12:00	45.7	49	47	44	42	41	67	37	31.5	36	34	29	24	23	48	20
13:00	52.4	54	53	51	48	47	72	40	51.9	51	50	47	42	41	62	23
14:00	54.3	56	56	54	52	52	69	50	54.3	56	55	54	53	53	64	52
15:00	53.8	56	55	53	51	50	70	41	53.6	55	55	54	51	51	60	40
16:00	47.9	51	49	46	43	43	67	39	44.3	44	42	34	27	27	61	21
17:00	46.8	50	49	46	43	43	65	40	36.9	41	38	32	28	27	56	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/25

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.7	48	46	43	39	39	70	36	28.6	32	30	25	22	21	52	19
09:00	44.4	47	46	43	40	39	66	36	26.7	32	30	24	21	21	44	16
10:00	45.3	47	45	42	39	38	75	35	26.6	31	29	24	21	20	42	18
11:00	42.5	46	44	41	38	38	62	34	26.3	31	29	24	21	20	42	18
12:00	43.1	47	45	41	38	37	64	34	27.1	32	30	25	22	21	45	19
13:00	43.4	46	45	42	39	38	66	36	27.7	32	30	26	24	23	45	20
14:00	45.0	48	46	42	39	39	68	36	29.1	33	31	27	24	24	49	21
15:00	45.1	48	46	43	40	39	68	35	27.5	31	30	26	24	23	43	20
16:00	44.0	47	46	43	40	40	63	36	27.5	31	30	26	24	23	44	20
17:00	45.1	48	46	42	39	39	70	35	26.7	30	29	25	23	22	45	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/26

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	50	49	47	45	44	62	41	40.3	43	41	35	30	29	63	23
09:00	49.6	52	51	47	45	44	70	39	48.2	47	45	39	33	31	63	21
10:00	53.2	56	55	53	51	51	67	49	53.8	55	55	54	53	52	64	48
11:00	53.1	55	55	52	50	50	67	38	53.5	55	55	51	48	48	65	19
12:00	45.3	49	47	43	40	39	65	36	32.3	37	35	29	24	23	49	17
13:00	54.0	56	55	54	50	50	68	35	54.2	56	55	54	48	48	65	19
14:00	55.7	58	57	55	53	53	73	50	54.4	56	55	54	53	53	63	52
15:00	54.7	57	56	54	53	52	74	50	54.7	56	56	54	54	53	65	52
16:00	47.8	51	49	46	44	43	70	40	42.2	45	43	37	33	32	62	22
17:00	48.5	51	50	46	44	44	67	40	42.9	46	44	38	33	31	65	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/05/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	50	48	44	42	42	68	38	37.2	42	40	33	28	27	57	21
09:00	52.8	55	54	51	49	48	70	42	51.6	53	52	48	44	43	62	25
10:00	53.8	56	55	53	52	52	72	50	53.5	55	54	53	52	52	62	50
11:00	52.6	55	54	51	50	49	69	39	53.1	55	54	51	50	50	71	36
12:00	46.4	50	48	44	41	40	66	38	34.1	39	37	31	26	25	49	19
13:00	53.6	56	55	53	51	50	70	41	52.7	54	54	53	48	48	58	24
14:00	54.8	57	56	54	53	52	68	50	53.9	55	55	54	53	53	59	50
15:00	53.1	55	54	51	49	49	67	39	52.9	55	53	50	48	47	64	28
16:00	47.5	51	49	45	42	41	73	38	43.6	45	43	32	27	26	56	19
17:00	47.9	51	49	45	43	42	69	39	36.6	41	39	32	28	27	56	19

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/05/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	52	50	46	43	43	70	38	42.3	46	44	38	31	29	62	20
09:00	49.0	52	51	46	43	43	74	39	46.1	48	47	38	33	31	59	23
10:00	53.8	55	55	54	52	52	64	50	53.5	55	54	53	52	52	63	51
11:00	53.7	55	54	52	51	51	79	40	52.7	53	52	51	50	50	59	36
12:00	45.6	50	48	44	41	40	64	38	35.3	42	39	31	26	25	50	19
13:00	51.8	53	53	50	48	47	66	39	51.0	53	52	47	42	41	67	20
14:00	53.6	56	55	53	52	51	71	50	53.0	54	54	53	52	52	58	50
15:00	49.6	54	51	47	44	44	68	41	44.5	47	45	41	36	34	61	25
16:00	50.3	53	52	47	45	45	73	42	41.6	47	45	38	33	31	56	25
17:00	50.0	53	52	48	46	45	71	41	44.3	49	47	41	36	35	58	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	49	44	42	41	72	38	40.3	45	43	35	29	27	59	22
09:00	49.7	51	50	47	45	45	61	38	49.1	47	46	42	38	37	59	20
10:00	52.8	54	54	52	51	51	72	48	53.4	55	54	53	53	52	61	50
11:00	51.6	53	53	51	49	49	63	37	52.7	54	54	52	48	48	62	23
12:00	44.8	48	46	43	40	39	67	36	34.5	39	38	31	25	24	51	20
13:00	53.6	56	55	53	50	50	66	39	53.1	55	54	53	49	48	65	23
14:00	50.7	53	51	49	46	45	66	39	50.4	49	47	44	39	38	60	23
15:00	49.2	51	49	46	44	43	75	40	41.5	45	43	37	32	30	58	22
16:00	46.6	49	48	46	44	43	61	41	40.5	44	42	36	30	29	58	23
17:00	47.1	50	49	45	43	43	67	39	37.3	42	39	33	29	28	57	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/05/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.5	54	53	51	49	49	72	46	40.2	42	40	35	31	31	63	25
09:00	52.3	54	53	50	48	48	83	45	41.0	45	43	37	32	31	58	25
10:00	50.2	53	52	49	46	46	75	41	38.2	42	40	35	31	30	56	26
11:00	53.4	55	55	53	51	50	65	41	52.5	54	54	51	48	46	61	21
12:00	49.0	52	51	48	45	45	68	41	32.2	36	35	30	25	24	47	21
13:00	52.3	54	53	51	48	48	68	43	49.8	49	48	42	38	37	58	23
14:00	54.6	56	56	54	52	52	65	43	52.2	54	53	50	48	48	60	24
15:00	53.4	55	54	53	52	51	68	49	52.4	53	53	52	52	51	58	50
16:00	52.3	54	53	51	49	49	68	43	50.7	51	50	48	44	44	57	23
17:00	49.3	53	51	48	45	45	73	42	39.3	43	40	34	30	29	57	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/05/31 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.3	53	52	49	47	46	71	43	40.2	42	40	34	30	28	60	23
09:00	51.8	55	53	51	48	47	68	42	37.7	42	40	34	29	28	58	24
10:00	53.7	56	55	52	50	49	68	45	40.0	44	42	38	34	33	58	27
11:00	52.1	55	54	50	48	47	66	44	37.2	42	41	35	30	29	51	25
12:00	54.6	57	56	52	50	49	69	43	38.4	43	41	36	31	30	53	25
13:00	53.3	56	55	52	50	49	67	46	39.7	45	43	37	31	30	53	25
14:00	53.2	56	54	52	49	48	77	45	45.4	46	44	37	30	29	62	25
15:00	55.4	57	57	55	54	53	73	51	53.5	55	54	53	53	52	61	51
16:00	53.6	55	54	53	51	50	68	44	52.2	52	52	51	48	48	61	37
17:00	50.5	53	52	49	47	46	66	43	34.6	39	38	32	28	27	47	23