

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	49	47	43	39	39	72	36	31.2	36	34	28	24	23	46	20
09:00	49.7	52	50	43	39	38	74	34	29.6	34	32	27	23	22	49	18
10:00	49.4	53	51	45	40	39	70	36	29.1	34	32	26	23	22	46	18
11:00	46.9	51	49	42	39	38	75	34	28.4	33	31	26	22	22	49	18
12:00	45.5	49	47	42	38	38	71	35	28.6	33	31	26	22	22	50	18
13:00	45.6	51	48	42	39	38	64	34	30.5	35	33	26	22	21	53	16
14:00	46.4	50	48	44	41	40	68	35	32.0	37	35	29	24	23	50	17
15:00	46.3	50	48	44	41	40	71	36	31.1	36	34	28	23	22	49	18
16:00	44.9	49	47	43	40	40	62	36	30.0	35	33	27	23	22	43	19
17:00	50.0	54	52	48	45	44	71	39	43.5	47	45	38	32	30	58	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	53	51	46	43	42	66	39	38.8	43	41	34	29	27	58	23
09:00	53.5	56	55	53	51	50	69	41	53.3	55	54	53	50	50	63	30
10:00	52.7	55	54	52	51	51	68	48	53.5	56	55	53	52	52	66	50
11:00	51.2	54	53	50	49	48	67	38	51.9	52	52	50	48	47	61	23
12:00	45.5	50	48	43	40	40	68	36	34.5	40	38	31	26	25	51	20
13:00	52.1	55	54	51	47	46	64	38	51.8	54	54	50	45	43	65	25
14:00	53.6	56	55	53	52	51	68	49	54.0	56	55	54	52	52	69	50
15:00	52.6	55	54	50	49	49	72	40	52.2	53	53	49	47	47	61	27
16:00	59.0	61	60	56	51	50	72	43	47.3	50	48	42	36	35	68	27
17:00	48.2	51	50	46	44	44	71	39	43.3	46	44	38	32	30	65	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	49	46	45	44	69	41	36.6	40	38	33	28	28	57	24
09:00	53.4	55	54	52	50	50	69	43	51.7	52	50	46	44	44	67	26
10:00	54.1	56	55	54	52	52	69	50	53.1	55	54	53	52	52	62	49
11:00	54.3	56	55	54	52	52	70	50	53.2	55	55	51	49	49	65	30
12:00	53.8	55	55	53	52	51	65	48	35.8	39	38	34	32	31	48	26
13:00	55.0	57	56	54	53	53	70	50	52.9	55	54	53	48	47	63	31
14:00	55.0	57	56	54	53	53	68	49	53.4	55	54	53	52	52	66	50
15:00	55.8	57	57	55	53	53	70	46	52.0	52	52	51	48	48	57	36
16:00	49.7	52	51	49	46	45	69	42	43.0	47	45	38	33	32	62	23
17:00	50.8	54	52	48	46	45	75	41	34.8	39	36	31	27	26	57	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	50	49	45	42	42	71	38	34.5	39	37	32	29	28	50	24
09:00	53.1	55	54	53	52	50	66	42	53.7	55	55	54	53	51	60	37
10:00	53.8	56	55	53	52	52	65	49	53.3	54	54	53	52	52	59	51
11:00	51.0	53	51	46	44	43	69	39	46.2	45	43	38	34	33	59	24
12:00	44.3	48	46	43	41	40	61	37	32.5	37	36	30	26	25	48	22
13:00	52.4	54	54	52	50	50	62	40	52.9	54	54	53	49	48	61	26
14:00	49.7	51	50	48	46	45	61	38	50.0	47	46	42	40	38	64	23
15:00	46.6	50	48	45	43	42	66	39	37.8	40	39	35	32	31	55	23
16:00	45.6	49	47	45	43	42	59	39	37.8	42	39	33	28	27	60	23
17:00	47.1	50	49	45	43	42	65	39	42.0	42	40	34	28	27	61	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	51	49	44	42	41	77	38	33.9	38	36	31	27	26	54	22
09:00	52.3	55	54	51	50	49	63	39	48.2	51	50	46	44	44	59	25
10:00	50.7	53	51	49	47	46	64	38	45.6	46	45	41	39	38	61	23
11:00	45.9	49	47	44	42	41	71	38	37.7	41	39	32	28	27	59	23
12:00	45.0	48	47	44	41	40	67	38	35.4	40	38	32	27	25	51	20
13:00	47.6	51	50	46	43	43	70	40	38.0	43	40	34	29	28	56	22
14:00	53.0	55	54	51	48	47	68	41	45.0	45	44	42	37	36	56	24
15:00	55.6	59	57	53	52	52	69	49	48.1	50	49	47	46	46	62	44
16:00	50.6	53	52	49	47	46	63	41	45.8	47	45	40	35	34	61	24
17:00	48.7	52	50	47	44	44	69	41	38.0	43	40	33	29	28	56	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	49	47	44	41	40	66	36	35.6	40	38	33	28	27	54	22
09:00	53.3	55	55	53	51	50	69	43	48.9	51	51	49	46	46	58	38
10:00	53.4	56	55	53	51	51	73	49	48.3	50	50	48	47	47	59	44
11:00	52.9	55	55	52	49	49	65	42	47.7	50	49	47	43	42	60	28
12:00	50.5	55	53	49	46	45	68	42	40.0	45	44	36	30	28	57	22
13:00	54.2	57	56	53	51	51	69	44	48.6	52	51	47	44	44	64	26
14:00	54.4	57	56	54	52	52	69	50	49.1	51	51	48	47	47	61	45
15:00	53.8	56	55	53	52	52	67	49	49.8	52	51	49	49	48	59	47
16:00	52.6	55	54	51	50	50	65	43	49.2	51	50	47	45	45	60	25
17:00	49.0	52	50	46	44	44	71	42	40.1	43	41	35	32	31	57	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/07

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	49	45	42	41	70	38	40.6	42	40	32	27	26	67	19
09:00	51.0	52	51	48	46	45	66	36	47.0	46	44	40	35	34	61	21
10:00	53.0	55	54	53	51	51	63	49	50.1	53	52	49	48	47	63	45
11:00	51.1	52	51	49	46	46	62	37	46.5	48	47	44	39	39	58	23
12:00	43.2	47	45	42	39	38	66	35	32.5	37	35	29	25	24	53	20
13:00	48.5	52	51	47	44	44	63	40	45.7	50	49	42	35	33	64	24
14:00	51.8	54	53	51	49	48	63	39	47.2	49	48	44	40	40	62	24
15:00	52.4	54	54	52	51	51	69	48	49.0	51	50	49	47	47	60	45
16:00	47.3	51	49	45	43	42	66	39	41.3	43	42	37	31	31	62	20
17:00	44.7	48	47	44	41	41	62	37	35.7	39	37	30	25	24	55	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/08

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.1	48	46	42	39	39	73	34	27.3	31	30	26	23	22	42	19
09:00	46.2	49	47	42	39	38	76	34	28.0	33	31	26	22	22	43	18
10:00	44.1	47	45	41	39	38	69	34	27.6	32	30	26	22	21	42	18
11:00	44.3	48	47	43	40	39	66	35	28.7	33	32	27	22	22	42	17
12:00	42.7	46	45	41	38	37	61	35	28.0	32	31	26	23	22	43	19
13:00	43.7	47	46	42	39	38	62	35	28.5	33	31	26	23	22	44	20
14:00	45.5	48	46	42	39	39	72	36	30.2	35	33	28	24	23	45	20
15:00	47.7	49	47	44	41	41	78	36	31.7	36	34	29	25	24	50	20
16:00	53.0	51	49	43	40	40	81	36	29.9	34	32	26	23	22	54	17
17:00	44.9	48	47	43	40	39	64	36	28.2	32	31	26	23	22	47	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	51	50	45	42	41	68	38	40.8	45	43	36	30	29	64	23
09:00	51.6	54	53	50	47	46	72	39	46.6	47	46	42	39	38	61	24
10:00	52.9	55	54	52	51	51	64	49	48.4	51	50	48	47	46	60	45
11:00	52.8	55	54	51	50	50	73	39	47.5	50	49	47	44	43	58	25
12:00	49.9	53	51	47	44	43	83	40	43.0	45	45	42	41	41	52	39
13:00	52.6	55	54	51	49	49	68	42	47.2	49	48	45	43	42	58	27
14:00	54.0	56	55	53	52	52	68	50	48.6	51	50	48	47	47	59	45
15:00	52.5	55	54	51	49	49	67	44	46.4	47	46	43	39	39	62	26
16:00	48.2	51	50	47	44	44	69	39	37.1	42	39	33	29	28	62	24
17:00	46.0	49	47	44	42	41	67	38	34.2	38	36	31	27	27	53	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.0	52	50	46	43	42	69	37	36.5	39	37	32	28	27	58	23
09:00	52.0	54	53	50	47	47	67	39	43.6	41	40	37	34	34	55	23
10:00	54.1	57	55	53	52	51	72	49	48.3	50	49	48	47	47	60	45
11:00	54.9	58	56	52	50	49	81	41	47.2	49	48	45	42	42	59	23
12:00	48.4	51	49	46	43	42	68	36	32.6	38	35	30	26	25	46	21
13:00	52.8	55	54	51	49	49	69	42	45.6	48	47	42	39	38	62	27
14:00	54.4	56	55	54	53	52	71	50	47.1	49	48	47	46	46	57	44
15:00	54.0	55	55	53	52	52	73	50	47.4	49	48	47	46	46	59	44
16:00	49.7	51	50	47	45	44	67	39	43.3	44	42	37	34	33	60	21
17:00	47.7	50	48	44	42	41	68	37	35.2	38	35	30	27	26	55	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.3	54	52	48	45	45	68	42	35.9	40	38	33	29	28	54	25
09:00	51.7	55	53	50	46	45	70	41	35.3	39	37	32	28	27	56	24
10:00	48.4	51	50	47	45	44	74	39	35.0	39	37	32	28	27	56	23
11:00	52.7	56	54	49	46	46	83	42	32.9	37	35	31	28	27	53	23
12:00	48.1	51	49	45	42	41	68	38	31.0	35	33	29	25	24	46	20
13:00	48.5	51	50	47	44	43	68	38	33.4	37	35	31	27	26	51	22
14:00	50.7	53	51	48	46	45	69	41	41.8	45	43	36	30	29	60	24
15:00	51.0	53	52	50	47	47	67	42	38.4	43	41	36	32	31	54	26
16:00	49.0	51	49	47	44	44	73	40	36.1	39	37	32	28	28	55	23
17:00	48.8	52	48	44	42	41	72	37	32.0	36	34	30	27	26	51	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	51	49	46	43	43	67	39	39.2	43	40	34	30	29	58	22
09:00	51.9	53	52	50	49	48	70	40	46.3	48	46	42	40	39	63	22
10:00	53.2	56	54	52	51	51	68	49	48.6	51	50	48	47	47	58	45
11:00	51.2	53	52	50	48	48	65	39	47.1	48	48	46	43	41	59	25
12:00	44.9	49	47	43	41	40	62	37	32.8	38	36	29	25	24	50	22
13:00	52.2	54	53	52	49	49	72	39	48.2	50	49	48	44	44	63	24
14:00	52.1	54	53	51	50	50	76	48	49.1	51	50	49	48	48	62	46
15:00	53.0	55	54	53	50	50	66	42	50.7	53	52	50	48	48	61	41
16:00	51.9	55	53	50	48	47	72	40	48.7	49	49	46	44	40	57	25
17:00	48.2	52	50	46	43	43	66	38	40.4	43	42	38	33	32	58	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.4	51	49	46	44	43	63	38	42.5	46	44	39	33	31	59	22
09:00	50.7	52	51	49	46	45	65	39	45.2	46	44	40	35	34	60	20
10:00	54.2	56	55	54	52	52	69	49	48.8	51	50	48	47	47	59	45
11:00	54.7	57	55	52	50	49	76	39	48.0	50	49	47	45	45	57	36
12:00	45.8	49	48	45	42	41	65	37	36.3	41	40	33	26	25	50	19
13:00	52.9	52	51	47	45	44	85	41	40.4	45	43	36	31	29	59	23
14:00	53.7	56	55	53	51	51	74	45	48.9	51	51	48	46	45	60	27
15:00	53.8	56	55	53	52	52	71	50	48.7	51	50	48	47	46	67	45
16:00	49.2	51	50	47	45	44	67	39	43.8	45	44	40	35	33	61	24
17:00	46.7	50	48	45	42	42	68	39	35.8	40	38	32	28	26	53	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/06/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	51	49	45	42	41	70	36	37.5	42	40	31	25	24	58	19
09:00	48.2	52	50	46	44	43	72	39	38.3	43	41	34	29	28	56	19
10:00	47.3	50	49	46	43	42	67	39	36.1	40	38	32	27	26	57	20
11:00	48.3	51	49	45	43	42	77	39	35.5	39	37	31	26	25	55	19
12:00	48.3	53	51	47	44	43	66	39	33.5	39	36	30	25	24	49	19
13:00	52.6	55	54	51	50	48	65	41	56.7	54	54	52	50	47	61	23
14:00	54.0	56	55	54	52	52	67	49	58.6	59	59	59	58	58	62	57
15:00	53.8	56	55	53	52	52	72	49	58.4	59	59	58	58	58	62	57
16:00	52.4	54	53	52	50	50	62	43	55.9	52	52	49	45	45	62	24
17:00	48.5	50	49	47	45	45	68	41	32.2	37	35	30	27	26	44	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.4	50	48	45	42	41	71	38	26.8	31	29	25	22	22	48	20
09:00	47.3	49	47	44	41	40	71	36	26.7	31	29	25	23	22	41	19
10:00	48.0	50	49	45	40	40	60	35	27.1	31	29	26	23	23	40	20
11:00	43.9	46	45	42	39	38	67	35	27.0	31	29	25	23	23	44	20
12:00	43.5	47	45	42	39	38	62	36	28.1	32	30	26	24	23	50	20
13:00	43.2	46	44	41	39	38	73	36	27.7	31	29	26	24	23	50	21
14:00	43.5	47	45	42	40	39	62	35	29.4	33	32	27	24	24	54	21
15:00	44.0	47	46	42	39	39	68	36	28.4	33	31	26	24	23	43	20
16:00	45.0	49	47	41	39	38	66	35	28.0	32	30	26	24	23	48	21
17:00	44.8	48	47	42	39	38	69	35	29.1	33	32	27	24	23	49	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.6	50	49	45	43	42	59	36	42.8	46	44	38	33	31	60	22
09:00	49.5	51	50	47	46	45	65	38	53.5	47	46	41	38	36	61	23
10:00	49.4	52	51	48	44	44	65	40	51.5	49	49	41	34	34	61	24
11:00	46.4	49	48	45	44	43	67	39	35.7	40	38	33	29	28	54	23
12:00	49.1	53	50	45	43	42	71	39	42.2	44	42	33	27	26	61	20
13:00	52.6	55	54	51	50	50	68	42	57.9	60	59	56	53	53	68	27
14:00	53.2	56	55	53	51	51	68	49	58.2	59	59	58	57	57	68	56
15:00	54.5	57	56	54	52	52	73	50	57.7	59	58	58	57	57	65	56
16:00	51.8	54	52	49	47	46	64	41	54.6	51	50	48	45	44	60	24
17:00	46.6	50	48	45	42	42	68	38	37.6	39	38	32	27	26	64	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	48	45	43	42	65	39	40.3	44	41	35	31	30	62	25
09:00	54.3	56	56	54	51	50	73	42	57.3	58	58	57	54	53	61	28
10:00	54.2	56	56	54	51	51	63	49	57.3	58	58	57	57	57	61	55
11:00	52.9	54	54	52	48	48	67	39	56.4	55	55	53	49	48	65	22
12:00	45.5	49	47	43	41	40	65	37	33.4	38	36	31	26	24	51	20
13:00	53.6	56	55	53	51	50	69	40	57.4	59	57	55	53	52	61	23
14:00	53.5	56	55	53	52	51	65	49	58.0	59	58	58	57	57	65	57
15:00	54.3	57	56	53	52	51	76	49	58.1	59	59	58	57	57	63	55
16:00	52.7	55	54	51	49	49	70	43	56.0	55	54	51	48	48	61	29
17:00	50.5	54	53	49	46	46	69	43	44.7	50	48	41	35	34	68	27

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.7	50	48	44	41	41	70	38	40.2	42	40	33	29	28	62	23
09:00	46.4	50	48	44	42	41	69	38	35.1	40	38	32	28	27	55	23
10:00	51.6	53	52	50	48	47	61	38	57.1	56	53	50	48	48	64	23
11:00	53.4	54	53	52	50	50	75	41	57.6	57	57	55	53	53	62	25
12:00	46.0	50	48	45	42	41	65	38	37.5	43	41	33	28	26	54	20
13:00	53.1	55	54	53	51	50	61	41	58.2	59	59	58	55	54	62	29
14:00	53.2	56	55	53	51	51	66	49	58.2	59	59	58	58	57	63	56
15:00	55.3	58	57	55	53	52	69	50	58.3	59	59	58	58	58	65	57
16:00	52.1	54	53	50	47	46	67	41	54.1	50	49	44	41	40	63	24
17:00	51.4	54	52	48	45	44	81	41	43.8	48	45	37	31	30	70	25

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/06/19

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	48	44	43	42	68	39	37.6	42	39	34	30	30	58	24
09:00	53.8	56	55	53	51	50	67	42	59.4	60	60	60	56	55	63	29
10:00	53.4	55	55	53	51	51	62	49	59.6	60	60	60	59	59	62	58
11:00	51.3	52	51	49	46	45	65	39	56.2	50	49	46	41	40	63	22
12:00	45.9	49	48	44	41	41	65	38	35.9	41	39	32	27	26	52	21
13:00	53.4	54	53	51	50	50	86	41	58.4	60	60	56	55	54	68	28
14:00	52.8	55	54	52	51	51	65	49	58.9	60	59	59	58	58	63	57
15:00	55.9	57	56	54	52	52	87	50	58.4	59	59	58	58	58	64	57
16:00	53.3	56	56	52	49	48	67	42	52.4	53	51	45	41	40	62	25
17:00	49.3	53	51	48	45	45	76	40	42.4	47	46	40	34	32	58	25

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/06/20

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	50	49	45	43	42	64	38	42.8	45	43	36	31	29	63	23
09:00	53.2	55	54	52	50	49	80	42	59.8	61	60	60	56	56	64	38
10:00	52.5	54	54	52	51	51	64	49	59.2	60	60	59	58	58	62	57
11:00	50.5	53	52	49	47	47	63	39	56.3	52	52	47	44	43	62	23
12:00	52.8	54	53	50	48	47	66	38	34.2	39	37	32	28	27	53	22
13:00	53.0	54	54	52	50	50	66	38	39.6	43	41	33	29	28	59	20
14:00	51.2	53	52	49	47	47	65	39	56.2	55	54	48	44	44	61	23
15:00	54.1	56	55	54	52	52	64	49	58.9	60	59	59	58	58	63	57
16:00	50.9	53	52	49	47	46	67	42	53.6	50	48	45	39	38	62	27
17:00	49.5	53	51	47	44	44	75	40	40.3	45	43	37	32	30	60	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/21

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	49	48	45	43	42	80	37	43.0	47	44	37	30	28	66	20
09:00	49.5	52	51	49	46	45	63	41	54.4	51	49	45	39	38	62	26
10:00	51.6	53	53	51	50	50	68	48	59.6	60	60	60	59	59	64	57
11:00	50.1	52	51	49	46	45	59	38	57.3	54	53	51	46	45	63	23
12:00	46.6	50	48	44	41	41	79	38	37.8	44	42	34	27	26	55	22
13:00	52.2	55	54	51	49	48	65	37	58.4	60	59	54	52	52	66	20
14:00	51.2	54	53	50	47	47	68	40	56.5	56	55	51	48	48	64	28
15:00	47.7	52	50	46	44	43	60	41	41.4	47	45	37	32	30	57	24
16:00	47.6	50	49	46	44	44	69	40	38.2	43	40	32	29	28	66	24
17:00	46.9	50	49	45	43	43	65	39	41.4	44	42	34	29	28	57	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/22

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	51	49	45	41	40	67	36	33.2	38	36	30	24	23	50	18
09:00	46.7	51	49	44	41	40	67	37	32.6	37	35	29	24	23	51	20
10:00	45.4	49	48	43	40	39	66	36	32.2	38	36	29	24	23	45	20
11:00	44.7	49	47	43	40	40	63	36	30.2	35	33	27	24	23	45	20
12:00	45.9	50	49	44	41	40	64	37	32.3	37	35	28	24	23	50	20
13:00	47.8	52	50	45	42	41	68	37	34.9	40	38	30	24	23	51	20
14:00	48.6	52	50	46	43	42	75	39	35.8	42	38	30	25	24	55	21
15:00	48.4	53	51	46	43	43	73	40	35.0	41	38	31	26	25	52	21
16:00	50.3	53	52	47	44	43	66	39	33.8	39	37	30	26	25	50	22
17:00	46.2	50	49	45	42	42	60	40	32.6	38	35	29	25	24	50	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/06/23

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	52	51	47	45	44	75	42	38.8	44	42	34	30	29	56	25
09:00	54.0	56	55	54	52	51	70	45	60.6	61	61	61	60	57	63	38
10:00	54.8	57	56	54	53	53	65	50	60.5	61	61	60	60	60	63	59
11:00	54.1	56	55	53	51	51	64	43	58.8	58	57	56	52	51	62	27
12:00	49.3	54	52	48	45	44	63	41	37.9	43	41	34	29	28	52	23
13:00	52.7	55	54	52	50	50	69	42	59.6	61	60	58	55	54	65	25
14:00	54.1	57	56	53	51	50	71	43	59.6	61	60	60	56	56	63	38
15:00	49.1	52	50	47	45	45	66	41	43.5	46	44	39	34	33	64	25
16:00	48.2	51	49	46	44	44	72	40	40.2	44	41	35	31	30	58	23
17:00	47.5	51	49	45	43	42	67	38	43.1	46	44	36	31	29	62	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/06/24

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	53	50	45	43	42	72	38	34.5	39	37	32	28	28	51	22
09:00	52.0	55	54	49	47	46	70	41	55.8	57	54	45	43	40	62	26
10:00	53.3	55	54	53	52	52	65	49	59.2	60	60	59	59	59	65	57
11:00	53.6	55	54	52	49	49	76	40	57.8	57	57	56	51	50	61	24
12:00	46.6	49	47	44	41	41	72	38	32.4	37	35	30	25	25	51	21
13:00	52.3	55	54	51	49	49	62	39	58.0	60	59	56	51	50	63	23
14:00	53.0	55	54	53	51	51	64	49	59.2	60	60	59	59	58	65	57
15:00	53.4	56	55	53	50	49	67	40	58.5	59	59	59	55	54	62	31
16:00	47.1	51	49	45	43	42	65	39	36.6	39	37	31	27	26	60	22
17:00	47.3	50	48	44	42	42	71	39	33.9	37	35	29	26	25	55	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.3	55	53	48	44	43	70	38	41.0	44	42	35	29	28	57	21
09:00	55.9	58	57	54	52	51	70	44	54.6	51	50	47	44	43	61	27
10:00	53.7	56	55	53	51	51	71	46	56.8	53	53	48	46	45	62	28
11:00	51.1	54	53	50	48	47	65	43	36.7	41	39	34	31	30	55	25
12:00	48.3	51	49	46	43	42	67	39	32.8	37	35	30	26	25	48	20
13:00	64.1	63	62	57	52	51	77	39	47.6	48	47	41	36	35	59	22
14:00	52.2	54	53	48	45	45	76	40	37.6	41	39	33	30	29	54	25
15:00	57.7	59	58	53	48	48	71	41	42.9	44	43	37	33	31	62	23
16:00	52.0	54	52	48	45	45	82	40	37.7	40	38	32	29	28	59	23
17:00	51.5	53	52	48	45	45	76	42	39.8	41	39	31	27	26	63	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	49	46	43	43	73	40	34.1	38	36	31	28	27	51	23
09:00	51.7	53	53	50	49	49	63	40	57.5	56	56	51	48	48	61	24
10:00	52.3	54	54	52	51	51	63	49	59.1	60	59	59	59	58	62	57
11:00	51.5	53	52	50	48	48	67	38	58.0	57	56	54	50	50	62	23
12:00	45.2	49	47	43	41	40	64	37	32.5	37	36	30	26	25	47	21
13:00	51.0	53	52	49	47	46	67	40	55.6	54	53	49	41	40	62	24
14:00	53.2	55	54	52	51	51	70	49	59.1	60	60	59	58	58	63	57
15:00	53.5	56	55	53	52	51	67	49	59.1	60	60	59	59	59	62	57
16:00	52.4	54	53	51	48	48	66	42	56.8	52	51	49	44	43	61	24
17:00	48.4	52	50	47	45	45	67	43	40.3	42	40	35	30	29	58	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.5	50	48	44	42	41	72	38	40.1	43	39	33	27	26	66	21
09:00	50.8	53	53	49	46	46	64	36	56.5	52	52	47	43	42	62	23
10:00	52.9	55	54	52	51	51	67	48	59.2	60	60	59	59	59	64	58
11:00	52.6	54	53	51	48	48	77	37	57.7	56	55	54	49	48	62	22
12:00	45.0	48	46	43	40	39	70	37	33.6	39	37	31	26	24	49	20
13:00	53.1	55	54	52	49	48	72	38	58.4	58	58	55	51	50	64	24
14:00	54.9	57	57	55	52	51	69	50	59.4	60	60	59	59	59	66	58
15:00	52.9	55	54	51	48	48	62	42	57.2	56	55	51	48	47	68	26
16:00	48.1	52	50	47	44	44	66	42	39.2	44	42	36	31	30	58	23
17:00	59.4	57	56	51	46	45	73	42	42.5	43	41	36	29	28	56	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	52	48	45	45	65	41	40.9	43	41	35	29	28	63	21
09:00	53.2	55	55	53	50	50	68	38	58.7	60	60	57	53	53	66	23
10:00	54.5	57	56	54	52	51	72	48	58.8	60	60	59	58	58	65	57
11:00	52.6	55	54	51	48	47	74	40	56.1	56	55	52	48	47	62	27
12:00	44.8	47	46	42	40	39	69	36	31.4	36	34	28	24	23	49	19
13:00	53.2	55	55	53	50	50	66	38	58.4	59	59	59	53	53	61	24
14:00	53.7	56	55	53	52	51	68	49	58.9	60	59	59	58	58	65	57
15:00	54.6	57	56	54	52	51	75	49	59.3	60	60	59	59	59	62	57
16:00	52.2	54	53	50	48	46	66	39	56.5	56	55	51	48	45	67	24
17:00	46.5	50	48	45	42	42	68	38	37.4	40	38	32	26	25	58	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	49	47	44	41	41	71	36	28.6	32	31	27	24	24	48	19
09:00	62.4	57	55	48	42	41	81	35	32.1	35	33	28	23	23	48	19
10:00	42.5	46	44	40	37	36	64	34	26.4	30	29	24	22	21	44	19
11:00	41.4	44	43	40	37	37	64	34	27.9	32	30	25	22	22	49	19
12:00	41.3	45	43	39	36	36	68	34	27.3	32	30	25	21	21	44	18
13:00	43.9	47	45	41	38	37	70	34	34.9	39	37	29	24	23	51	19
14:00	45.0	49	47	43	40	39	63	37	37.9	44	41	34	28	27	52	22
15:00	45.0	48	46	42	39	39	68	36	36.5	42	39	31	25	24	57	20
16:00	43.4	47	45	42	40	40	57	37	29.8	35	33	27	24	23	48	20
17:00	46.3	48	47	44	42	42	73	39	35.5	37	34	28	24	24	63	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/06/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	49	47	43	41	40	67	37	38.3	42	40	33	27	26	56	23
09:00	52.0	54	53	51	49	48	66	40	58.8	58	57	56	53	51	63	27
10:00	52.2	54	54	52	50	50	71	48	59.6	60	60	60	59	59	68	57
11:00	52.3	54	53	51	48	48	70	37	58.0	57	56	54	50	50	65	24
12:00	45.3	49	47	44	41	41	69	38	36.5	42	39	32	27	26	53	22
13:00	53.4	56	55	53	50	50	65	42	58.5	60	59	57	54	54	65	27
14:00	51.5	54	53	49	47	46	69	41	54.6	52	50	45	42	41	65	27
15:00	47.0	50	49	46	44	43	69	42	38.7	44	42	36	32	31	53	24
16:00	47.1	50	49	46	44	43	69	41	42.5	47	45	38	32	31	62	25
17:00	47.9	50	49	46	44	43	65	41	41.8	46	44	37	31	30	57	24