

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.0	49	48	44	42	41	66	36	41.1	45	42	34	30	29	63	23
09:00	53.8	55	55	53	50	50	67	42	58.6	57	56	55	50	50	62	27
10:00	55.1	57	57	55	52	52	64	49	59.5	60	60	59	59	59	64	57
11:00	45.7	49	47	43	40	39	70	35	46.2	44	43	34	30	29	61	22
12:00	47.6	49	47	42	39	38	76	35	36.0	40	38	31	27	26	62	21
13:00	51.7	54	53	51	49	48	65	37	58.8	60	60	59	53	53	65	23
14:00	55.6	57	55	53	52	51	84	49	59.1	60	60	59	59	58	67	57
15:00	74.7	58	56	52	51	51	114	49	59.4	60	60	59	59	59	77	58
16:00	54.2	55	53	49	47	46	83	41	54.5	50	49	46	44	43	68	27
17:00	50.0	53	51	48	45	45	75	42	44.0	48	47	41	34	32	61	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	50	49	46	44	43	68	39	40.8	45	43	36	31	30	59	22
09:00	46.3	50	48	44	41	41	63	38	48.2	44	42	35	29	28	62	23
10:00	52.3	54	53	52	51	51	67	48	59.4	60	60	59	59	59	65	57
11:00	51.1	52	52	50	47	47	66	37	58.2	57	57	55	50	50	64	22
12:00	43.2	46	45	41	39	38	64	35	31.6	36	35	29	25	24	49	20
13:00	52.2	54	53	50	49	49	71	35	58.8	60	60	55	53	53	65	21
14:00	54.9	57	57	55	52	52	66	49	59.5	60	60	59	59	59	64	58
15:00	52.7	54	53	51	48	48	67	41	57.5	55	54	53	49	48	62	28
16:00	47.4	50	49	46	44	44	64	39	46.3	49	46	39	32	30	67	23
17:00	46.4	49	48	44	43	42	68	40	34.4	38	36	30	26	25	54	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	50	48	44	42	42	64	39	40.2	44	42	36	31	30	61	23
09:00	50.1	53	51	47	45	44	67	38	55.3	49	48	43	39	39	62	23
10:00	53.4	56	54	53	51	51	66	49	59.7	60	60	60	59	59	63	57
11:00	50.8	52	52	50	49	48	72	38	58.9	58	57	56	54	54	62	25
12:00	44.4	48	46	43	40	39	69	36	33.2	39	36	30	26	25	50	20
13:00	53.4	55	54	52	50	50	72	41	59.3	60	60	59	55	55	64	31
14:00	53.7	56	55	53	52	51	70	49	59.2	60	60	59	59	59	63	57
15:00	53.5	56	55	53	51	51	69	49	58.6	59	59	59	58	58	65	57
16:00	50.9	52	52	49	48	48	62	42	55.5	53	52	49	46	45	61	23
17:00	47.7	50	49	46	44	44	72	42	37.2	42	40	32	27	26	57	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.5	50	48	44	43	42	79	38	41.6	46	43	35	30	30	63	23
09:00	50.7	52	51	49	46	46	69	39	47.4	48	46	42	37	36	63	24
10:00	52.4	55	54	52	51	50	62	49	48.6	51	50	48	47	47	63	45
11:00	50.3	52	51	48	46	45	65	37	46.6	47	45	41	37	37	60	21
12:00	44.8	48	46	43	40	40	65	37	34.2	39	37	31	26	25	51	20
13:00	52.8	54	53	51	49	48	69	38	47.1	48	47	43	41	40	59	22
14:00	54.9	57	56	54	53	52	71	50	49.0	51	50	48	47	47	71	45
15:00	55.6	57	57	55	53	53	82	50	48.8	50	50	48	48	47	59	46
16:00	52.3	53	53	50	48	48	64	41	46.8	47	46	42	40	39	59	24
17:00	47.1	50	49	45	44	43	67	41	38.5	43	41	35	31	30	57	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	55.1	57	56	55	53	52	65	47	35.7	40	38	32	29	28	56	22
09:00	54.1	56	55	54	52	51	65	45	46.6	45	44	39	35	34	61	22
10:00	55.1	57	56	55	54	53	61	50	49.5	51	50	49	49	48	61	47
11:00	53.3	55	55	52	51	50	64	43	49.4	52	51	48	45	44	62	24
12:00	48.4	52	50	47	44	43	70	39	32.2	37	35	29	24	24	50	20
13:00	51.8	54	53	51	49	49	64	40	50.8	53	52	50	45	45	68	20
14:00	52.3	54	54	52	51	50	72	48	49.2	51	50	49	48	48	62	46
15:00	54.0	55	54	51	50	50	89	48	49.1	51	50	49	48	48	62	45
16:00	53.6	53	51	48	46	45	90	40	46.3	46	45	40	37	36	62	23
17:00	47.0	50	49	45	43	42	72	39	40.4	43	41	34	29	27	61	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	51	50	47	45	44	68	36	27.2	31	30	25	22	22	44	19
09:00	47.0	49	47	43	40	39	65	36	26.2	30	29	24	22	21	41	19
10:00	43.4	47	46	42	40	39	66	36	27.8	32	30	26	23	23	44	20
11:00	41.9	45	44	41	39	38	63	35	26.9	31	30	25	22	22	41	19
12:00	41.4	45	44	40	38	37	56	34	26.6	31	29	24	21	21	44	18
13:00	42.2	46	44	41	38	38	59	35	26.1	31	29	24	21	20	38	18
14:00	45.9	48	47	44	42	41	67	37	30.8	35	34	29	25	24	48	19
15:00	47.1	49	47	43	41	40	72	37	29.4	33	32	27	24	23	46	20
16:00	44.2	48	46	43	40	39	61	36	30.7	35	33	27	24	23	51	19
17:00	45.1	49	47	44	42	41	61	38	37.2	42	40	33	27	26	54	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/07/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.0	51	50	47	45	44	78	40	42.4	47	45	38	31	30	63	24
09:00	52.8	53	52	49	47	47	78	40	47.3	47	46	42	39	38	56	23
10:00	58.0	60	60	57	54	53	73	50	49.7	52	51	49	48	48	62	46
11:00	55.0	57	56	53	51	50	71	43	48.3	51	50	47	45	45	60	27
12:00	44.7	48	47	43	41	40	64	38	33.1	38	36	30	26	25	50	20
13:00	51.9	53	53	51	50	49	67	41	47.8	51	49	46	44	43	61	25
14:00	52.8	55	54	52	51	51	67	49	47.6	50	49	47	46	46	61	45
15:00	53.2	56	55	53	51	51	65	49	48.5	51	50	48	47	47	61	45
16:00	51.8	54	53	50	48	48	74	43	46.9	48	47	45	42	42	60	31
17:00	51.3	53	51	47	45	44	82	41	39.3	45	43	36	31	30	57	24

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/07/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	50	48	45	43	43	70	39	42.2	46	44	37	32	31	61	24
09:00	52.7	55	54	52	50	50	63	43	48.9	51	50	48	45	44	63	25
10:00	52.8	55	55	52	51	51	66	49	48.8	52	50	47	46	46	66	45
11:00	53.0	55	54	51	49	48	74	40	47.1	49	48	46	43	43	61	25
12:00	44.9	47	46	43	41	40	68	37	35.2	40	38	32	27	26	51	21
13:00	53.4	56	55	53	50	49	63	39	48.0	51	49	48	44	43	61	23
14:00	55.4	58	57	55	52	52	68	49	47.8	50	49	47	47	46	57	45
15:00	55.6	58	57	55	52	52	64	49	48.2	50	49	48	47	47	56	45
16:00	50.7	53	52	48	46	46	75	42	45.7	49	48	43	40	39	59	31
17:00	47.9	51	49	47	45	44	65	41	38.8	42	40	35	31	29	57	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/07/09

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	48	45	43	42	67	39	40.6	45	43	35	29	27	61	23
09:00	50.8	52	51	48	47	46	67	40	46.7	47	46	42	39	38	54	25
10:00	54.8	57	56	55	52	52	66	50	48.9	50	50	49	48	48	55	46
11:00	52.4	54	53	50	48	48	75	39	48.4	50	49	46	43	43	68	24
12:00	50.8	49	47	44	42	42	85	38	38.4	43	40	33	27	26	61	22
13:00	52.4	55	54	51	50	50	59	42	49.0	52	51	47	45	44	62	26
14:00	52.9	55	54	53	51	51	64	50	49.2	52	51	48	47	47	62	45
15:00	53.9	57	56	53	52	51	64	49	48.1	49	49	48	47	47	56	45
16:00	53.4	56	55	52	51	50	66	44	49.4	52	51	48	47	46	63	38
17:00	49.1	52	50	48	46	46	69	43	44.2	48	46	39	35	34	66	26

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/07/10

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	50	48	46	44	44	69	41	37.3	42	40	33	29	28	57	23
09:00	47.3	50	49	46	44	44	73	41	38.5	41	40	38	34	32	50	27
10:00	52.5	55	53	50	48	47	73	41	46.2	48	47	43	40	38	58	26
11:00	54.2	57	56	53	50	50	71	42	49.0	51	50	48	47	47	58	36
12:00	45.1	48	47	44	42	41	58	38	34.6	39	38	31	26	25	48	22
13:00	54.1	57	55	52	51	50	70	42	50.7	54	53	49	46	45	62	25
14:00	54.1	57	56	53	52	52	67	50	51.6	55	54	50	49	49	68	47
15:00	57.5	60	58	54	53	52	87	50	53.4	57	56	52	50	50	66	48
16:00	56.3	59	58	55	52	52	80	46	51.1	54	53	50	48	47	63	38
17:00	59.2	63	61	57	54	53	82	48	46.9	50	49	44	40	39	65	28

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	50	47	44	44	65	41	40.7	45	42	35	30	29	58	23
09:00	53.9	56	55	53	51	51	75	43	51.5	53	53	51	48	48	61	32
10:00	53.7	55	55	53	52	52	70	50	51.7	53	53	51	51	50	64	49
11:00	52.6	54	53	52	51	50	67	42	51.1	54	52	48	46	46	64	24
12:00	46.1	49	48	45	43	42	69	39	34.0	39	37	31	27	26	51	20
13:00	53.4	55	55	53	51	51	69	43	51.6	54	53	51	47	47	66	24
14:00	54.6	57	55	54	53	52	74	50	51.8	53	53	51	51	50	66	49
15:00	54.5	56	56	54	53	52	69	50	51.9	53	53	52	51	51	64	49
16:00	51.5	54	53	50	48	47	68	43	48.9	51	50	46	41	40	62	25
17:00	48.0	51	49	46	44	44	66	42	44.2	49	46	38	30	28	62	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	51	47	44	43	68	38	42.7	48	46	39	32	30	59	18
09:00	48.5	51	50	46	43	42	64	38	41.8	43	42	36	29	27	63	21
10:00	46.9	50	48	45	43	42	73	38	38.4	42	40	34	27	26	58	20
11:00	47.0	49	48	45	42	41	72	37	40.1	42	40	34	28	27	63	19
12:00	47.1	51	48	43	40	40	69	36	32.5	37	36	29	24	23	48	19
13:00	52.4	54	53	51	49	49	65	40	49.8	50	50	47	44	44	58	22
14:00	53.0	55	54	53	52	51	68	50	51.0	53	52	51	50	50	65	48
15:00	52.5	54	53	52	51	51	70	49	50.2	51	51	50	49	49	57	48
16:00	51.5	53	52	50	49	48	65	41	49.4	51	49	46	43	42	65	22
17:00	49.3	51	50	46	43	43	75	40	37.8	41	39	32	27	26	57	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.5	49	47	42	39	38	72	34	27.0	31	30	25	22	21	46	15
09:00	45.7	49	47	44	41	40	68	36	27.9	32	30	26	24	23	44	20
10:00	44.5	48	46	43	41	40	62	36	29.2	33	31	26	23	22	56	19
11:00	42.8	46	45	41	38	38	65	35	28.0	33	31	26	23	22	45	19
12:00	44.3	47	46	43	40	40	63	36	26.8	31	29	24	21	21	44	18
13:00	44.4	47	46	43	40	39	65	35	27.4	32	30	25	22	21	45	18
14:00	44.8	48	46	42	39	39	69	35	27.9	32	30	25	21	21	50	18
15:00	52.7	56	55	50	47	46	66	37	32.2	36	34	28	24	23	49	19
16:00	47.2	51	49	45	43	42	67	37	39.9	42	40	33	27	25	59	20
17:00	48.2	52	50	46	43	43	67	40	42.6	47	45	37	30	28	60	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	50	47	45	44	69	42	41.8	47	44	36	30	29	62	23
09:00	53.0	55	54	52	50	50	66	42	49.9	50	50	47	45	44	62	25
10:00	54.1	56	55	52	50	50	78	43	49.4	51	50	47	45	44	61	27
11:00	49.0	52	51	48	45	45	66	41	37.1	41	40	34	30	29	54	24
12:00	47.0	50	49	46	43	43	69	40	33.1	38	36	31	27	26	48	22
13:00	52.1	54	53	52	50	49	66	41	51.1	54	53	51	47	46	61	25
14:00	52.2	55	54	51	50	50	70	48	50.0	52	51	50	49	48	61	47
15:00	52.8	55	54	52	51	50	71	49	50.0	51	51	50	49	49	64	47
16:00	51.9	54	53	51	49	48	62	43	50.0	53	52	47	44	43	66	28
17:00	48.7	52	50	47	45	45	66	42	43.0	47	45	37	30	29	62	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.0	55	53	49	46	46	69	43	40.4	45	43	36	31	30	62	25
09:00	53.5	55	54	53	51	51	67	46	50.0	52	51	50	47	46	62	28
10:00	52.6	55	54	52	50	50	67	45	49.2	52	51	48	45	45	60	38
11:00	52.8	55	54	52	50	50	69	46	49.1	52	51	47	44	42	63	26
12:00	51.4	56	54	49	47	46	70	43	44.4	50	48	38	31	29	61	24
13:00	53.7	56	55	53	51	51	66	45	51.2	54	53	51	48	47	64	26
14:00	53.8	56	55	53	52	52	67	49	50.4	53	52	50	49	49	65	47
15:00	53.8	56	55	53	51	51	67	45	49.0	51	51	48	46	46	57	39
16:00	52.1	54	53	51	49	48	64	41	48.0	49	48	45	41	41	56	25
17:00	59.5	61	60	55	51	51	71	45	42.8	45	44	38	34	33	55	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	55.1	57	56	51	48	48	69	43	39.7	43	41	36	32	31	63	24
09:00	49.0	51	50	48	46	45	80	42	34.0	38	37	32	28	28	50	24
10:00	50.0	52	51	50	48	47	72	43	40.0	43	41	34	29	28	63	23
11:00	52.4	54	53	52	49	48	66	42	49.6	51	50	47	42	41	62	24
12:00	58.5	59	58	53	49	49	70	42	41.9	44	42	37	32	31	54	23
13:00	53.2	54	54	53	51	51	71	43	50.0	52	51	49	46	46	67	26
14:00	53.7	55	54	53	52	52	72	50	49.7	51	51	49	49	48	57	47
15:00	54.5	56	56	54	53	53	63	52	50.7	53	52	50	49	49	70	48
16:00	53.5	55	54	52	51	50	68	44	48.1	50	48	45	42	41	61	26
17:00	51.0	53	52	49	47	46	79	43	34.8	39	37	32	28	27	53	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.7	53	53	51	49	48	75	42	42.6	47	45	39	33	32	60	26
09:00	54.7	56	56	54	53	53	66	49	47.9	49	47	43	39	39	61	25
10:00	53.3	55	54	53	52	52	65	50	49.5	51	50	49	49	48	59	47
11:00	52.7	54	54	52	50	50	68	44	49.0	51	50	48	45	44	61	24
12:00	50.8	54	53	50	47	46	66	42	38.4	43	42	35	28	27	56	23
13:00	55.2	57	56	55	54	54	63	50	49.8	52	51	49	47	46	62	28
14:00	55.1	57	56	55	53	53	68	51	49.7	52	51	49	48	48	67	47
15:00	55.7	57	57	55	54	54	66	52	50.3	52	52	50	49	49	64	47
16:00	52.9	54	53	51	50	49	72	44	48.5	50	49	46	44	44	60	27
17:00	51.2	53	53	50	48	47	66	42	36.6	40	38	32	27	26	55	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.9	53	52	50	47	47	70	41	41.6	46	44	37	31	29	61	22
09:00	52.8	55	54	52	49	48	69	42	49.9	52	51	50	45	44	58	31
10:00	53.1	55	54	53	52	51	75	49	50.7	52	52	50	50	49	59	47
11:00	52.8	54	54	52	50	50	65	42	48.1	49	48	44	41	40	59	25
12:00	49.2	52	51	49	46	45	63	42	37.2	43	41	34	29	27	53	22
13:00	53.4	55	54	52	51	50	72	43	49.5	51	51	48	46	46	59	28
14:00	54.3	56	55	54	53	53	68	50	49.9	52	51	49	49	49	60	47
15:00	54.9	57	56	54	53	53	73	51	49.8	52	51	49	49	48	62	47
16:00	52.6	55	54	51	49	49	71	43	48.4	50	48	45	41	40	60	27
17:00	50.5	52	51	49	47	46	69	42	39.2	43	40	33	29	28	66	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.0	54	53	50	47	46	68	42	40.5	45	43	36	30	28	58	21
09:00	54.1	55	55	52	50	50	71	40	50.1	52	51	46	42	41	66	22
10:00	54.3	56	55	54	52	52	71	49	49.4	51	50	49	48	48	62	46
11:00	55.4	58	57	55	53	52	61	42	49.0	50	49	47	45	44	69	24
12:00	51.3	53	53	51	48	47	60	42	34.3	39	37	31	26	25	52	21
13:00	53.7	56	55	53	50	50	65	40	49.7	50	49	46	44	43	70	21
14:00	54.2	56	56	54	52	52	71	50	49.4	51	50	49	48	48	58	47
15:00	55.6	57	57	55	54	53	68	51	50.4	52	51	50	49	49	58	48
16:00	52.7	54	54	51	49	48	66	42	48.3	48	47	45	43	42	61	23
17:00	51.0	53	52	50	47	46	71	41	42.9	45	43	34	29	28	61	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	53.6	55	54	53	51	50	83	45	33.1	33	30	24	21	21	65	18
09:00	48.9	51	50	47	44	43	70	36	27.9	32	31	26	23	22	46	19
10:00	49.9	52	51	49	46	45	67	38	28.4	32	30	25	22	22	51	20
11:00	48.1	50	50	48	45	44	63	40	27.7	32	31	26	23	23	42	19
12:00	49.9	51	51	48	46	45	75	38	35.5	41	38	31	26	25	55	20
13:00	51.8	54	53	52	49	48	65	42	37.8	44	41	32	26	25	59	20
14:00	50.3	52	52	50	47	46	67	39	36.2	42	40	31	25	24	55	20
15:00	51.2	53	53	51	48	48	63	42	36.1	42	39	31	26	25	58	20
16:00	48.5	50	50	47	44	43	60	38	34.4	39	37	30	24	23	53	20
17:00	65.1	52	51	48	46	46	99	39	35.1	39	37	30	26	25	59	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.4	53	53	51	50	49	59	46	28.7	33	32	27	24	23	46	19
09:00	52.8	55	54	52	49	48	60	42	29.4	34	32	27	24	23	44	20
10:00	49.7	52	51	49	44	43	66	37	28.9	33	31	26	24	23	49	20
11:00	50.1	52	52	49	45	44	73	40	34.0	33	31	26	24	23	66	20
12:00	49.9	52	52	48	43	42	69	37	30.4	35	33	27	23	23	44	20
13:00	51.2	53	52	50	48	46	76	38	32.1	36	34	27	23	22	49	19
14:00	49.5	52	51	49	46	45	58	42	35.0	40	38	31	26	25	55	20
15:00	49.9	52	51	49	46	46	75	42	36.4	42	40	33	28	27	50	22
16:00	50.1	52	51	50	47	47	65	43	33.1	38	36	31	27	26	50	22
17:00	50.5	52	52	50	47	47	71	42	31.2	36	34	28	24	24	49	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.9	53	51	48	47	46	80	43	35.3	39	37	32	28	27	54	23
09:00	54.5	56	56	54	52	52	76	44	50.9	53	52	51	47	47	65	26
10:00	55.8	58	57	56	54	53	67	51	50.1	52	51	50	49	49	59	47
11:00	54.1	56	55	53	50	49	69	43	47.5	49	47	45	41	40	59	25
12:00	49.6	52	51	49	47	47	58	44	35.0	39	38	32	27	26	50	22
13:00	54.0	56	56	54	51	51	63	46	49.1	51	50	49	46	46	61	27
14:00	54.9	57	57	54	52	52	68	49	49.6	52	51	49	48	48	61	47
15:00	53.0	54	54	52	50	50	67	46	45.8	46	45	39	35	34	60	23
16:00	53.6	55	54	51	49	49	79	46	45.7	51	49	42	34	32	63	25
17:00	51.1	53	52	50	49	48	67	44	43.4	45	44	38	31	29	62	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.2	52	52	49	47	47	63	45	38.6	43	41	34	29	28	58	24
09:00	56.2	59	58	55	51	50	74	46	44.4	44	43	39	36	36	55	27
10:00	56.0	58	57	55	53	53	80	50	50.7	52	52	51	49	49	61	48
11:00	53.9	55	55	53	51	50	69	42	49.2	50	50	47	45	44	58	25
12:00	48.1	51	50	47	45	44	68	40	34.9	39	37	33	29	28	52	22
13:00	54.0	56	56	53	51	51	68	43	48.5	50	49	46	45	44	56	26
14:00	51.8	53	53	51	50	50	67	47	45.0	47	45	41	36	35	67	27
15:00	53.9	56	55	54	52	52	65	50	49.9	52	51	50	48	48	58	41
16:00	52.5	54	54	52	51	50	61	48	41.4	44	43	39	37	36	55	27
17:00	51.1	53	52	50	49	49	71	46	40.7	43	42	39	37	37	56	27

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.4	54	54	52	51	50	64	46	44.2	47	45	38	30	28	64	22
09:00	51.3	53	52	51	49	48	66	45	39.6	43	41	34	29	28	62	23
10:00	55.0	57	56	54	51	51	78	45	49.2	51	51	48	45	44	58	28
11:00	53.2	54	54	51	49	48	79	42	47.1	47	46	42	38	37	60	23
12:00	47.1	49	49	47	44	44	65	39	33.8	39	37	31	26	25	49	22
13:00	52.9	55	54	53	51	51	73	47	49.7	52	51	49	45	45	59	25
14:00	54.4	57	56	54	53	52	71	50	49.0	51	50	48	47	47	60	45
15:00	53.6	56	55	53	52	52	72	49	49.0	51	50	48	48	48	59	46
16:00	53.8	55	55	53	51	51	68	45	47.2	47	46	42	38	37	62	23
17:00	51.6	53	52	51	49	48	70	43	41.2	41	40	35	30	29	64	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.8	52	52	49	47	47	72	44	39.6	44	42	35	30	29	57	24
09:00	53.7	54	54	52	50	49	66	43	42.3	43	41	35	30	29	64	23
10:00	54.2	56	55	53	52	51	66	42	49.7	52	51	49	45	45	65	26
11:00	54.8	57	56	53	50	50	71	42	48.2	50	49	47	43	43	59	23
12:00	49.8	52	51	49	47	47	65	43	35.7	40	38	32	27	26	52	22
13:00	52.5	55	54	51	49	48	72	46	43.5	46	45	41	35	34	58	28
14:00	55.0	57	57	55	53	52	63	47	49.2	51	50	49	46	46	60	33
15:00	56.1	58	57	55	53	53	78	51	49.2	51	50	49	48	48	57	46
16:00	54.0	56	55	54	52	52	68	48	44.8	47	45	41	35	34	57	26
17:00	52.6	55	53	51	49	49	78	45	40.9	45	43	36	32	30	61	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.2	54	54	52	50	50	65	46	40.2	45	42	33	27	26	59	21
09:00	54.2	56	55	54	53	52	66	49	48.7	49	49	47	45	44	57	23
10:00	53.4	56	55	53	52	51	64	50	49.5	51	51	49	48	48	63	46
11:00	52.2	54	54	51	49	49	72	42	46.9	47	47	45	42	40	58	23
12:00	53.8	51	50	48	44	44	91	39	35.2	38	37	30	25	24	63	20
13:00	53.0	55	55	52	51	50	63	45	49.1	51	51	48	45	44	62	22
14:00	54.6	56	56	54	53	52	69	50	49.0	51	50	49	47	47	62	45
15:00	55.9	58	57	56	53	53	65	50	49.3	51	50	49	48	48	58	46
16:00	49.4	51	51	49	47	47	65	44	37.0	39	38	32	29	28	53	23
17:00	50.0	52	51	49	47	47	68	42	41.3	45	42	36	32	30	61	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	51	51	49	48	47	61	44	26.5	31	29	25	22	21	42	18
09:00	50.9	52	52	51	49	49	64	47	26.8	31	29	25	22	22	42	20
10:00	50.2	50	49	48	46	46	84	43	35.9	35	32	26	23	23	63	19
11:00	48.6	51	50	48	45	45	67	40	27.7	32	31	26	22	22	43	19
12:00	49.1	51	50	49	47	46	64	42	28.0	32	31	26	23	22	46	20
13:00	50.6	52	52	50	48	47	79	44	33.3	37	35	28	24	23	52	20
14:00	48.2	50	49	48	46	45	68	42	34.3	39	37	30	25	24	48	20
15:00	51.2	53	52	51	49	48	70	45	32.0	37	35	28	24	23	48	20
16:00	50.1	51	51	49	47	47	67	42	28.6	33	31	26	23	23	41	20
17:00	50.8	53	52	50	49	49	63	46	31.4	35	34	30	27	26	44	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/07/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.5	53	52	51	50	49	66	46	41.4	44	42	35	31	30	59	23
09:00	50.3	52	51	50	49	48	64	45	36.4	41	39	34	30	29	54	23
10:00	48.4	50	50	48	46	45	67	42	36.1	41	39	33	28	27	53	23
11:00	49.6	52	51	49	47	47	67	42	34.4	39	38	32	28	28	50	23
12:00	47.4	50	49	46	44	44	70	42	33.5	38	36	31	27	25	49	21
13:00	49.8	52	52	49	47	47	61	42	48.9	52	51	41	36	34	68	26
14:00	52.9	55	54	52	50	50	69	45	52.5	52	51	48	43	43	62	27
15:00	54.4	57	56	54	52	52	67	50	54.4	55	55	54	54	54	62	52
16:00	52.5	55	54	52	50	49	69	45	49.2	49	47	41	35	34	63	25
17:00	52.3	54	53	52	50	50	66	47	42.3	46	43	37	32	31	63	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.9	53	52	50	49	48	66	45	35.3	40	38	32	28	27	54	22
09:00	56.0	57	57	55	53	53	81	49	54.4	55	55	55	52	51	58	29
10:00	55.3	57	57	55	53	52	71	50	54.9	56	56	55	54	54	65	53
11:00	54.8	56	56	54	51	50	64	42	53.8	54	53	52	52	50	61	37
12:00	49.3	52	50	48	45	45	69	41	34.8	39	37	31	26	25	56	21
13:00	51.9	53	53	52	50	50	63	46	53.6	53	52	50	46	45	67	22
14:00	52.7	55	54	52	51	51	63	49	54.4	55	55	54	54	53	63	51
15:00	54.2	56	55	54	53	53	67	50	54.7	56	55	55	54	54	60	52
16:00	52.0	54	53	52	50	50	65	47	48.4	51	49	44	38	37	63	29
17:00	53.2	55	54	51	49	49	78	46	40.6	46	44	38	32	30	55	25

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	51	50	48	47	47	66	45	41.2	46	43	37	32	30	59	23
09:00	52.9	54	54	52	51	51	63	46	52.7	53	53	50	47	45	65	32
10:00	54.2	56	55	54	53	53	64	50	54.7	56	55	55	54	54	59	52
11:00	53.5	55	55	53	51	50	66	45	52.7	51	50	48	45	45	63	24
12:00	50.3	52	51	50	47	47	75	43	36.0	40	38	31	26	25	61	20
13:00	53.3	55	54	53	52	51	60	45	54.2	56	55	54	50	50	66	26
14:00	54.6	56	56	54	53	53	61	52	54.7	56	55	55	54	54	61	52
15:00	54.3	56	55	54	53	53	67	49	53.6	55	54	52	50	49	60	28
16:00	51.8	54	53	51	49	49	69	45	45.4	50	48	42	36	35	61	25
17:00	51.9	54	53	51	49	49	69	45	43.2	48	46	40	34	32	61	26

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/07/31

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.6	53	52	49	47	47	67	42	41.9	46	44	37	32	31	62	25
09:00	51.0	53	52	51	49	49	70	45	39.3	44	42	35	31	30	55	25
10:00	53.7	56	55	53	52	51	66	47	54.0	55	55	53	48	47	62	27
11:00	53.1	55	54	52	51	51	66	45	53.3	54	53	50	48	48	58	29
12:00	49.3	51	51	49	47	47	67	43	37.3	42	41	34	29	28	52	22
13:00	53.6	56	55	53	52	51	66	48	54.1	55	55	54	52	51	61	35
14:00	54.5	57	56	53	52	52	72	50	54.6	56	55	54	54	54	65	52
15:00	54.1	56	55	54	53	52	66	50	54.4	55	55	54	54	54	61	52
16:00	67.1	54	53	52	50	50	99	46	51.5	51	49	46	42	40	61	25
17:00	51.0	53	52	49	48	47	71	45	42.9	48	46	40	34	33	56	25