

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.9	50	47	44	42	42	79	39	33.3	37	36	31	28	27	53	23
09:00	44.3	47	46	43	41	41	63	39	36.5	40	39	33	29	28	54	24
10:00	47.2	50	49	46	43	42	64	39	44.9	49	47	42	35	33	62	25
11:00	46.1	49	48	44	42	42	65	38	44.5	47	46	41	39	38	61	26
12:00	45.1	48	47	42	40	40	68	37	34.0	39	37	32	27	26	49	22
13:00	53.4	55	54	52	49	48	73	39	50.1	52	51	48	44	43	62	25
14:00	47.2	51	49	46	44	44	63	41	41.6	46	44	38	34	33	60	25
15:00	48.5	52	50	48	46	45	63	43	42.2	47	45	38	33	32	58	26
16:00	47.8	50	49	47	45	45	71	42	41.5	45	42	36	31	30	60	25
17:00	49.7	52	50	47	46	45	71	43	45.9	47	44	35	29	28	68	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	49	47	44	42	41	63	39	40.1	44	43	36	30	28	58	24
09:00	45.5	49	48	44	42	41	67	38	40.0	44	42	35	29	28	60	23
10:00	45.4	48	47	44	42	41	67	39	40.2	45	43	36	30	28	57	23
11:00	44.5	47	46	44	42	41	64	38	36.7	40	39	33	28	27	55	24
12:00	44.0	47	46	43	41	41	62	39	33.4	37	36	32	27	26	52	23
13:00	50.7	52	51	48	45	45	63	41	47.8	49	48	43	39	38	59	28
14:00	55.1	57	56	55	53	52	69	50	51.4	53	53	51	50	50	64	48
15:00	54.3	56	56	54	52	52	62	50	50.7	52	52	50	49	49	60	48
16:00	52.4	54	53	51	49	48	71	43	49.0	50	49	44	42	41	60	26
17:00	48.8	50	49	47	45	45	72	42	41.7	45	43	36	31	30	60	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	49	48	45	43	43	67	40	41.8	45	43	37	32	32	62	25
09:00	53.1	54	53	50	48	48	75	42	48.8	51	50	47	45	44	63	37
10:00	53.3	55	55	53	52	51	62	49	50.4	53	52	50	48	48	65	45
11:00	52.5	55	54	51	50	49	63	39	49.2	52	51	48	47	46	62	37
12:00	47.8	49	47	43	41	41	70	38	34.6	39	37	32	29	28	51	24
13:00	53.5	56	56	53	50	50	65	41	49.1	51	50	49	45	45	64	26
14:00	53.9	57	56	53	51	51	65	49	50.2	52	51	50	48	48	67	46
15:00	54.0	57	56	53	52	51	67	49	49.9	52	51	49	49	48	69	47
16:00	53.1	54	54	51	49	48	63	43	48.5	51	48	45	42	42	61	24
17:00	47.8	51	49	46	45	44	69	42	38.4	41	39	33	29	28	56	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.9	51	50	47	44	44	67	41	43.2	48	46	39	33	32	60	25
09:00	53.0	54	54	52	51	51	66	43	49.2	51	50	48	46	45	58	27
10:00	52.8	54	54	52	51	51	62	48	49.3	52	51	49	48	48	62	46
11:00	51.8	53	52	51	49	49	62	40	47.8	48	47	46	43	43	57	26
12:00	44.6	47	46	44	42	42	63	39	31.4	36	35	29	25	24	48	20
13:00	52.6	54	54	52	50	50	67	41	49.0	51	50	49	44	44	60	21
14:00	53.5	56	55	53	52	51	69	49	49.5	51	50	49	48	48	68	47
15:00	53.0	55	54	53	52	52	62	50	49.3	51	50	49	48	48	63	46
16:00	50.8	52	51	49	47	47	69	43	46.7	48	46	42	38	38	61	24
17:00	47.5	50	48	46	44	44	70	41	37.5	39	37	31	27	26	58	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	55.2	58	57	54	52	51	69	49	43.1	47	46	41	36	34	59	28
09:00	56.6	58	58	56	54	54	71	50	45.4	47	46	41	39	38	56	30
10:00	58.4	61	60	58	56	55	66	53	48.7	50	50	48	47	47	54	45
11:00	60.3	62	61	60	58	58	70	54	48.4	50	49	47	46	45	58	36
12:00	59.4	62	61	57	54	53	70	47	40.9	44	43	38	34	33	54	25
13:00	56.9	59	59	56	54	54	67	52	48.5	51	50	47	45	45	64	32
14:00	53.4	54	54	53	52	52	70	50	48.2	50	49	48	47	47	66	45
15:00	52.8	54	53	52	51	51	68	46	47.0	47	47	44	43	42	59	21
16:00	54.2	56	55	53	53	53	75	45	32.4	36	34	30	27	27	53	23
17:00	50.8	52	52	50	48	48	69	45	33.0	36	35	29	25	25	53	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	49	46	44	43	65	40	40.5	44	41	34	29	27	61	22
09:00	49.7	51	50	47	46	45	75	41	46.6	47	46	42	38	37	61	23
10:00	54.9	55	54	53	52	51	82	49	50.9	53	53	50	49	48	60	45
11:00	51.8	53	52	50	48	48	69	40	49.3	50	49	46	43	42	66	22
12:00	44.7	47	46	44	43	42	70	39	31.3	36	34	28	26	25	49	22
13:00	51.7	54	53	51	49	49	63	42	48.4	51	50	48	45	44	60	31
14:00	50.5	52	51	48	47	47	63	41	45.8	45	44	40	37	36	62	22
15:00	49.1	50	48	45	43	43	77	41	33.2	38	36	31	27	26	47	22
16:00	47.7	50	48	46	44	44	73	41	33.8	37	35	29	26	25	55	22
17:00	48.8	51	50	47	46	45	70	43	40.0	45	42	35	29	28	57	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/07

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	56.7	51	49	45	41	41	79	39	30.5	33	30	25	22	22	53	20
09:00	62.0	66	65	58	48	46	83	39	33.4	37	36	31	25	24	53	19
10:00	58.6	58	56	50	47	46	77	38	30.7	35	33	28	24	24	46	20
11:00	44.6	47	45	42	41	40	68	39	29.4	34	32	26	23	23	46	20
12:00	43.3	46	45	42	41	40	64	39	31.7	36	34	27	24	23	53	20
13:00	49.4	49	46	43	41	41	80	39	33.1	39	37	28	23	22	49	19
14:00	44.5	47	46	43	42	41	69	39	33.0	39	36	29	23	22	49	20
15:00	48.2	48	47	44	43	42	79	40	34.2	40	38	30	25	24	50	20
16:00	46.0	48	47	45	43	43	67	41	32.7	38	35	29	25	24	50	20
17:00	48.4	51	50	47	45	44	66	41	28.5	33	31	26	23	23	45	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/08

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	49	48	45	43	42	69	39	38.0	41	40	35	30	29	54	23
09:00	45.4	48	47	45	43	42	65	40	40.3	44	42	35	29	28	63	24
10:00	45.2	49	47	44	42	42	62	39	37.2	41	39	33	28	27	58	22
11:00	46.8	50	48	45	43	43	67	39	41.7	47	44	36	30	29	58	23
12:00	44.9	48	47	44	42	41	61	39	33.7	38	36	31	27	26	49	22
13:00	54.5	57	56	54	51	51	63	42	52.3	55	55	51	48	47	63	28
14:00	53.9	56	56	53	52	51	67	50	50.7	53	52	50	48	48	60	46
15:00	53.7	56	55	53	52	51	78	50	50.2	53	52	50	49	48	61	47
16:00	48.8	51	50	48	45	45	66	42	42.2	44	43	38	33	32	57	25
17:00	51.7	53	51	48	46	45	84	43	37.2	42	40	33	29	28	55	24

騒音・振動データ収録装置1時間値日報データ

測定日：2025/09/09測定場所：岩槻区末田会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	51	49	45	43	43	65	39	40.8	45	43	37	31	30	59	23
09:00	49.4	50	50	47	45	44	63	39	48.5	49	47	40	34	32	64	23
10:00	51.4	53	52	50	47	47	67	40	49.7	48	47	44	41	40	60	23
11:00	44.9	48	46	43	41	40	64	38	34.3	38	36	31	26	26	54	21
12:00	44.7	48	46	43	41	40	64	38	32.8	38	36	30	26	25	50	22
13:00	52.0	53	53	51	49	49	61	38	49.1	51	50	46	45	44	61	23
14:00	53.1	55	55	52	51	51	69	49	49.2	51	50	49	48	48	61	46
15:00	52.9	53	53	49	47	47	87	42	46.5	45	44	40	35	34	60	24
16:00	47.1	50	49	46	44	44	66	41	42.7	46	44	34	28	26	64	21
17:00	48.0	51	49	46	45	44	65	43	42.7	45	43	34	28	27	65	22

騒音・振動データ収録装置1時間値日報データ

測定日：2025/09/10測定場所：岩槻区末田会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.4	54	53	50	46	46	65	41	41.3	45	43	38	34	33	61	24
09:00	52.3	55	54	50	46	45	63	40	41.6	45	44	38	32	31	54	25
10:00	48.6	51	49	46	44	43	72	39	47.2	49	47	40	33	31	68	25
11:00	47.7	51	49	46	44	44	67	41	40.6	44	43	37	31	30	59	25
12:00	47.6	51	50	46	44	44	61	40	39.3	44	43	36	31	30	54	24
13:00	54.4	57	55	53	52	51	76	44	52.3	54	54	51	49	49	64	35
14:00	53.6	55	55	53	52	52	65	50	51.3	54	53	51	49	49	62	48
15:00	53.9	55	55	53	52	52	73	50	50.5	52	52	50	49	49	61	48
16:00	53.4	55	55	53	51	51	74	46	50.1	53	52	49	47	47	63	40
17:00	50.0	53	52	49	47	46	70	43	45.4	49	47	41	37	35	66	27

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	52	50	47	44	43	72	40	40.1	43	41	36	32	31	61	22
09:00	53.8	56	55	53	52	51	70	46	52.3	54	54	52	49	48	60	29
10:00	56.7	60	59	55	53	53	67	49	50.5	52	51	50	50	50	59	48
11:00	51.7	53	53	51	49	48	59	41	49.1	50	49	48	48	46	56	37
12:00	46.6	49	48	46	44	43	67	41	36.6	41	39	34	30	28	52	24
13:00	55.0	56	55	53	50	50	80	43	49.6	52	51	49	47	46	62	31
14:00	57.8	59	57	54	52	51	82	49	50.6	53	52	50	49	49	68	47
15:00	66.1	64	62	57	55	54	98	49	52.5	54	52	49	48	48	77	45
16:00	51.0	52	51	50	48	48	71	43	46.8	47	46	43	40	39	58	25
17:00	47.6	51	49	46	45	44	66	42	33.4	38	35	29	25	24	55	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	49	46	44	43	60	41	38.5	42	40	34	29	28	57	23
09:00	54.1	56	55	53	52	51	71	42	52.0	55	53	50	47	47	63	25
10:00	57.6	60	59	56	53	53	70	50	50.9	53	52	50	49	49	65	47
11:00	60.3	63	62	56	51	50	79	41	48.5	49	49	47	44	44	66	24
12:00	45.9	49	48	45	43	42	65	39	31.8	36	35	30	26	25	49	21
13:00	52.6	54	54	52	50	50	73	39	49.0	51	50	49	46	45	64	24
14:00	52.5	54	54	52	51	51	64	50	48.8	51	50	48	47	47	65	45
15:00	52.4	54	53	52	51	51	69	49	48.7	50	49	48	48	47	58	46
16:00	50.8	52	51	49	48	48	64	43	46.4	47	45	43	40	39	65	25
17:00	48.5	52	50	47	45	45	67	43	35.2	39	38	32	27	26	53	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.1	49	48	45	43	43	65	41	36.2	41	38	31	27	26	56	21
09:00	53.8	56	55	53	50	49	67	40	50.8	52	51	48	44	43	61	23
10:00	53.6	55	55	53	52	52	68	50	49.2	51	50	49	48	48	59	47
11:00	52.1	53	53	51	49	49	73	41	47.9	48	48	45	42	41	56	24
12:00	46.3	48	47	45	43	43	71	40	30.8	35	34	29	25	25	42	21
13:00	52.7	54	54	52	50	50	69	42	49.1	52	51	48	45	44	60	23
14:00	52.9	54	54	53	52	52	64	50	48.9	50	50	49	48	48	64	47
15:00	52.2	54	53	51	50	49	68	43	48.2	49	49	46	43	43	60	24
16:00	47.5	50	49	47	45	45	67	43	35.3	40	38	32	28	28	54	24
17:00	48.4	51	50	47	45	45	75	43	34.9	39	37	30	26	25	56	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.1	47	45	43	40	40	70	36	27.2	31	29	24	22	21	50	18
09:00	44.9	48	46	44	42	41	64	37	29.8	33	31	28	26	25	44	19
10:00	44.0	47	46	43	41	40	69	37	28.8	34	32	26	24	23	42	21
11:00	45.8	49	47	45	43	42	63	38	31.9	36	35	29	26	25	50	22
12:00	44.8	48	46	44	42	41	58	38	30.5	35	34	28	25	24	47	20
13:00	44.7	47	46	44	42	41	56	38	29.0	33	32	27	24	24	41	21
14:00	45.6	49	47	44	42	41	66	38	30.9	36	34	27	24	23	45	20
15:00	45.6	48	47	45	43	42	60	40	29.7	36	33	26	23	23	45	20
16:00	45.6	49	47	45	42	42	70	37	30.2	35	34	27	24	24	49	20
17:00	46.3	50	48	45	43	43	60	40	28.5	32	31	26	23	23	49	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.1	49	47	43	40	39	64	36	29.9	35	32	27	23	23	48	18
09:00	48.7	51	50	45	41	40	64	37	29.9	34	32	27	24	23	48	20
10:00	45.9	47	46	43	40	39	74	37	28.1	32	31	26	23	23	44	19
11:00	44.6	49	47	42	40	39	64	37	28.0	32	31	26	23	23	45	20
12:00	43.1	46	45	42	40	40	58	37	28.2	32	30	26	23	22	46	19
13:00	44.1	47	46	43	41	40	65	38	29.1	33	32	27	23	23	48	19
14:00	44.7	48	47	44	41	41	62	39	29.1	33	32	27	24	23	45	20
15:00	44.7	48	47	44	42	41	64	39	29.5	33	32	27	25	24	44	20
16:00	45.5	48	47	45	43	42	65	39	28.8	33	32	27	23	23	47	20
17:00	46.2	49	48	45	43	43	65	40	29.3	33	32	28	25	24	48	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	50	48	45	43	43	72	40	40.8	46	43	36	30	29	61	22
09:00	45.8	49	47	45	43	43	64	40	37.3	43	40	34	30	29	57	25
10:00	50.9	53	50	47	44	44	77	39	54.8	51	48	44	36	36	62	24
11:00	52.1	54	54	51	50	49	61	40	59.9	61	61	57	55	55	65	23
12:00	44.6	47	46	43	41	41	64	38	32.8	38	36	30	26	25	49	22
13:00	52.5	55	54	51	50	50	63	39	60.2	61	61	58	55	55	68	24
14:00	55.4	56	56	54	52	52	81	50	60.9	62	61	61	60	60	66	59
15:00	55.3	57	57	55	53	53	62	50	61.1	62	62	61	61	60	65	59
16:00	54.4	56	54	52	50	49	71	43	58.8	55	54	51	46	46	64	24
17:00	48.5	52	50	47	45	45	66	43	44.3	45	43	36	30	29	67	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/09/17

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	49	48	44	42	41	72	39	38.1	42	39	32	27	26	66	22
09:00	51.9	54	53	52	48	48	64	42	60.5	62	62	61	51	51	69	35
10:00	53.9	55	55	52	50	49	65	42	59.9	59	58	58	54	54	65	39
11:00	51.6	53	53	50	47	47	72	40	59.0	57	57	56	48	48	63	25
12:00	44.0	47	46	43	41	41	64	39	33.6	38	36	30	26	25	49	22
13:00	52.1	54	53	52	50	49	63	39	60.5	61	61	61	55	55	67	24
14:00	53.8	56	55	53	52	51	63	49	60.8	61	61	61	60	60	63	59
15:00	50.5	51	50	48	46	45	61	41	55.6	48	47	43	37	37	63	25
16:00	48.2	50	48	46	44	44	74	41	39.6	43	41	34	30	29	62	23
17:00	47.3	50	49	46	44	43	67	41	34.9	39	37	31	27	26	54	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/09/18

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	50	48	45	43	43	64	39	41.6	43	41	36	31	30	63	24
09:00	51.8	52	51	49	46	46	72	40	57.5	52	51	45	40	39	67	25
10:00	55.5	58	57	55	53	52	67	50	61.3	62	62	61	61	61	65	59
11:00	51.9	53	53	51	49	48	66	41	59.7	58	58	56	52	51	65	25
12:00	46.9	49	47	43	41	41	72	38	32.4	37	35	30	26	26	50	22
13:00	52.6	55	54	52	50	49	69	40	60.8	62	62	61	56	55	71	26
14:00	55.0	57	56	53	52	52	74	49	61.1	62	62	61	61	61	66	59
15:00	52.8	54	54	53	52	51	67	50	60.9	62	61	61	61	60	64	59
16:00	51.1	53	52	50	48	48	71	42	58.0	55	53	51	49	48	64	27
17:00	47.8	51	49	46	45	44	66	41	45.1	46	44	36	30	29	66	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/09/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	49	46	44	44	68	42	43.4	46	44	34	29	28	61	21
09:00	52.7	54	53	51	49	48	64	41	53.5	53	52	49	43	42	60	25
10:00	53.4	55	54	53	52	52	64	50	55.7	57	56	56	55	55	62	54
11:00	52.4	54	53	51	49	49	66	39	54.6	54	54	53	50	50	66	33
12:00	44.6	47	47	44	42	41	59	39	31.3	36	34	29	25	25	45	22
13:00	53.3	55	55	53	50	50	64	40	55.2	57	56	55	51	50	68	23
14:00	52.4	54	54	52	50	49	71	41	54.8	56	56	55	49	48	71	31
15:00	53.4	56	54	53	51	51	70	49	55.3	56	56	55	55	54	68	52
16:00	49.5	51	50	48	46	45	67	42	50.2	49	47	43	39	38	60	23
17:00	47.5	51	49	45	43	43	68	41	36.5	41	38	30	26	25	58	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/09/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	49	46	44	43	63	40	42.5	45	43	36	30	28	60	21
09:00	46.5	50	48	45	43	43	64	39	38.5	42	39	33	27	26	59	23
10:00	51.9	53	52	50	48	48	61	41	53.2	51	50	46	42	42	61	25
11:00	53.3	55	54	52	51	50	64	41	54.5	54	54	51	50	48	63	25
12:00	46.6	49	47	44	42	42	71	39	40.6	42	42	41	38	37	48	25
13:00	52.2	54	53	50	49	49	67	40	53.7	53	53	48	45	45	62	23
14:00	54.2	56	55	53	52	52	77	50	55.6	57	56	55	55	54	62	52
15:00	53.7	55	55	54	53	52	63	50	56.1	57	57	56	55	55	62	54
16:00	50.8	52	51	49	47	46	62	41	52.7	50	50	45	42	42	62	25
17:00	46.5	49	47	44	43	42	71	40	39.3	40	39	35	33	32	59	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	49	47	44	41	41	75	38	27.0	31	29	25	22	21	41	18
09:00	45.2	48	47	44	42	41	64	37	30.8	36	34	28	25	24	47	21
10:00	46.5	49	48	45	43	42	68	39	34.4	38	36	30	25	24	50	21
11:00	49.0	53	51	47	45	44	65	41	41.1	46	44	37	31	29	55	22
12:00	49.1	52	51	48	45	44	64	41	41.4	46	45	39	32	30	54	22
13:00	47.8	51	50	47	44	44	63	41	39.7	44	43	36	30	29	54	24
14:00	46.3	49	48	45	43	43	64	40	34.8	39	37	31	27	26	53	22
15:00	46.3	49	47	45	43	43	69	40	34.3	39	38	32	27	26	46	22
16:00	46.4	48	47	44	42	42	72	39	28.9	33	31	25	22	22	45	17
17:00	45.6	49	47	44	42	42	65	39	29.4	34	32	26	22	21	48	17

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.5	49	48	45	43	43	66	40	39.7	42	40	33	28	27	60	21
09:00	52.1	54	54	51	49	49	71	40	55.0	57	56	53	49	48	71	29
10:00	54.1	57	55	54	52	52	68	50	56.0	57	57	56	55	55	69	54
11:00	52.9	55	54	52	50	50	68	42	55.2	57	56	53	52	52	67	38
12:00	45.5	48	47	45	42	42	63	39	39.9	42	41	38	33	32	55	23
13:00	52.7	55	54	51	49	49	74	41	55.2	58	56	53	50	48	72	24
14:00	55.1	57	57	55	53	53	70	50	56.0	57	57	56	55	55	68	52
15:00	55.1	57	56	55	53	53	67	50	56.0	57	57	56	55	55	72	54
16:00	52.4	54	54	51	49	49	64	45	53.2	54	53	50	47	45	67	29
17:00	49.1	52	51	47	45	45	68	42	48.4	50	48	43	38	37	69	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.4	47	46	43	41	41	65	38	27.9	32	31	26	22	22	46	18
09:00	50.1	51	50	47	43	42	67	38	31.8	36	34	29	25	24	53	21
10:00	44.3	47	46	43	41	40	64	36	28.5	33	32	26	23	22	45	17
11:00	44.9	48	47	44	42	41	63	38	29.2	33	31	27	24	23	46	20
12:00	45.4	47	46	43	40	40	73	38	28.2	33	31	26	23	23	48	20
13:00	43.3	46	45	43	40	40	68	36	28.2	33	31	26	23	23	46	20
14:00	45.8	49	48	44	42	42	68	38	29.9	34	33	28	25	24	49	22
15:00	47.0	49	48	46	44	44	64	41	29.9	34	32	28	25	24	45	20
16:00	47.5	50	49	46	44	43	71	41	31.4	36	34	29	25	24	51	20
17:00	47.8	50	49	47	45	44	65	41	29.4	33	31	27	24	24	49	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.1	49	48	45	42	42	64	39	42.5	46	44	36	29	28	64	21
09:00	53.3	55	55	52	51	50	63	41	55.3	57	57	53	51	50	63	26
10:00	54.0	56	55	53	51	51	72	49	55.6	57	56	55	55	55	64	53
11:00	52.0	53	53	51	49	48	62	40	54.1	54	53	51	48	46	62	24
12:00	44.3	47	46	43	41	41	64	38	32.2	36	35	30	27	26	48	23
13:00	53.6	55	54	53	50	50	79	39	55.4	57	56	55	51	51	63	27
14:00	53.1	55	54	52	51	51	68	49	55.3	56	56	55	55	54	61	53
15:00	53.7	56	55	53	52	52	67	49	56.0	57	57	56	55	55	65	54
16:00	49.0	51	50	48	46	45	72	42	49.0	48	46	41	37	34	69	26
17:00	47.7	50	48	46	44	43	68	41	35.6	40	38	32	27	27	55	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.1	49	48	45	43	42	68	39	42.0	45	42	35	31	30	67	24
09:00	52.8	55	54	52	50	50	62	41	55.5	57	57	54	52	51	61	29
10:00	53.2	55	54	53	52	51	64	49	55.4	56	56	55	55	55	61	53
11:00	51.5	53	52	51	49	49	62	42	54.1	54	53	52	49	48	61	26
12:00	44.3	47	46	43	42	41	61	38	33.2	37	36	31	27	26	50	22
13:00	51.8	54	53	52	49	49	58	39	54.6	56	56	55	50	50	60	23
14:00	51.2	52	52	49	48	48	69	40	54.0	53	52	49	46	45	62	24
15:00	45.7	48	47	45	43	42	71	40	35.9	40	38	30	27	26	55	22
16:00	47.3	50	49	47	45	44	61	41	41.4	43	41	35	30	29	63	23
17:00	46.8	49	48	45	44	43	67	41	34.3	38	36	29	25	25	56	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/09/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	49	45	43	42	74	40	41.3	46	43	36	30	29	63	23
09:00	52.8	55	54	52	50	50	65	41	55.3	57	56	54	52	51	61	28
10:00	54.5	54	53	52	51	51	85	49	55.2	56	56	55	55	54	60	53
11:00	51.7	53	52	51	49	48	71	40	53.7	53	53	52	49	48	62	29
12:00	44.8	48	47	44	41	41	62	38	34.7	40	38	31	27	26	51	22
13:00	52.4	54	54	52	50	49	66	40	55.0	56	56	55	50	50	64	25
14:00	52.3	53	51	48	46	46	79	41	51.8	49	48	43	39	38	61	26
15:00	47.4	50	49	46	43	43	73	39	45.4	49	46	38	32	30	68	24
16:00	50.2	51	50	47	45	44	80	41	41.4	45	43	36	31	30	59	25
17:00	47.6	51	49	46	44	44	65	41	36.8	41	40	33	29	28	55	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	49	47	44	42	41	76	38	35.2	39	37	31	27	26	55	20
09:00	51.0	52	51	49	46	46	64	39	53.7	53	52	49	44	43	64	26
10:00	45.1	48	47	44	42	42	65	39	40.3	43	42	38	35	34	52	25
11:00	45.3	49	48	44	42	42	64	39	39.8	43	42	32	28	27	55	24
12:00	44.6	47	46	44	42	42	60	39	32.9	37	36	31	26	25	49	21
13:00	52.0	54	53	51	50	50	64	42	53.6	56	55	53	50	49	66	27
14:00	51.9	53	53	52	51	50	63	48	53.4	55	54	53	53	52	65	51
15:00	51.3	53	52	50	48	48	70	41	53.1	52	52	48	45	44	73	24
16:00	46.7	49	48	46	44	43	63	40	40.9	43	41	35	30	29	60	23
17:00	45.6	49	47	44	42	42	71	39	32.2	36	33	27	23	22	54	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/09/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.9	47	46	42	39	39	64	35	26.3	31	29	24	22	21	40	18
09:00	43.2	46	45	42	40	39	66	37	28.5	33	31	26	23	23	45	20
10:00	43.0	46	45	41	39	39	62	36	29.0	34	32	26	23	22	47	20
11:00	44.2	47	46	43	41	40	67	37	32.2	37	35	29	24	24	47	20
12:00	43.6	46	45	42	41	40	69	38	33.2	39	37	29	24	23	54	20
13:00	45.7	49	47	44	42	41	69	38	36.1	42	39	31	25	24	57	21
14:00	46.9	50	48	44	42	42	68	40	36.0	41	38	31	26	25	53	21
15:00	46.1	49	48	45	43	42	65	40	35.7	40	38	31	26	25	54	21
16:00	45.2	48	47	44	42	42	67	39	31.1	35	33	28	24	23	50	18
17:00	45.0	48	47	44	42	42	62	39	30.4	36	33	26	22	22	51	19

[illegible]