

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/01

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	51	48	46	45	68	42	41.6	45	43	36	31	30	61	25
09:00	60.1	56	56	54	52	51	92	45	53.4	54	54	54	51	50	64	36
10:00	53.3	55	55	53	51	51	69	49	53.2	54	54	53	53	52	61	51
11:00	51.8	53	52	51	49	49	68	41	52.5	52	52	48	45	44	59	24
12:00	46.6	49	48	45	43	42	65	39	32.4	37	35	30	27	26	49	22
13:00	52.6	54	54	53	50	50	63	39	52.5	54	53	53	48	48	57	23
14:00	53.4	55	54	53	52	52	66	50	53.0	54	54	53	52	52	59	51
15:00	52.1	54	53	52	50	50	65	46	50.9	50	49	46	41	41	60	24
16:00	50.7	53	52	49	47	47	67	43	33.9	38	36	31	28	27	51	22
17:00	51.0	52	50	46	44	44	80	39	35.0	38	36	30	27	26	55	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/02

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	50	48	45	43	43	64	39	41.2	44	42	35	28	27	59	22
09:00	53.8	56	55	52	49	48	68	40	52.8	53	52	50	44	43	61	23
10:00	52.6	54	54	52	51	51	65	48	53.6	55	54	53	53	53	61	51
11:00	52.1	53	52	51	49	48	66	39	52.0	52	51	49	46	46	61	23
12:00	43.9	47	46	43	41	40	61	38	32.0	37	35	30	26	25	49	22
13:00	54.2	56	56	52	49	49	69	38	53.1	55	54	53	49	48	61	23
14:00	54.2	56	55	52	51	51	77	48	53.6	55	54	53	53	53	61	51
15:00	53.9	55	54	52	51	51	79	48	53.6	55	55	53	53	53	62	51
16:00	51.2	53	52	50	48	47	66	42	51.0	53	50	46	41	40	61	23
17:00	47.4	50	49	46	44	44	71	41	37.5	41	38	31	27	26	64	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/03

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.8	55	53	48	45	45	81	41	42.7	48	45	38	32	31	58	24
09:00	58.6	60	58	52	49	48	86	42	42.0	48	45	37	31	30	64	26
10:00	60.2	63	63	59	54	54	71	44	50.9	49	47	43	37	36	63	24
11:00	51.9	53	52	48	45	44	66	39	50.0	51	49	43	36	35	63	21
12:00	46.2	49	47	44	41	41	69	37	33.7	38	36	31	25	24	53	18
13:00	53.5	56	55	53	51	50	72	40	54.2	56	56	53	50	49	63	22
14:00	53.4	55	54	53	52	52	70	50	53.8	55	55	54	53	52	62	51
15:00	53.7	55	54	53	52	52	70	50	53.3	55	54	53	52	52	62	50
16:00	50.6	52	51	49	47	47	68	42	49.2	49	47	43	38	37	61	23
17:00	55.6	54	50	46	44	44	87	41	41.2	42	40	32	27	26	62	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/04

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.3	48	47	44	41	41	69	38	34.4	39	37	31	26	25	52	20
09:00	52.5	54	54	52	50	50	60	40	53.2	55	54	52	49	48	62	20
10:00	53.5	55	54	53	52	52	67	50	53.7	55	55	53	53	53	64	51
11:00	52.7	54	53	51	49	49	72	41	52.8	52	51	48	46	45	61	22
12:00	51.1	52	51	47	44	44	71	40	35.6	39	38	32	27	25	51	21
13:00	54.5	56	56	54	51	51	65	45	52.3	53	52	51	48	47	60	24
14:00	53.8	56	55	53	52	52	65	49	53.3	54	54	53	53	52	60	51
15:00	48.4	50	49	46	43	43	80	40	46.9	46	44	38	30	29	66	18
16:00	45.9	49	48	44	42	42	67	39	35.7	38	35	28	24	23	58	20
17:00	56.5	50	48	44	42	41	87	38	37.5	37	35	28	24	23	57	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.1	48	46	43	40	39	63	36	25.2	30	28	23	19	18	44	15
09:00	44.0	48	46	43	40	39	62	36	25.7	30	29	24	20	20	39	15
10:00	43.6	47	46	42	40	39	63	35	26.6	31	29	25	22	21	44	17
11:00	42.6	46	45	41	39	38	64	36	26.7	31	29	24	22	22	44	20
12:00	42.3	45	44	41	39	38	61	36	28.1	33	31	26	23	22	47	20
13:00	42.2	45	44	41	39	38	66	36	27.9	32	31	26	22	22	48	19
14:00	46.9	51	48	43	40	39	71	37	28.4	33	31	26	23	22	43	19
15:00	48.2	53	50	44	41	40	66	36	29.2	34	31	26	22	21	45	18
16:00	46.0	49	47	43	41	40	67	38	27.8	32	30	24	20	20	48	16
17:00	45.9	48	46	44	42	41	68	37	26.0	30	29	24	21	20	44	16

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	51	49	45	43	42	67	40	35.3	40	38	33	30	29	51	23
09:00	50.0	52	51	47	45	45	65	40	50.9	47	46	38	34	33	61	24
10:00	53.9	56	55	53	52	52	72	50	57.1	58	58	57	56	56	62	55
11:00	52.8	54	54	51	50	49	66	42	55.4	55	54	50	47	46	61	23
12:00	45.5	48	47	45	42	42	61	39	32.5	37	35	30	27	26	49	22
13:00	53.7	56	55	53	51	50	72	41	56.9	58	58	57	53	52	67	25
14:00	59.1	63	61	56	54	54	74	52	56.9	58	58	57	56	56	63	54
15:00	54.8	57	56	54	53	53	73	51	56.8	57	57	57	56	56	60	55
16:00	50.4	53	52	49	46	45	64	42	49.5	50	48	43	35	33	64	24
17:00	47.9	51	49	47	44	44	71	41	37.1	43	40	34	29	28	54	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	50	48	45	44	67	42	50.1	46	45	40	30	29	58	23
09:00	47.6	51	49	46	44	44	67	41	42.7	46	42	33	29	28	57	24
10:00	52.8	55	54	51	47	47	65	41	54.0	53	51	46	39	38	64	25
11:00	52.6	54	53	51	49	48	68	40	54.9	53	51	49	46	45	63	23
12:00	46.3	49	48	45	43	42	67	38	33.1	37	36	30	25	24	54	20
13:00	53.9	56	55	53	51	51	69	41	56.6	58	57	57	51	51	65	23
14:00	55.7	58	57	54	53	53	73	50	57.2	58	58	57	57	56	64	55
15:00	54.6	56	55	54	53	53	71	50	57.2	58	58	57	57	57	63	55
16:00	51.8	53	52	50	47	47	67	41	54.1	51	50	47	41	40	68	23
17:00	47.6	50	48	45	43	43	70	40	40.0	41	38	31	26	25	61	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.8	49	47	45	43	42	63	39	38.0	41	39	33	28	27	57	22
09:00	47.9	51	50	46	43	43	65	39	43.3	47	45	39	33	32	61	24
10:00	53.7	55	54	52	50	50	75	39	56.1	58	57	54	52	51	62	23
11:00	53.3	55	54	52	49	49	72	41	55.4	54	54	52	48	47	60	25
12:00	44.5	47	46	43	41	40	66	38	33.2	38	36	30	27	26	51	24
13:00	52.6	54	54	53	50	49	64	38	56.6	58	57	57	52	51	62	25
14:00	54.4	57	55	54	53	52	71	49	57.5	59	58	57	57	57	64	55
15:00	53.8	55	55	53	52	52	69	49	57.9	59	59	58	57	57	65	56
16:00	49.2	52	51	47	45	45	69	42	46.2	48	47	38	32	31	68	24
17:00	47.6	51	48	45	43	43	68	40	38.8	41	39	31	26	25	59	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.7	51	49	47	45	44	64	41	36.9	41	39	34	29	28	55	24
09:00	54.6	57	55	53	52	51	77	44	57.3	59	58	57	53	53	65	25
10:00	53.5	55	55	53	52	52	62	50	57.5	58	58	57	57	57	65	55
11:00	53.4	55	54	52	51	50	71	43	56.1	56	55	52	50	49	62	27
12:00	47.7	51	49	47	44	44	67	40	35.3	40	38	33	28	27	51	21
13:00	54.0	56	55	54	51	51	69	41	56.9	58	58	57	53	52	61	27
14:00	54.8	57	56	54	53	52	65	50	57.7	59	59	57	57	57	65	54
15:00	54.4	56	56	54	52	52	63	46	57.5	59	59	57	55	54	65	40
16:00	47.5	50	49	46	44	43	65	40	41.2	44	42	36	31	29	60	22
17:00	46.3	49	48	44	42	42	70	39	35.2	40	37	31	27	26	56	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	50	49	46	43	43	68	39	37.9	41	39	33	28	27	64	22
09:00	53.2	56	54	49	46	46	77	38	54.0	54	53	46	39	38	65	23
10:00	53.6	56	54	52	51	51	73	48	56.9	58	57	57	56	56	64	55
11:00	52.1	53	53	51	48	48	68	39	55.5	55	54	52	49	48	65	24
12:00	44.5	48	46	43	41	40	64	38	32.7	37	36	31	26	26	50	22
13:00	53.3	55	55	53	50	50	67	40	55.9	57	57	56	52	51	62	24
14:00	54.2	56	55	54	53	52	68	50	56.7	58	57	57	56	56	63	55
15:00	53.9	55	55	54	53	52	73	49	57.2	58	58	57	56	56	78	55
16:00	50.8	52	51	48	46	46	68	39	53.1	50	48	42	38	37	66	20
17:00	47.5	51	49	46	43	43	72	39	44.3	48	45	35	28	27	70	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	48	45	43	43	67	39	33.3	37	36	31	26	25	50	18
09:00	47.2	50	49	46	44	43	65	39	43.1	42	40	31	24	23	69	17
10:00	52.8	54	54	52	50	50	69	42	55.5	56	55	54	49	49	60	22
11:00	52.7	54	54	51	50	50	66	42	55.0	54	54	50	49	48	65	23
12:00	48.4	51	50	47	45	44	72	39	30.1	35	33	28	24	24	44	20
13:00	54.1	56	55	54	52	52	66	43	56.6	58	57	57	52	51	65	23
14:00	54.0	55	55	54	53	52	73	50	56.6	57	57	57	56	56	61	54
15:00	55.0	57	56	55	54	53	72	50	56.6	57	57	57	56	56	61	55
16:00	48.7	52	50	47	44	43	70	39	46.2	44	42	35	32	32	60	22
17:00	49.7	50	48	46	43	43	80	39	31.8	35	33	28	25	24	55	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	42.8	46	45	42	39	38	66	35	25.7	30	28	23	21	20	46	18
09:00	44.5	48	47	42	39	39	64	35	26.9	31	29	25	22	22	43	19
10:00	43.9	47	46	43	40	39	62	36	26.3	30	29	25	23	22	40	20
11:00	44.9	48	46	43	40	39	69	35	28.0	32	30	26	23	22	45	17
12:00	42.4	46	45	42	39	38	56	34	25.8	30	28	24	21	20	44	16
13:00	52.8	48	45	41	38	37	85	35	40.6	38	33	25	22	21	66	17
14:00	44.0	47	45	41	38	37	70	34	26.8	31	30	25	21	20	44	16
15:00	46.7	49	47	42	39	38	73	35	26.1	31	29	24	20	20	44	16
16:00	46.3	49	47	43	40	39	72	36	27.2	32	30	24	21	20	48	15
17:00	44.6	47	46	43	41	41	63	38	26.0	30	29	24	21	20	41	17

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.7	50	49	45	43	42	71	37	29.4	34	32	27	23	23	46	19
09:00	45.6	49	48	44	42	41	63	38	29.8	33	32	27	23	22	51	19
10:00	46.0	49	48	45	42	42	63	38	30.7	35	33	28	24	23	49	19
11:00	47.1	50	49	46	44	43	67	40	30.6	35	33	29	25	25	48	21
12:00	45.8	49	48	45	42	41	66	38	29.3	34	32	27	23	23	47	20
13:00	49.2	48	47	44	41	40	77	37	30.2	35	33	28	24	23	48	18
14:00	49.3	49	48	45	42	41	85	38	35.6	39	37	31	25	24	64	19
15:00	48.7	51	50	46	43	42	75	39	34.0	39	37	31	26	25	50	21
16:00	48.2	52	50	46	43	42	64	40	35.6	41	39	32	27	26	51	21
17:00	46.2	49	48	45	42	42	68	39	35.5	40	38	32	26	25	53	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	51	49	45	43	42	70	40	39.5	44	40	33	28	26	60	22
09:00	47.0	50	49	46	44	43	60	40	36.7	40	38	33	29	28	55	24
10:00	51.7	53	52	50	48	46	69	39	54.4	52	50	47	44	40	65	23
11:00	52.4	54	53	51	49	48	66	39	56.1	56	55	53	49	49	63	22
12:00	46.8	49	48	44	41	40	74	37	33.2	38	36	31	25	24	54	18
13:00	52.7	54	54	52	50	50	74	39	57.0	58	58	57	53	52	67	23
14:00	52.9	55	54	53	52	51	65	49	57.1	58	58	57	57	56	64	55
15:00	53.1	55	54	52	50	50	66	43	56.3	57	57	54	52	51	63	37
16:00	47.9	51	49	46	44	43	66	40	38.3	40	38	32	27	26	60	21
17:00	46.7	49	47	44	42	42	69	39	37.2	41	38	31	26	24	62	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	52	50	47	45	44	69	42	43.2	47	43	35	29	27	66	20
09:00	55.4	58	57	54	52	52	70	42	56.0	57	57	54	52	52	62	26
10:00	54.3	56	56	54	50	49	74	42	56.0	58	57	56	49	48	61	38
11:00	53.0	55	54	52	49	49	66	39	56.2	56	55	53	48	47	62	24
12:00	45.7	49	48	44	41	41	64	37	32.9	38	36	30	25	24	47	19
13:00	52.7	55	54	53	50	50	64	39	56.5	57	57	57	52	52	62	25
14:00	53.7	56	55	53	52	51	72	48	56.8	57	57	57	56	56	72	55
15:00	52.6	55	54	52	49	49	66	40	55.7	55	54	52	48	47	66	25
16:00	49.3	53	51	46	44	43	73	40	38.4	41	39	32	27	26	64	20
17:00	47.2	50	48	44	42	42	72	39	37.5	41	38	30	25	24	63	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	50	49	46	43	43	73	39	46.5	46	44	37	29	28	68	22
09:00	51.5	53	51	49	47	46	68	40	52.3	46	45	40	37	35	60	20
10:00	57.9	56	56	54	53	53	89	49	57.1	58	58	57	57	56	61	55
11:00	52.7	53	53	51	49	48	79	38	56.1	55	54	50	48	47	61	23
12:00	44.8	48	47	44	41	40	62	38	32.8	38	36	30	26	25	47	21
13:00	53.2	55	54	53	50	50	77	39	57.0	58	58	57	52	52	63	23
14:00	53.2	55	54	53	52	52	71	49	57.2	58	58	57	57	57	61	55
15:00	52.7	54	54	52	51	50	66	45	55.8	55	54	51	50	49	67	27
16:00	50.2	52	51	48	46	45	66	42	45.6	43	41	36	31	30	66	24
17:00	48.3	50	49	46	45	44	67	41	37.3	42	39	32	28	27	57	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	48	45	43	42	63	38	35.6	40	38	31	27	26	62	21
09:00	52.2	54	53	50	47	46	65	39	54.2	50	49	46	40	40	62	22
10:00	53.1	55	54	53	52	51	70	49	56.9	58	57	57	56	56	62	54
11:00	52.0	54	53	51	49	49	67	41	55.2	54	53	50	48	47	60	23
12:00	48.5	51	49	45	43	43	74	39	36.8	41	39	32	27	26	53	20
13:00	55.1	55	55	54	51	51	84	42	56.6	58	57	57	53	52	62	25
14:00	53.4	55	55	53	51	51	66	44	56.2	57	56	55	53	52	67	39
15:00	50.6	53	51	48	45	45	73	42	43.4	48	46	39	34	32	60	23
16:00	56.9	52	50	46	44	44	88	41	39.5	43	41	35	30	29	62	22
17:00	48.0	51	49	46	44	43	69	41	35.2	40	37	31	27	26	55	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	47	44	42	42	68	38	36.9	41	39	33	28	27	59	22
09:00	48.0	50	49	45	43	42	72	39	40.5	43	41	33	27	26	60	21
10:00	49.5	51	50	47	44	44	64	39	52.1	50	48	40	37	36	65	23
11:00	53.2	55	55	52	50	50	65	42	56.8	58	58	54	52	52	62	25
12:00	54.7	48	47	44	42	42	88	39	34.5	39	37	31	26	26	52	23
13:00	52.9	54	54	53	51	50	69	43	57.0	58	58	57	54	54	62	33
14:00	54.0	56	55	54	52	52	67	50	57.1	58	58	57	57	56	62	55
15:00	53.6	55	55	53	52	52	63	50	57.2	58	58	57	57	57	61	55
16:00	51.9	54	53	51	49	49	68	43	54.2	53	52	49	47	45	62	25
17:00	47.1	49	48	46	44	44	67	41	41.0	44	41	35	30	28	60	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	44.7	48	46	43	40	39	67	34	26.7	31	30	24	21	20	42	16
09:00	44.7	48	47	43	40	40	62	36	28.5	33	31	26	22	22	43	17
10:00	45.3	49	47	44	41	40	62	37	30.2	35	33	28	24	23	47	18
11:00	46.4	49	48	44	41	41	68	36	36.8	39	37	31	26	24	54	16
12:00	48.1	52	50	46	43	42	69	38	41.5	47	45	38	31	29	56	20
13:00	48.8	53	51	47	44	43	63	40	41.6	47	45	38	31	30	57	20
14:00	47.4	51	49	45	42	42	72	39	36.2	42	40	32	26	24	50	18
15:00	53.2	50	49	46	43	42	82	39	38.1	43	41	33	27	25	58	18
16:00	46.1	50	48	44	41	41	68	38	35.7	41	39	31	23	22	53	18
17:00	48.5	49	48	44	41	40	83	38	30.9	36	34	28	23	22	46	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.4	53	51	48	46	45	74	42	35.6	38	37	32	28	27	56	25
09:00	55.5	60	57	53	51	50	71	41	56.0	55	55	51	49	49	60	26
10:00	62.2	66	59	55	53	53	84	50	57.1	58	58	57	57	56	60	55
11:00	53.2	55	54	51	50	50	69	39	56.5	55	55	54	52	50	63	27
12:00	46.2	49	47	44	41	41	72	37	33.1	38	36	30	26	24	51	19
13:00	52.7	54	54	52	50	50	74	39	57.0	58	58	57	53	52	61	25
14:00	53.0	54	54	53	51	51	69	48	57.1	58	57	57	57	57	60	55
15:00	53.5	55	55	53	52	52	69	48	57.2	58	58	57	57	57	63	54
16:00	51.8	53	52	49	48	47	68	41	53.9	50	49	46	44	43	68	23
17:00	52.6	52	49	45	43	42	80	40	35.7	38	36	31	26	25	59	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/21

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	52	50	46	43	42	65	38	41.7	47	44	36	28	27	58	22
09:00	55.3	57	57	54	52	52	71	40	56.4	58	57	54	52	52	61	24
10:00	55.0	56	56	54	53	53	74	50	57.0	58	58	57	57	56	64	55
11:00	53.7	55	54	52	49	49	76	39	55.9	55	55	53	49	49	60	22
12:00	47.2	49	48	44	41	41	73	37	33.0	37	35	30	26	25	52	20
13:00	53.7	56	55	53	51	51	71	40	56.9	58	58	56	52	52	62	22
14:00	52.5	54	52	50	47	47	72	40	53.8	49	48	45	41	40	60	22
15:00	47.2	50	49	46	43	43	70	40	38.4	41	39	34	29	28	62	20
16:00	45.5	49	48	44	42	41	62	38	41.2	40	38	30	25	24	58	20
17:00	46.7	50	48	45	43	42	68	39	37.7	42	39	32	27	26	59	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/22

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.4	53	51	47	45	44	81	39	37.9	42	40	34	30	29	58	23
09:00	56.2	58	57	55	53	53	74	43	56.4	58	57	54	52	52	60	26
10:00	54.4	56	55	54	53	53	61	50	56.7	57	57	57	56	56	63	54
11:00	53.1	54	53	51	49	48	78	39	54.8	52	51	48	44	43	61	22
12:00	47.2	50	49	46	44	43	60	38	31.6	36	34	29	25	24	49	18
13:00	49.8	52	51	49	47	46	72	42	35.7	40	38	32	28	28	59	23
14:00	52.1	54	53	50	47	47	73	41	53.0	49	48	41	38	37	67	24
15:00	54.5	56	55	54	53	53	69	50	57.1	58	58	57	57	56	63	54
16:00	49.0	51	50	46	42	41	70	38	47.1	42	40	35	28	27	59	20
17:00	46.5	48	47	45	43	42	72	40	32.3	36	34	28	24	24	50	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	51	50	47	45	45	69	42	38.6	41	39	33	28	27	61	22
09:00	48.8	52	51	48	45	45	66	42	35.3	40	38	32	28	27	55	21
10:00	48.4	51	50	48	46	45	66	41	35.4	40	38	32	28	27	59	21
11:00	49.2	53	51	48	46	45	67	40	36.3	40	38	32	28	27	59	20
12:00	47.1	50	49	45	42	42	65	38	33.0	38	36	30	25	24	49	20
13:00	54.1	56	55	53	51	50	76	42	56.5	56	56	54	50	49	74	26
14:00	54.6	56	56	54	53	53	65	50	57.1	58	58	57	57	56	67	55
15:00	54.1	56	55	54	53	52	67	50	57.0	58	58	57	56	56	62	54
16:00	51.5	53	52	50	48	48	72	41	53.9	52	51	48	45	43	62	22
17:00	46.9	50	48	45	43	43	68	40	33.6	38	35	30	26	25	54	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/10/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.7	50	49	46	44	44	69	40	37.4	41	40	33	28	27	55	22
09:00	53.6	56	55	52	49	49	69	41	55.2	52	52	49	44	44	61	22
10:00	54.3	56	55	54	53	53	66	50	56.6	57	57	57	56	56	61	54
11:00	51.8	54	53	50	46	46	67	39	53.5	49	48	44	39	37	61	23
12:00	46.2	50	49	45	42	41	61	38	34.0	39	37	31	25	24	50	17
13:00	49.0	52	51	48	46	45	64	42	37.7	42	40	34	30	29	64	22
14:00	48.3	52	50	47	44	44	69	42	39.1	41	39	34	29	28	65	22
15:00	48.4	52	50	47	44	44	65	40	36.3	38	36	31	26	25	67	21
16:00	47.9	52	49	45	43	43	65	41	38.3	42	39	32	27	26	57	21
17:00	47.0	49	48	44	42	42	68	39	35.0	40	37	30	26	25	56	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	52	51	48	45	45	67	41	39.2	42	39	33	27	26	61	23
09:00	54.8	57	56	54	53	52	67	42	56.8	58	58	54	52	52	61	25
10:00	54.7	56	56	54	54	53	68	51	56.9	58	57	57	56	56	62	55
11:00	53.3	55	54	52	50	50	70	42	55.5	55	55	52	49	48	62	23
12:00	47.8	51	50	47	44	44	68	40	30.5	36	34	27	23	22	46	18
13:00	54.3	56	55	54	52	52	64	43	56.8	58	58	57	54	53	68	26
14:00	54.8	56	56	55	54	53	66	50	57.1	58	58	57	56	56	65	55
15:00	55.7	58	57	55	53	52	68	45	56.6	57	57	57	54	53	62	39
16:00	53.6	57	55	51	48	47	75	41	52.8	50	48	41	38	38	61	22
17:00	46.6	49	48	45	43	43	69	40	36.3	40	37	29	25	24	59	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	44	69	42	27.1	32	30	25	22	21	46	18
09:00	48.7	51	50	47	44	44	67	41	28.4	33	31	26	23	22	47	19
10:00	47.7	51	50	46	44	43	66	40	27.2	32	30	25	22	21	44	18
11:00	46.7	49	48	46	43	43	72	41	29.4	33	30	25	22	22	51	18
12:00	46.2	49	48	45	43	42	61	39	42.3	36	33	24	21	20	69	16
13:00	46.2	48	48	45	43	42	77	39	25.7	30	28	24	20	19	39	16
14:00	46.8	49	48	45	43	42	69	39	25.7	30	29	23	20	19	42	15
15:00	46.6	49	48	46	44	43	62	40	27.6	32	30	25	22	21	46	16
16:00	46.8	49	48	46	44	43	62	41	26.7	31	29	25	23	22	42	19
17:00	46.4	48	48	45	43	43	75	41	28.2	33	31	26	23	22	45	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	51	49	47	47	67	44	42.6	47	44	38	33	31	59	23
09:00	54.5	56	55	54	52	51	65	43	56.8	56	56	54	52	50	61	24
10:00	53.4	55	55	53	52	52	75	50	57.1	58	58	57	57	57	63	55
11:00	51.9	54	53	51	49	49	69	41	55.5	55	55	52	49	48	66	26
12:00	51.5	51	49	46	43	43	84	39	33.3	38	36	31	27	25	49	22
13:00	47.9	51	50	47	45	44	69	42	41.3	46	43	36	31	30	59	24
14:00	49.6	54	52	47	44	44	69	41	37.4	42	39	32	27	26	57	21
15:00	47.2	51	49	46	44	43	63	40	38.6	43	40	33	27	26	59	20
16:00	48.3	51	50	47	45	45	71	43	38.7	42	39	32	27	26	63	19
17:00	48.2	50	49	47	45	45	67	43	34.5	37	35	29	25	25	54	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	52	51	48	46	46	73	42	40.0	44	42	35	29	28	61	24
09:00	54.7	56	56	54	52	52	68	45	54.4	52	50	47	44	42	63	27
10:00	54.3	56	55	54	53	52	66	50	57.1	58	58	57	57	56	62	55
11:00	52.3	54	53	51	49	49	65	41	55.6	55	55	51	48	48	61	20
12:00	46.0	49	48	45	42	41	63	38	34.0	39	37	31	27	26	49	20
13:00	55.8	57	56	54	52	52	90	43	56.9	58	58	56	53	53	65	29
14:00	52.7	54	53	51	49	48	65	40	55.3	52	52	50	47	45	63	23
15:00	47.9	51	49	46	44	43	68	39	41.2	43	41	34	29	28	64	21
16:00	47.4	50	49	46	44	44	66	41	37.1	40	38	32	26	25	55	21
17:00	47.6	50	49	46	44	44	69	42	33.4	38	36	29	26	25	54	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	52	50	46	43	42	69	39	41.8	46	44	35	29	28	58	23
09:00	49.6	53	51	47	43	42	69	38	48.0	47	44	37	28	27	60	22
10:00	54.5	56	56	54	53	53	65	51	57.1	58	58	57	57	56	63	55
11:00	53.7	55	54	53	50	50	69	39	55.9	55	55	54	51	50	61	24
12:00	46.7	51	49	45	42	41	64	38	32.5	38	35	30	25	24	53	18
13:00	54.4	56	55	52	51	51	74	40	56.0	57	55	53	52	51	64	23
14:00	53.9	55	55	54	53	53	66	50	56.8	58	57	57	56	56	66	55
15:00	55.3	57	56	54	53	53	74	49	56.9	58	58	57	56	56	66	55
16:00	50.3	51	50	48	46	45	70	40	51.5	47	46	42	36	35	60	23
17:00	47.1	50	48	44	42	42	68	39	36.6	39	37	31	26	25	59	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.5	52	50	47	45	44	67	41	41.5	46	43	35	31	30	60	23
09:00	53.3	55	54	52	50	50	69	41	55.5	53	52	50	48	47	62	24
10:00	53.7	55	55	53	53	52	69	51	57.1	58	58	57	57	56	65	55
11:00	53.0	55	54	52	49	49	70	40	55.7	55	55	53	49	47	60	20
12:00	45.4	49	48	44	42	41	64	38	33.9	39	36	30	26	25	55	21
13:00	53.2	55	54	53	51	50	63	40	56.4	57	57	56	53	53	63	27
14:00	52.2	53	53	51	48	48	66	41	54.5	53	53	51	48	47	61	29
15:00	50.3	53	52	48	44	44	71	39	37.5	43	39	33	28	27	61	21
16:00	50.1	53	51	47	45	44	71	41	36.1	40	37	32	27	26	56	20
17:00	46.6	49	48	46	44	43	63	40	35.5	40	37	30	26	25	57	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/10/31

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	53	51	48	46	45	73	42	41.3	44	42	36	30	29	64	24
09:00	50.9	53	51	47	45	45	77	42	36.6	42	39	32	28	27	58	22
10:00	54.9	56	56	55	53	52	71	43	57.0	58	58	57	54	54	66	30
11:00	54.3	56	55	52	51	50	71	42	55.5	54	54	51	48	47	61	22
12:00	47.2	50	48	45	43	43	69	39	32.3	37	35	30	25	25	50	21
13:00	54.2	56	56	54	52	51	62	41	56.6	58	57	57	52	52	62	22
14:00	54.7	56	55	53	53	52	74	49	56.8	57	57	57	56	56	62	54
15:00	53.5	55	55	53	52	52	70	49	56.9	58	57	57	56	56	62	55
16:00	52.7	55	54	52	49	49	70	45	53.7	50	50	48	44	44	62	28
17:00	51.6	54	52	49	47	46	69	42	42.0	46	43	35	29	28	63	23