

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	53	51	48	47	46	69	44	35.4	40	38	33	29	28	51	24
09:00	55.3	57	56	55	53	53	71	45	57.4	59	58	57	54	54	71	30
10:00	54.2	56	55	54	53	53	69	50	56.7	57	57	57	56	56	62	55
11:00	52.8	54	53	51	50	50	73	43	55.5	55	55	51	49	49	63	25
12:00	49.5	51	50	47	45	44	74	42	35.4	40	38	33	28	27	49	23
13:00	53.4	55	54	52	51	51	71	43	56.4	58	56	54	52	52	67	23
14:00	51.0	53	52	49	47	47	70	42	52.9	54	52	47	41	40	61	24
15:00	45.6	48	47	44	43	42	74	39	35.6	40	39	31	26	25	55	20
16:00	48.2	51	50	47	45	45	69	42	38.5	43	40	31	26	25	63	20
17:00	49.4	52	51	48	46	46	67	43	41.9	42	40	34	29	27	57	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	52	51	49	47	47	70	44	28.9	32	31	27	25	24	46	20
09:00	47.0	49	48	46	44	43	68	39	27.4	32	30	26	23	22	42	19
10:00	45.7	49	47	44	42	42	70	39	28.1	32	31	26	22	21	44	18
11:00	45.2	49	47	43	41	41	64	38	26.7	31	30	24	21	20	42	17
12:00	43.9	47	46	43	41	40	62	38	26.9	32	30	24	20	19	43	16
13:00	45.2	48	46	43	41	40	77	38	26.7	31	30	24	20	20	46	16
14:00	44.9	48	47	44	41	41	69	38	27.4	32	30	25	22	21	51	18
15:00	47.3	51	49	44	42	41	69	38	28.1	33	31	25	22	21	48	17
16:00	50.1	53	52	47	45	44	64	41	28.3	32	31	27	23	23	43	19
17:00	46.9	49	49	46	44	44	65	42	25.6	30	28	24	21	21	39	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	49	46	44	43	69	40	28.3	33	31	26	23	22	44	19
09:00	46.9	50	49	46	43	43	67	40	30.3	35	33	28	24	23	47	19
10:00	49.2	53	51	47	45	44	68	41	37.0	40	38	32	25	24	55	19
11:00	50.8	54	53	49	46	45	71	41	41.0	45	43	36	30	29	55	20
12:00	52.3	56	54	50	47	46	77	43	43.6	49	47	40	34	32	58	24
13:00	58.6	64	62	55	51	50	77	47	49.3	54	53	47	41	39	66	31
14:00	59.1	64	62	56	51	50	76	45	49.9	55	53	48	42	40	63	33
15:00	57.9	62	60	54	51	50	76	46	48.6	53	51	46	40	38	63	28
16:00	52.7	57	55	50	47	47	72	44	44.7	50	48	41	34	33	59	24
17:00	52.1	55	54	50	47	47	69	43	44.1	49	47	41	34	33	58	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	52	50	46	44	43	75	39	41.0	44	42	35	30	28	61	23
09:00	54.7	57	56	54	51	50	73	42	56.5	58	58	55	50	49	64	22
10:00	55.0	57	56	55	54	53	67	51	57.1	58	58	57	56	56	63	55
11:00	53.2	54	54	52	50	49	68	38	55.8	54	54	53	49	49	63	22
12:00	54.8	54	51	44	41	40	81	37	33.7	38	36	30	26	24	54	19
13:00	53.0	54	53	52	50	49	63	40	56.0	55	55	54	51	50	61	26
14:00	54.2	56	55	54	53	53	71	50	57.1	58	58	57	57	56	66	55
15:00	54.2	56	55	54	53	52	71	49	57.1	58	58	57	57	56	63	55
16:00	51.5	54	52	49	47	46	76	40	53.4	52	51	44	40	40	63	24
17:00	47.4	50	48	45	43	42	72	40	37.1	42	39	30	25	25	55	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.0	52	50	47	44	44	77	41	37.3	41	39	34	29	28	56	22
09:00	55.4	57	57	54	53	52	80	42	56.5	58	58	54	54	53	64	31
10:00	54.9	57	56	54	53	53	63	49	56.9	58	58	57	56	56	62	55
11:00	53.5	56	55	52	50	49	64	39	55.7	55	55	54	49	49	62	21
12:00	46.4	49	48	45	42	41	68	38	32.4	37	35	30	25	24	48	18
13:00	55.2	57	56	55	53	52	67	42	56.7	58	57	57	53	52	63	24
14:00	56.7	60	58	55	54	53	73	50	57.1	58	58	57	57	56	61	55
15:00	53.8	55	55	53	53	52	68	50	57.1	58	58	57	57	57	61	55
16:00	51.7	52	52	50	48	47	68	41	54.2	53	51	47	42	41	63	21
17:00	48.3	50	48	46	44	43	78	41	35.7	39	36	30	26	25	58	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	51	50	48	46	45	67	43	40.4	44	42	35	29	28	61	24
09:00	55.1	56	56	54	53	53	71	44	56.1	56	55	54	52	52	64	28
10:00	54.9	57	56	55	54	53	65	51	56.8	58	57	57	56	56	65	55
11:00	53.2	55	54	52	50	50	66	40	55.6	55	55	53	49	48	62	22
12:00	46.6	49	49	46	44	43	65	38	32.4	37	36	30	26	24	48	20
13:00	52.9	55	54	52	51	50	73	41	56.2	57	57	54	51	51	66	20
14:00	53.2	55	54	53	52	51	66	48	57.0	58	57	57	56	56	62	55
15:00	53.1	55	54	53	52	51	70	49	57.1	58	58	57	57	56	64	55
16:00	50.2	53	52	49	46	45	65	41	52.0	51	49	44	39	38	62	22
17:00	47.8	51	50	46	44	44	65	40	40.1	41	40	34	28	26	58	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	51	50	48	47	46	67	43	37.9	42	39	33	28	28	58	25
09:00	52.7	54	53	51	49	49	68	44	53.4	52	50	46	43	42	69	27
10:00	57.0	60	59	56	54	54	70	52	57.9	59	59	58	57	57	65	55
11:00	56.0	58	57	54	52	52	69	44	56.5	57	56	55	52	51	64	32
12:00	49.3	53	51	48	45	45	69	41	43.1	48	46	41	35	34	55	28
13:00	54.4	57	56	54	52	52	65	43	57.1	59	58	57	54	53	68	33
14:00	54.2	56	55	54	52	52	66	46	57.1	58	58	57	55	55	63	43
15:00	54.5	55	55	53	52	52	89	50	57.3	58	58	57	57	56	68	55
16:00	52.2	55	54	51	49	49	69	43	55.0	54	54	48	45	45	67	23
17:00	53.6	55	53	49	47	47	82	43	48.8	52	51	46	42	41	67	30

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	51	49	46	43	42	67	38	33.9	38	36	30	26	25	56	20
09:00	51.7	54	53	50	47	47	69	40	53.4	56	55	48	42	40	69	23
10:00	69.1	58	56	54	53	53	100	50	57.0	58	58	57	56	56	66	55
11:00	53.7	55	55	53	51	50	73	36	56.9	58	58	55	52	52	64	25
12:00	48.3	49	47	43	40	40	74	36	35.2	40	39	32	27	26	52	19
13:00	54.2	56	55	54	51	50	71	38	56.8	58	58	57	52	51	62	23
14:00	54.0	56	55	53	52	51	75	49	56.9	58	58	57	56	56	64	54
15:00	55.1	57	56	55	53	53	73	50	57.5	59	58	57	56	56	74	55
16:00	53.6	55	54	51	49	49	71	41	54.3	55	54	49	46	45	65	25
17:00	47.3	50	49	45	43	42	71	40	47.3	47	45	36	30	29	68	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	51	50	48	46	45	63	42	27.5	31	30	26	24	24	42	20
09:00	48.0	51	50	47	44	44	66	41	27.5	31	30	26	24	23	45	20
10:00	49.7	52	51	49	46	46	62	41	29.0	32	31	28	26	26	43	23
11:00	48.0	51	50	47	44	43	65	39	28.7	32	31	28	26	25	43	23
12:00	51.2	53	52	48	44	44	68	40	29.3	33	32	28	26	25	42	22
13:00	56.4	59	57	53	49	48	73	42	32.0	35	34	30	28	27	51	23
14:00	47.9	51	49	47	44	43	65	39	28.1	31	30	27	25	24	41	21
15:00	47.4	51	49	45	43	42	70	39	27.5	31	30	26	24	23	44	21
16:00	45.2	48	47	44	42	42	70	39	26.4	30	29	25	22	22	41	19
17:00	43.3	46	45	43	40	40	62	37	31.3	34	33	26	21	21	48	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	52	50	47	45	44	70	40	39.3	42	40	34	30	29	59	23
09:00	54.8	57	56	54	52	52	69	42	57.0	59	58	54	52	52	66	26
10:00	55.4	58	57	55	53	53	76	51	57.1	58	58	57	56	56	64	55
11:00	53.4	55	54	53	51	51	70	43	56.7	57	56	55	53	53	67	30
12:00	50.9	54	53	49	47	46	68	43	42.2	47	46	39	33	32	56	25
13:00	56.0	58	57	55	53	53	73	45	56.7	58	58	55	54	54	66	35
14:00	57.8	61	60	57	55	55	73	52	57.8	59	59	58	57	57	66	55
15:00	56.0	58	58	55	54	54	68	51	57.6	59	58	57	57	57	67	55
16:00	54.9	57	56	54	53	52	66	45	57.3	59	58	57	54	54	67	40
17:00	48.0	51	49	47	44	44	68	41	40.5	42	40	36	34	33	64	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	52	51	49	47	47	65	44	42.3	47	45	39	35	34	61	27
09:00	50.8	53	52	50	47	47	65	44	48.0	50	48	42	34	33	65	25
10:00	56.0	58	57	56	54	54	64	52	56.4	58	57	56	56	55	64	54
11:00	55.0	57	56	54	53	52	67	42	55.6	57	57	54	52	51	62	26
12:00	48.2	51	50	47	45	45	68	41	37.5	42	41	35	29	28	51	23
13:00	54.4	56	56	54	52	52	67	43	56.0	57	57	56	53	52	64	29
14:00	55.0	57	56	55	54	53	68	51	55.9	57	57	56	55	55	62	52
15:00	53.9	55	55	54	53	53	66	50	56.1	57	57	56	55	55	62	54
16:00	51.0	53	52	49	47	47	71	41	51.5	49	48	44	40	39	59	22
17:00	48.5	51	49	46	44	44	74	41	35.0	39	37	31	26	25	54	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	49	46	44	44	73	41	40.4	44	42	35	29	28	59	21
09:00	53.6	56	55	53	51	51	64	41	55.6	57	55	53	51	51	62	24
10:00	53.8	55	55	54	53	53	63	50	56.0	57	57	56	55	55	60	54
11:00	54.8	55	54	52	50	49	80	39	55.0	55	54	53	49	48	62	22
12:00	45.7	48	47	44	41	41	74	38	32.8	37	36	29	24	23	51	17
13:00	53.9	56	55	53	51	51	64	38	55.6	57	57	52	51	51	62	23
14:00	54.5	56	55	54	53	52	75	50	56.3	57	57	56	56	55	63	54
15:00	54.3	56	55	54	53	53	65	51	56.3	57	57	56	55	55	64	54
16:00	49.4	53	51	46	44	43	69	40	43.7	48	46	36	29	28	60	19
17:00	47.0	49	48	46	44	44	68	41	40.6	39	37	30	26	25	61	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	50	49	47	45	45	71	42	35.5	39	37	32	29	28	53	25
09:00	55.2	57	56	55	53	52	72	43	55.9	57	57	56	51	51	62	26
10:00	55.6	57	57	55	54	54	69	52	56.4	57	57	56	56	55	63	54
11:00	54.8	56	56	53	51	50	69	39	55.1	55	55	51	49	48	61	24
12:00	46.9	50	49	46	43	43	59	39	33.3	38	36	31	26	25	53	21
13:00	55.0	58	57	54	52	52	73	42	55.6	57	57	54	51	51	63	24
14:00	54.7	56	55	54	53	53	74	51	55.9	57	56	56	55	55	65	54
15:00	54.5	56	55	54	53	53	76	51	55.9	57	56	56	55	55	60	54
16:00	51.7	52	52	50	49	48	61	41	53.0	52	51	49	47	45	61	30
17:00	46.7	49	48	45	43	43	67	40	36.0	39	37	31	25	24	57	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	50	46	45	44	68	41	40.5	45	42	36	31	30	59	25
09:00	53.7	56	55	53	51	50	66	40	55.5	55	54	53	49	49	60	23
10:00	55.4	57	56	55	54	53	76	50	56.4	58	57	56	55	55	70	54
11:00	52.4	53	52	50	47	47	74	38	52.9	49	49	46	40	39	63	22
12:00	45.3	49	47	44	41	41	66	37	33.4	38	36	30	25	24	50	20
13:00	52.5	56	55	50	47	47	71	40	47.9	50	49	43	36	34	69	23
14:00	52.0	54	53	49	46	45	71	40	39.2	43	41	35	30	29	55	22
15:00	55.6	60	58	53	49	48	73	39	46.2	50	48	40	34	32	68	22
16:00	55.2	59	56	50	46	45	75	41	45.5	47	45	37	29	28	65	20
17:00	45.8	49	47	45	43	42	65	40	35.1	40	37	30	26	25	60	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/15

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.4	53	51	46	44	43	73	39	42.8	49	46	36	29	27	61	22
09:00	54.8	57	56	54	52	52	72	43	56.2	58	57	55	52	52	62	29
10:00	55.6	57	56	54	53	53	85	50	55.9	57	57	56	55	55	63	54
11:00	63.0	66	65	62	59	58	74	52	55.3	56	55	53	51	50	64	33
12:00	53.1	54	52	45	42	41	75	38	42.7	44	44	42	41	41	54	38
13:00	52.7	53	53	51	49	48	63	39	53.8	52	51	49	46	44	62	24
14:00	54.7	56	56	54	53	53	70	50	55.9	57	57	56	55	55	69	54
15:00	61.7	64	64	59	55	54	70	47	52.3	51	50	47	44	44	62	31
16:00	58.9	62	59	50	46	46	79	40	44.8	48	46	41	37	35	64	23
17:00	46.8	49	48	45	43	42	66	39	39.4	41	39	32	26	25	57	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/16

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.2	51	49	45	42	42	79	39	27.0	32	30	24	21	21	45	18
09:00	59.7	62	61	56	51	49	68	38	31.3	34	33	29	26	25	48	18
10:00	57.6	59	58	54	50	49	69	37	30.5	34	33	29	25	24	46	17
11:00	45.1	48	47	43	40	39	70	36	27.5	32	30	25	22	21	42	17
12:00	43.5	47	46	42	39	39	60	36	27.0	32	30	24	22	21	46	19
13:00	44.9	48	47	44	41	40	63	36	28.6	33	31	26	22	21	43	16
14:00	46.5	48	47	44	42	41	74	38	27.7	33	31	26	23	22	41	17
15:00	49.8	49	48	44	41	40	90	36	32.2	34	32	27	22	21	60	16
16:00	46.0	49	47	43	41	40	66	38	28.8	33	31	26	21	20	48	16
17:00	44.0	46	45	43	41	40	63	38	26.2	30	29	24	21	20	42	16

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.4	53	51	48	45	45	89	41	41.3	42	40	33	28	28	70	25
09:00	54.4	56	56	54	52	52	71	45	56.0	57	57	55	52	51	62	28
10:00	54.7	57	55	54	53	53	73	50	56.3	57	57	56	55	55	63	54
11:00	52.6	54	53	51	50	49	63	41	54.6	55	54	51	47	47	62	23
12:00	45.2	48	47	44	43	43	59	40	39.3	42	41	36	32	31	51	22
13:00	53.7	56	54	49	48	47	72	40	54.2	52	51	46	42	41	63	21
14:00	53.3	54	54	53	52	52	68	50	56.5	57	57	56	56	56	62	54
15:00	53.3	55	54	53	52	52	63	50	56.4	57	57	56	56	55	64	54
16:00	51.6	53	52	50	49	49	66	43	53.6	53	51	48	44	43	61	26
17:00	47.6	49	48	46	44	44	73	42	39.4	41	39	35	31	30	55	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	53	51	47	45	44	75	40	35.8	40	38	32	28	27	52	22
09:00	53.8	55	54	51	50	49	81	40	54.0	51	50	48	46	46	64	23
10:00	54.3	55	55	54	53	53	74	51	55.8	57	56	56	55	55	61	54
11:00	52.9	54	54	52	50	50	66	41	54.3	54	54	51	46	46	61	22
12:00	49.3	52	51	48	46	45	73	41	40.7	43	42	40	37	37	52	21
13:00	52.7	54	53	52	50	49	68	42	53.8	54	53	50	47	45	65	27
14:00	53.9	55	55	53	53	52	67	50	55.8	57	56	56	55	55	63	54
15:00	54.2	56	55	54	53	53	72	50	55.9	57	57	56	55	55	62	54
16:00	54.2	55	53	51	49	48	81	42	54.1	56	55	51	46	45	66	25
17:00	48.1	50	49	46	44	43	75	40	41.6	40	38	33	28	27	61	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	44	70	41	34.1	39	37	32	28	26	50	23
09:00	53.8	55	55	52	51	50	64	40	54.6	54	53	50	48	48	63	23
10:00	54.2	56	55	54	52	52	71	43	55.9	57	57	56	53	53	61	39
11:00	48.1	51	49	46	44	43	67	40	43.1	47	44	38	34	33	64	22
12:00	46.3	49	48	44	42	42	70	38	33.3	38	36	30	25	24	49	18
13:00	47.8	51	49	46	43	42	72	39	39.8	44	41	34	29	28	59	22
14:00	52.8	54	53	50	47	46	70	40	53.3	50	49	44	39	38	64	21
15:00	55.4	57	56	55	54	54	71	52	56.4	58	57	56	55	55	68	54
16:00	53.2	55	54	51	49	48	75	40	53.5	51	49	45	42	41	66	21
17:00	47.5	50	48	46	44	43	70	41	33.6	37	35	29	25	24	55	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.1	53	52	49	47	46	69	42	40.4	45	43	36	29	28	59	24
09:00	48.5	52	50	48	45	45	64	40	38.9	43	42	35	30	29	59	23
10:00	48.6	52	51	47	44	43	69	39	41.7	46	43	36	31	30	58	22
11:00	46.5	50	49	45	43	42	66	38	35.7	41	38	31	25	24	55	19
12:00	44.5	48	47	44	41	40	56	37	33.1	38	36	30	25	24	52	18
13:00	54.8	57	56	54	52	52	66	38	55.7	57	57	54	51	50	68	20
14:00	54.8	56	56	55	54	53	66	51	55.9	57	57	56	55	55	62	54
15:00	55.3	57	56	55	53	53	75	50	56.2	57	57	56	55	55	63	54
16:00	49.8	53	51	48	45	44	68	41	50.3	52	51	47	38	37	70	27
17:00	49.2	52	51	48	46	45	70	42	40.8	44	42	35	28	27	60	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	54.9	52	51	48	46	46	96	42	41.8	45	42	35	29	28	68	22
09:00	53.1	55	54	51	49	49	64	41	52.8	52	51	46	42	41	63	23
10:00	54.0	55	55	54	53	53	62	50	55.7	57	56	56	55	55	61	54
11:00	53.0	54	53	52	51	50	66	39	54.8	55	54	53	52	51	60	36
12:00	44.5	48	47	43	41	40	58	38	36.1	40	38	33	27	25	54	21
13:00	53.7	55	55	54	51	51	66	39	55.9	57	57	56	52	51	63	28
14:00	55.0	57	56	54	53	53	71	51	56.3	58	57	56	55	55	64	54
15:00	55.6	57	57	55	54	54	71	50	56.7	58	58	56	56	55	64	54
16:00	49.7	53	51	47	44	44	68	41	46.2	47	45	39	34	33	60	23
17:00	48.3	51	50	47	45	45	65	42	43.4	43	41	36	30	29	69	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	44	67	41	39.9	43	40	33	28	26	59	20
09:00	49.6	52	51	47	45	45	66	40	49.4	47	46	38	33	32	60	21
10:00	53.7	55	55	53	52	52	64	50	55.7	57	56	56	55	55	63	54
11:00	53.0	55	54	52	51	51	63	39	54.8	56	55	53	52	51	66	33
12:00	44.3	48	47	43	40	40	58	35	31.7	36	35	29	24	23	47	17
13:00	54.3	56	55	54	52	52	71	38	54.7	56	56	53	50	49	64	23
14:00	54.4	56	55	54	53	53	69	50	55.6	57	56	55	55	55	64	52
15:00	54.9	56	56	55	54	53	71	51	56.6	58	58	56	55	55	67	54
16:00	52.9	54	53	50	49	48	64	40	53.4	50	49	46	44	44	65	21
17:00	46.7	49	48	46	44	43	64	41	36.2	41	38	31	26	25	54	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	49	46	43	43	66	38	26.9	31	29	25	22	21	46	18
09:00	47.8	51	50	46	43	43	72	38	27.8	32	30	26	22	22	48	19
10:00	48.2	51	50	47	44	44	68	39	28.2	33	31	26	22	21	45	18
11:00	50.3	53	51	47	44	43	74	39	29.3	34	31	26	22	21	50	18
12:00	47.0	50	49	46	43	43	63	38	26.9	31	30	24	21	20	45	15
13:00	45.8	49	48	45	43	42	63	38	25.6	30	28	24	21	20	40	16
14:00	46.6	49	49	46	43	42	64	36	26.8	31	30	24	21	20	46	16
15:00	46.7	50	48	44	41	40	72	36	27.1	32	30	24	20	19	45	15
16:00	43.7	47	45	42	39	38	64	35	25.9	30	28	23	20	19	46	15
17:00	42.9	46	45	42	39	39	59	34	25.4	30	28	23	20	19	45	15

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	51	50	48	46	45	70	42	30.8	35	33	27	24	24	52	20
09:00	45.4	48	47	44	42	41	62	37	30.7	35	33	28	24	23	49	18
10:00	45.3	49	48	44	40	40	64	35	29.6	35	33	26	22	21	45	17
11:00	44.9	49	47	43	40	39	65	36	29.3	35	32	26	22	21	45	18
12:00	45.6	49	47	43	40	40	68	37	29.6	34	32	26	23	22	47	20
13:00	50.6	49	47	43	40	40	73	37	30.1	34	32	26	23	22	49	20
14:00	45.5	48	47	44	41	41	69	38	28.6	33	31	27	23	22	44	18
15:00	46.1	49	48	45	42	41	66	37	29.0	33	32	26	22	21	47	16
16:00	46.0	49	48	45	43	42	64	39	28.0	33	31	26	22	21	49	16
17:00	46.8	49	48	45	43	43	69	40	29.2	34	31	25	21	21	49	17

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/25

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.9	53	51	48	46	46	75	42	43.6	47	45	40	32	30	62	24
09:00	55.1	57	56	54	53	52	75	46	54.3	56	55	51	47	47	62	27
10:00	56.2	58	57	56	55	54	67	53	55.7	57	57	55	55	54	64	53
11:00	55.0	57	56	55	53	53	67	48	54.5	55	54	53	48	48	65	25
12:00	49.4	52	51	48	46	45	70	41	31.6	36	34	30	26	25	48	22
13:00	54.8	57	56	54	52	52	72	41	54.7	56	56	55	50	49	62	23
14:00	54.8	56	56	55	54	53	66	52	54.8	56	55	55	54	54	60	52
15:00	54.3	56	56	54	53	52	66	50	54.8	56	55	55	54	54	65	52
16:00	52.7	55	54	51	49	48	66	43	51.5	50	50	48	43	42	62	26
17:00	49.2	53	51	47	45	45	66	43	41.0	44	41	36	29	28	59	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/11/26

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.6	53	52	50	48	48	64	44	40.8	44	42	35	29	28	58	23
09:00	48.2	51	50	47	45	45	67	41	38.9	42	40	33	28	27	58	22
10:00	47.7	51	49	46	44	44	64	41	40.2	44	40	34	28	27	64	22
11:00	47.3	50	49	46	44	44	67	41	37.9	43	40	34	29	28	56	22
12:00	48.3	51	50	47	44	44	65	40	38.6	43	41	34	28	26	53	19
13:00	51.3	55	53	50	48	47	65	43	46.1	51	50	42	35	34	63	21
14:00	56.2	58	57	55	52	52	79	43	54.9	56	56	54	51	50	63	35
15:00	56.7	58	58	56	55	55	68	52	55.7	57	57	56	55	55	63	53
16:00	50.3	53	52	49	46	46	67	42	48.0	49	48	43	37	36	61	25
17:00	49.0	52	51	48	46	45	69	41	43.5	43	41	34	29	28	66	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	52	50	47	45	45	70	41	38.9	44	42	34	29	27	57	23
09:00	54.5	56	55	54	53	53	63	45	54.9	56	56	55	54	53	65	41
10:00	53.7	55	55	54	53	52	68	50	55.1	56	56	55	54	54	61	52
11:00	53.5	55	54	52	50	49	71	38	54.7	55	54	53	50	50	66	35
12:00	45.2	48	47	44	41	40	63	37	35.6	39	37	32	27	25	53	19
13:00	54.7	56	56	54	52	52	75	41	55.0	56	56	55	52	50	67	27
14:00	54.3	56	55	54	53	53	65	51	55.2	56	56	55	54	54	63	53
15:00	54.1	56	55	54	53	52	62	49	55.1	56	56	55	54	54	67	51
16:00	51.1	53	52	49	48	47	65	42	51.6	51	50	46	45	44	69	29
17:00	48.1	51	50	47	44	44	67	39	45.4	48	46	39	35	34	64	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	51	49	47	47	65	43	42.8	47	45	37	33	31	63	22
09:00	53.7	55	54	51	49	49	68	41	53.4	51	50	45	42	42	62	22
10:00	55.6	58	57	55	53	53	69	50	56.2	58	57	56	55	55	65	54
11:00	50.9	53	52	49	46	46	63	41	50.3	49	47	43	37	36	63	24
12:00	49.7	53	52	49	46	45	63	43	42.9	48	47	40	33	32	57	25
13:00	54.6	57	56	54	52	52	66	43	55.5	57	57	56	52	52	63	31
14:00	55.6	57	57	55	54	54	72	52	55.6	57	56	55	55	55	63	54
15:00	55.9	57	57	56	54	54	76	52	55.6	56	56	55	55	55	63	53
16:00	51.3	53	52	49	47	46	68	42	49.8	47	46	41	39	37	63	23
17:00	46.8	50	48	45	44	43	65	40	37.7	40	38	30	26	24	64	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.9	52	51	48	45	45	71	42	40.3	45	43	36	30	28	58	22
09:00	53.8	56	55	52	48	48	76	41	52.4	53	52	48	41	40	62	24
10:00	54.7	56	55	54	52	52	87	43	55.5	57	57	55	53	52	65	38
11:00	52.4	54	53	50	49	48	65	36	54.1	54	54	50	50	49	65	27
12:00	52.2	51	49	43	41	40	76	35	51.7	42	41	34	28	27	69	20
13:00	54.1	56	55	54	51	51	74	36	55.1	56	56	55	50	50	61	23
14:00	53.1	53	52	49	46	45	86	39	53.1	53	50	47	44	43	79	21
15:00	51.3	51	49	45	42	41	84	37	36.7	41	38	32	26	25	54	20
16:00	46.2	48	47	43	41	40	74	37	33.4	36	34	28	24	23	53	18
17:00	45.3	48	47	43	41	40	67	38	30.9	36	33	27	23	22	52	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/11/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.0	50	48	45	41	41	68	37	26.1	31	29	23	20	19	46	16
09:00	44.0	47	46	43	40	39	68	36	26.4	31	29	24	21	20	42	16
10:00	48.9	51	50	47	43	42	63	36	26.3	30	29	25	21	20	40	15
11:00	44.7	48	47	43	40	39	62	35	26.7	31	30	23	19	19	48	15
12:00	44.7	48	47	43	40	39	63	35	28.5	33	31	26	21	20	45	15
13:00	44.9	48	47	43	40	39	70	34	26.5	31	29	24	20	19	44	14
14:00	45.0	48	47	44	41	40	64	35	27.4	32	30	25	20	19	46	15
15:00	47.6	50	48	43	40	39	71	35	26.1	31	29	23	19	18	46	14
16:00	46.5	50	48	45	42	42	68	37	26.6	31	29	24	20	19	46	16
17:00	46.6	49	48	45	43	42	72	39	26.0	31	29	24	20	19	44	16