

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.5	53	52	50	48	48	67	46	43.4	47	44	37	33	32	68	25
09:00	48.9	51	50	48	46	46	69	43	42.9	46	42	34	30	30	68	24
10:00	46.9	50	49	46	44	44	66	40	35.8	39	38	32	28	27	57	23
11:00	47.1	50	49	46	43	42	65	38	43.8	45	43	36	30	28	67	23
12:00	44.9	48	47	44	41	40	65	36	32.4	37	35	30	25	24	48	21
13:00	55.0	57	56	55	52	52	81	43	55.1	57	57	55	51	51	66	27
14:00	55.3	57	56	54	53	53	73	49	54.8	57	56	54	53	53	65	51
15:00	54.3	56	55	54	53	53	75	50	54.2	56	55	54	53	53	65	51
16:00	52.3	54	53	51	48	48	67	42	51.4	51	50	44	40	39	67	24
17:00	47.9	50	49	47	45	44	69	42	31.8	36	34	29	26	25	51	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.4	52	51	48	46	46	90	43	42.3	46	43	35	30	28	70	22
09:00	51.1	53	52	48	46	46	66	41	48.3	43	42	37	33	32	59	22
10:00	54.6	56	55	54	53	52	69	44	53.9	55	55	54	51	50	62	31
11:00	54.1	55	55	53	51	50	78	39	53.3	54	53	52	49	49	62	37
12:00	46.5	50	49	46	43	42	69	38	34.5	39	37	31	26	25	52	19
13:00	53.8	55	54	53	51	50	73	41	53.0	54	53	52	49	48	63	29
14:00	54.8	56	55	53	53	52	82	50	53.5	55	54	53	53	52	65	50
15:00	54.2	56	55	54	53	52	75	49	53.5	55	54	53	53	52	62	51
16:00	52.3	52	51	48	45	45	80	40	48.4	47	46	44	38	36	70	23
17:00	47.3	50	49	45	42	42	69	39	34.7	38	36	30	25	25	55	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/03 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.5	53	51	48	46	46	76	41	42.1	47	44	36	31	30	67	23
09:00	54.6	56	56	53	52	51	70	42	52.5	54	53	48	45	44	64	23
10:00	58.4	61	60	57	55	54	72	52	54.6	57	56	54	53	53	68	51
11:00	49.6	53	51	48	45	45	68	41	43.2	45	42	37	34	33	59	24
12:00	65.7	53	51	47	44	43	98	38	36.3	39	37	31	26	26	65	21
13:00	54.3	56	56	54	52	52	65	42	53.5	55	55	52	49	48	64	25
14:00	52.6	54	54	52	50	49	68	41	52.8	55	54	52	48	47	66	32
15:00	60.3	54	53	51	48	48	96	40	50.3	52	51	47	45	45	68	38
16:00	52.7	53	52	50	49	48	87	41	48.8	50	49	43	41	40	63	23
17:00	48.4	51	50	46	44	44	69	40	43.3	43	41	35	29	28	64	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/04 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	50	49	46	45	44	79	41	37.2	41	39	35	30	29	55	24
09:00	54.1	56	55	53	50	49	72	43	52.8	55	55	50	46	44	62	27
10:00	55.0	58	57	54	51	50	76	43	51.2	54	53	49	46	44	62	39
11:00	50.3	53	52	49	46	45	68	38	46.7	49	48	42	35	33	58	25
12:00	47.4	50	49	46	43	42	74	39	40.7	46	44	38	32	30	54	22
13:00	47.6	51	50	46	44	43	70	39	44.4	49	47	39	34	33	64	22
14:00	53.2	55	54	52	50	50	70	41	52.5	54	53	51	48	47	60	29
15:00	53.8	55	55	54	53	52	66	50	53.2	54	54	53	53	52	62	51
16:00	50.4	52	51	48	47	45	62	39	50.0	52	51	46	41	37	66	23
17:00	47.5	51	49	46	44	43	68	39	41.9	45	42	34	28	27	70	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/05

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.9	52	50	47	45	45	70	42	43.4	47	45	38	32	30	64	24
09:00	53.4	55	54	52	48	48	68	42	51.3	51	50	47	41	40	71	24
10:00	55.3	57	56	54	51	51	82	42	53.4	55	54	53	51	51	62	39
11:00	51.9	54	53	51	49	48	65	39	52.7	53	52	51	47	47	62	25
12:00	49.0	51	49	44	41	40	77	36	34.0	39	37	31	26	25	53	19
13:00	53.4	55	54	53	51	51	67	43	53.4	55	54	52	51	50	67	31
14:00	54.0	56	55	54	51	51	69	42	54.1	56	55	54	51	51	67	38
15:00	54.4	56	56	54	52	51	74	41	54.0	56	55	54	50	49	63	36
16:00	51.9	53	52	50	47	46	66	41	50.7	52	50	45	38	37	61	27
17:00	47.3	51	49	45	43	42	66	39	39.9	44	41	33	26	25	59	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/06

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	50	47	45	44	68	39	41.6	45	43	35	27	26	63	21
09:00	54.1	57	56	54	51	50	70	41	53.7	55	55	54	51	50	62	31
10:00	52.1	55	54	50	46	45	69	40	50.4	52	50	47	41	40	63	26
11:00	51.9	53	53	51	47	46	66	36	52.7	53	53	51	45	44	62	21
12:00	44.1	47	46	43	39	38	73	35	31.2	36	34	28	23	22	47	18
13:00	54.0	55	55	54	51	50	72	37	54.0	56	55	54	51	48	69	21
14:00	52.6	55	54	52	48	48	69	40	52.6	54	53	51	47	46	65	38
15:00	46.1	50	49	44	41	40	65	36	44.7	50	48	37	30	29	70	22
16:00	48.2	50	49	45	43	42	84	39	40.5	41	40	34	28	27	66	19
17:00	47.6	50	49	46	44	43	67	40	41.3	41	39	31	28	27	63	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/12/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	50	50	48	46	46	66	43	27.5	32	30	26	24	23	41	20
09:00	48.4	50	49	47	45	45	73	42	28.2	32	30	26	23	23	45	20
10:00	45.0	49	47	43	41	40	64	38	27.2	32	30	25	21	21	44	18
11:00	44.6	49	47	42	39	38	68	35	26.1	31	29	24	20	19	41	16
12:00	45.1	49	47	43	39	38	67	34	27.0	32	30	25	20	19	43	15
13:00	44.9	48	46	42	39	38	73	34	27.2	31	29	25	21	20	46	16
14:00	44.5	49	47	42	39	38	64	33	27.1	32	30	24	20	19	44	13
15:00	43.4	47	45	42	38	38	65	32	27.6	32	30	24	20	19	47	14
16:00	45.6	49	47	44	42	41	66	39	25.8	30	28	24	21	20	44	16
17:00	45.8	48	47	45	43	42	68	39	25.8	30	29	24	21	20	43	17

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/12/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	51	50	48	47	46	72	44	35.1	39	37	32	29	28	54	24
09:00	48.9	51	50	48	46	46	68	42	45.5	46	44	37	29	28	67	24
10:00	52.0	55	54	50	48	47	68	41	51.1	54	53	47	43	42	66	27
11:00	51.9	53	53	51	47	46	70	36	50.4	52	51	47	43	42	65	22
12:00	45.0	49	47	43	40	40	62	37	32.7	38	36	30	25	24	49	19
13:00	55.4	58	57	54	51	49	73	39	50.7	54	52	50	46	44	68	24
14:00	54.7	57	56	54	51	51	75	43	49.7	53	51	49	47	46	64	40
15:00	54.4	56	56	54	51	49	67	41	48.9	51	51	48	46	45	64	38
16:00	51.4	55	54	50	47	47	75	42	42.9	47	45	37	32	31	62	22
17:00	49.7	53	52	48	46	46	67	42	43.8	44	42	36	32	28	61	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/12/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	53.8	51	49	46	44	44	93	41	38.2	42	40	33	27	26	62	21
09:00	48.1	51	50	47	44	43	68	38	47.5	48	46	40	33	32	67	22
10:00	47.1	51	49	45	42	41	67	38	44.6	46	43	38	30	28	68	21
11:00	48.5	51	49	45	42	41	71	38	45.1	46	44	37	31	29	66	23
12:00	46.1	50	48	44	41	40	68	35	32.2	37	35	30	25	24	48	19
13:00	53.1	56	54	52	47	47	74	39	50.8	54	52	49	42	41	71	22
14:00	53.6	55	55	53	49	49	74	40	49.4	52	51	49	45	44	64	30
15:00	54.3	56	55	54	52	52	82	50	49.8	53	51	49	48	47	66	45
16:00	51.9	53	52	50	47	46	71	39	47.1	47	45	41	37	36	63	23
17:00	51.5	54	53	50	47	46	69	42	35.8	40	37	32	28	28	56	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2025/12/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.9	51	50	48	46	46	67	43	39.9	45	42	36	29	28	57	22
09:00	53.8	55	55	53	52	52	65	46	52.1	55	53	50	47	46	66	28
10:00	55.7	58	57	55	54	54	68	51	53.7	57	56	53	51	50	64	48
11:00	52.6	54	53	50	47	47	64	38	52.0	53	51	47	42	42	66	23
12:00	45.8	49	48	44	41	40	75	37	33.6	38	37	31	27	26	46	19
13:00	53.0	55	54	53	51	50	67	39	49.9	52	51	49	46	45	65	27
14:00	53.5	55	54	53	52	52	62	50	49.7	52	51	49	48	48	68	46
15:00	53.8	55	55	54	53	52	66	50	49.2	51	50	49	48	48	62	47
16:00	50.9	53	52	48	47	46	66	40	45.3	45	44	39	35	34	61	22
17:00	47.9	51	49	46	44	44	68	40	42.7	48	46	35	30	28	61	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.1	54	52	49	47	47	72	44	41.7	47	44	38	33	31	63	26
09:00	53.9	56	55	53	52	52	71	46	51.8	54	52	48	45	44	67	29
10:00	56.4	58	57	56	55	54	65	52	52.3	55	54	51	49	49	66	46
11:00	53.2	54	54	52	50	49	67	39	50.1	52	51	48	44	44	64	27
12:00	46.1	49	48	44	41	41	69	38	33.0	38	36	30	25	24	51	20
13:00	54.0	56	55	54	51	50	69	39	51.4	54	53	51	47	46	62	20
14:00	55.6	56	55	54	53	52	83	49	51.1	54	53	50	49	49	66	47
15:00	53.4	55	54	53	51	51	66	44	50.5	53	52	49	47	46	63	38
16:00	48.3	51	50	47	46	45	65	43	44.2	49	46	39	35	34	63	26
17:00	48.8	51	48	46	45	45	72	42	37.6	41	39	32	28	27	62	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.0	54	52	48	46	46	67	43	42.8	48	46	40	35	33	59	27
09:00	54.9	57	56	54	52	52	67	43	50.6	53	52	49	45	44	65	27
10:00	53.3	57	55	51	48	48	72	42	47.9	52	50	45	40	39	64	29
11:00	50.9	55	53	49	47	46	68	43	45.2	50	49	43	37	36	61	29
12:00	50.3	54	53	49	46	46	65	43	44.2	50	48	42	36	34	57	26
13:00	55.4	57	56	53	51	51	84	43	50.4	53	52	49	45	44	68	29
14:00	55.9	59	57	55	54	53	69	52	50.9	54	53	50	48	48	66	45
15:00	54.9	56	56	55	54	53	67	52	49.8	53	52	49	47	47	63	45
16:00	54.3	56	56	53	52	51	72	47	48.9	52	51	47	43	43	65	32
17:00	54.0	57	55	52	49	49	77	45	45.5	50	49	42	34	32	65	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	52	49	45	42	42	79	37	43.2	49	46	36	29	27	62	20
09:00	55.2	57	56	53	51	51	86	39	51.3	55	54	49	45	45	65	23
10:00	53.5	55	54	53	52	52	65	49	51.1	54	53	50	48	47	68	45
11:00	52.8	55	54	51	50	49	67	36	50.1	54	52	48	46	45	65	29
12:00	44.0	47	45	41	38	37	69	34	32.9	38	37	30	25	24	47	19
13:00	53.0	55	54	53	49	48	69	34	50.0	53	52	49	46	45	65	24
14:00	50.8	50	48	44	40	40	86	35	41.6	45	43	36	30	28	59	21
15:00	44.9	48	46	43	39	38	68	34	30.4	35	33	29	24	23	45	20
16:00	46.0	49	47	44	41	40	67	38	31.7	36	34	30	26	25	46	20
17:00	45.5	48	46	43	40	39	68	36	29.5	34	32	27	24	23	45	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	52	51	48	45	44	74	41	28.0	32	30	26	24	24	43	20
09:00	49.6	51	50	48	45	44	76	41	30.9	33	31	27	25	24	58	21
10:00	56.8	58	57	55	51	50	85	44	36.9	40	38	33	29	29	61	23
11:00	49.8	52	51	48	45	44	71	41	29.9	34	33	28	25	25	44	21
12:00	48.1	51	50	48	45	44	59	41	29.3	33	32	27	24	24	44	20
13:00	48.1	51	50	47	44	44	71	41	26.9	30	29	26	23	23	41	20
14:00	46.9	50	48	46	43	42	71	38	26.2	30	29	25	22	21	39	19
15:00	46.6	49	48	45	42	42	72	38	26.0	30	29	24	22	21	40	17
16:00	45.8	48	47	44	42	41	66	39	24.5	29	27	23	20	20	38	17
17:00	45.3	47	47	44	43	42	66	40	25.5	30	28	24	21	20	40	18

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/15 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.6	53	51	48	47	46	81	43	40.4	45	43	37	32	30	59	25
09:00	51.4	54	52	49	47	46	81	43	41.6	45	44	38	33	32	58	24
10:00	52.8	56	54	51	49	48	64	43	48.8	51	49	45	40	39	64	26
11:00	53.9	56	55	53	51	51	69	43	50.3	53	52	48	44	43	63	26
12:00	49.4	53	51	48	46	45	75	42	42.0	47	46	39	33	32	56	25
13:00	54.6	57	56	54	52	52	69	45	50.0	53	52	49	46	46	68	28
14:00	55.3	57	57	55	54	53	70	52	49.1	52	51	48	47	46	64	44
15:00	56.3	58	56	55	53	53	82	50	50.1	51	50	48	46	46	80	44
16:00	52.2	54	53	50	48	48	76	43	46.0	49	47	42	38	37	65	24
17:00	50.6	53	52	48	46	46	72	42	39.7	44	41	36	30	29	54	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/16 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	51	50	48	46	46	71	42	39.9	44	42	35	30	29	59	24
09:00	52.2	54	53	51	49	49	67	42	47.8	48	47	43	39	38	64	22
10:00	54.7	57	56	54	53	53	75	51	50.5	53	52	49	48	47	65	45
11:00	53.0	54	53	52	49	49	76	39	47.9	50	49	47	45	45	60	26
12:00	43.4	47	45	42	39	38	62	34	31.8	37	35	28	24	23	50	18
13:00	53.7	55	55	53	51	50	72	40	50.1	53	52	49	46	45	67	23
14:00	53.5	55	55	53	52	52	70	49	48.9	51	50	48	47	47	64	45
15:00	50.9	51	51	49	47	46	75	39	46.3	46	45	41	37	36	62	22
16:00	48.4	52	50	47	45	44	72	40	40.1	43	41	34	29	28	59	23
17:00	48.3	50	49	46	44	44	72	42	33.7	37	35	29	25	25	59	21

騒音・振動データ収録装置1時間値日報データ

測定日：2025/12/17測定場所：岩槻区末田会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.5	51	50	47	45	45	72	39	41.9	45	43	37	31	30	65	23
09:00	53.6	55	54	53	50	50	70	40	50.6	53	51	48	45	45	62	27
10:00	55.9	57	56	54	53	53	83	50	51.4	54	53	50	48	48	62	45
11:00	50.7	52	51	48	45	45	73	38	46.2	46	45	40	36	34	63	22
12:00	44.9	48	47	43	40	39	66	37	33.7	38	37	31	26	25	45	19
13:00	46.9	50	49	46	43	42	66	39	41.8	46	44	37	31	30	63	21
14:00	50.2	53	51	48	44	44	73	40	42.8	47	45	39	33	32	68	23
15:00	48.4	52	50	46	44	43	71	41	41.3	45	42	35	30	29	68	24
16:00	49.2	53	51	48	45	45	73	42	40.8	45	42	35	30	29	62	23
17:00	48.4	51	50	47	45	44	69	41	36.2	39	37	31	26	25	56	21

騒音・振動データ収録装置1時間値日報データ

測定日：2025/12/18測定場所：岩槻区末田会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	56.0	60	58	54	52	52	78	48	48.2	53	51	46	41	40	60	31
09:00	56.5	60	58	55	54	53	75	48	51.8	55	54	51	48	47	62	31
10:00	55.4	58	57	54	53	53	72	50	50.6	53	52	50	48	48	61	47
11:00	53.7	56	55	53	51	50	67	43	49.3	52	51	48	45	45	60	30
12:00	48.7	52	51	47	45	44	64	41	42.3	48	46	39	33	32	56	23
13:00	54.2	56	56	54	52	51	63	42	50.3	53	52	50	47	47	64	29
14:00	54.1	56	55	54	53	53	65	50	49.3	51	51	49	48	48	61	46
15:00	53.7	55	55	53	51	51	77	40	49.0	52	51	47	45	44	64	25
16:00	47.2	50	49	46	44	43	71	41	39.0	42	40	34	29	28	60	22
17:00	46.3	48	47	45	43	42	70	39	36.0	39	37	30	26	25	56	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	53	51	48	46	46	71	43	40.1	44	41	35	31	30	57	24
09:00	54.0	56	54	53	52	51	76	43	48.0	47	46	42	40	39	63	26
10:00	54.2	56	55	54	53	53	75	50	49.3	51	51	49	48	47	64	45
11:00	53.4	55	54	52	50	50	68	39	50.1	53	51	47	44	43	68	22
12:00	45.6	49	47	43	40	39	68	36	33.1	38	36	29	25	23	51	19
13:00	54.0	56	55	54	51	51	80	40	50.5	54	52	50	48	46	66	27
14:00	54.7	57	56	54	53	53	65	51	52.1	55	54	51	49	48	65	45
15:00	52.0	54	52	48	45	45	72	36	47.4	47	45	40	37	36	62	21
16:00	48.9	52	51	47	45	44	72	41	45.0	50	47	41	32	31	70	22
17:00	47.6	50	49	46	44	43	74	40	33.8	37	35	29	26	25	55	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.2	53	52	49	48	47	72	45	39.6	44	42	35	29	28	57	24
09:00	54.1	55	54	53	51	50	79	44	48.1	49	47	43	39	39	62	23
10:00	55.0	56	56	55	54	54	74	52	49.9	53	52	49	48	47	63	45
11:00	54.7	56	56	54	53	53	73	45	48.9	52	51	47	45	44	59	25
12:00	48.4	51	50	47	45	45	73	43	38.1	38	36	29	26	25	63	23
13:00	55.1	56	55	54	52	52	76	43	49.0	52	51	48	44	44	64	26
14:00	55.2	56	56	55	54	54	75	52	48.7	51	50	48	47	47	60	45
15:00	54.3	55	55	54	52	51	66	43	50.9	53	52	48	44	43	67	24
16:00	48.2	50	50	47	46	46	69	43	38.8	43	40	33	29	28	58	23
17:00	47.4	50	48	46	45	45	66	42	34.9	37	34	28	25	25	63	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	45	63	43	26.9	32	30	24	22	21	41	19
09:00	48.9	52	51	48	46	46	64	43	26.9	31	29	25	22	22	43	19
10:00	48.5	52	50	48	46	45	66	43	26.9	31	30	25	22	22	43	19
11:00	47.8	51	50	47	45	45	71	42	27.4	32	30	25	22	22	42	20
12:00	47.0	49	48	46	45	44	65	42	26.8	31	30	25	22	22	41	19
13:00	47.3	50	49	46	44	44	67	41	26.1	30	29	25	22	22	40	19
14:00	48.0	50	49	47	46	46	62	43	26.3	30	28	25	23	22	41	20
15:00	48.1	51	50	47	46	46	63	43	26.8	31	29	25	23	22	41	19
16:00	49.9	53	51	48	46	45	72	42	26.4	31	29	25	22	22	39	19
17:00	47.6	50	48	46	44	43	72	40	25.8	30	28	24	22	21	42	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	53	51	48	46	46	68	42	40.4	44	42	35	30	29	60	23
09:00	49.2	52	51	48	46	45	68	42	39.8	43	41	35	29	28	61	21
10:00	53.7	56	55	53	51	51	70	45	49.1	51	51	48	46	45	59	32
11:00	53.2	55	54	53	50	50	66	42	48.3	50	49	47	45	45	58	29
12:00	49.3	51	50	47	44	43	81	38	41.1	45	43	37	29	27	68	19
13:00	53.4	55	55	53	50	50	72	43	49.8	52	52	49	46	45	60	26
14:00	54.4	56	53	48	45	44	83	41	42.3	46	45	38	33	31	59	25
15:00	55.2	57	56	54	53	53	79	51	51.7	54	53	51	50	50	62	48
16:00	48.4	51	50	47	45	44	64	41	41.3	44	42	36	31	30	59	21
17:00	46.9	50	49	46	43	43	66	39	34.1	39	35	29	25	24	53	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	43	67	41	35.6	40	38	32	28	27	53	23
09:00	47.2	50	49	46	43	43	64	39	42.5	43	41	35	29	28	63	23
10:00	54.9	58	56	53	51	50	73	43	49.3	51	50	47	45	45	60	31
11:00	53.2	55	55	52	51	50	67	38	50.4	53	52	49	46	46	64	23
12:00	45.1	48	46	43	40	39	72	36	32.3	36	35	30	25	24	49	19
13:00	53.9	56	55	54	51	51	65	39	50.4	52	52	50	48	47	62	27
14:00	54.0	56	55	54	53	52	66	50	51.0	53	52	50	49	49	68	48
15:00	53.6	56	55	53	50	50	67	41	51.5	55	53	50	47	47	66	38
16:00	52.5	55	54	51	48	48	75	41	50.3	53	52	46	41	40	64	27
17:00	48.8	52	50	46	44	43	70	39	42.8	45	43	36	30	29	59	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.3	53	51	49	47	47	77	45	36.4	40	38	33	30	29	58	26
09:00	54.6	55	53	48	46	45	79	42	35.1	38	36	32	29	28	63	25
10:00	53.5	55	54	52	50	49	67	43	47.1	48	46	42	37	36	55	26
11:00	55.5	56	56	55	52	52	68	43	48.6	49	49	48	46	45	55	37
12:00	51.6	53	52	49	47	47	80	43	33.6	38	36	31	29	28	47	25
13:00	55.2	57	56	55	53	53	64	46	50.2	52	51	50	46	46	61	26
14:00	55.6	57	56	55	54	54	69	52	49.9	51	51	50	49	48	61	45
15:00	55.2	56	56	55	54	54	69	52	50.1	51	51	50	49	49	57	48
16:00	52.2	53	53	51	48	48	67	43	45.7	45	44	40	36	35	60	25
17:00	48.6	51	49	47	45	45	69	42	34.6	38	36	31	28	27	54	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	52	51	48	46	46	69	42	39.9	43	41	35	29	28	59	22
09:00	48.0	51	50	47	44	43	67	39	35.5	40	38	31	27	26	55	22
10:00	52.5	55	54	50	47	46	77	41	44.8	44	43	38	34	33	64	22
11:00	53.3	55	54	52	50	49	69	39	48.9	50	49	47	42	42	59	22
12:00	47.9	50	49	46	43	42	71	39	39.7	42	41	38	36	35	49	23
13:00	52.6	54	53	52	49	49	65	38	48.4	48	48	46	43	42	61	22
14:00	53.7	55	55	53	52	52	68	50	50.4	52	52	50	49	49	67	48
15:00	54.1	56	55	54	52	52	68	50	50.9	53	52	50	49	49	67	47
16:00	51.5	53	52	49	48	47	70	42	48.4	48	47	41	36	35	65	22
17:00	49.2	51	50	48	47	46	69	43	35.7	39	37	32	27	26	56	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2025/12/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	60.9	66	64	57	53	52	79	48	50.8	55	54	49	43	42	65	32
09:00	59.7	65	63	56	52	51	76	46	50.1	55	53	48	42	41	62	31
10:00	61.0	67	64	57	51	50	78	47	51.7	57	55	49	43	42	63	32
11:00	61.4	66	64	59	55	55	77	50	54.4	57	56	53	51	50	64	38
12:00	59.6	65	63	56	52	51	76	46	50.4	55	54	48	43	42	62	34
13:00	58.1	62	60	54	50	49	82	45	48.7	53	52	46	40	39	67	30
14:00	59.3	64	62	56	52	51	78	46	50.4	55	53	48	43	41	63	32
15:00	58.1	62	60	56	54	54	77	52	52.7	55	55	52	50	50	64	48
16:00	55.6	59	57	53	50	49	72	43	48.8	52	51	47	41	40	59	28
17:00	50.6	54	53	49	47	46	72	43	43.6	48	46	40	35	34	58	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	49	46	44	44	72	41	38.1	42	39	33	28	27	61	21
09:00	47.8	51	49	46	44	43	69	41	36.8	41	40	34	29	27	51	22
10:00	53.7	55	55	53	52	52	66	50	49.3	51	50	49	48	48	61	45
11:00	51.0	53	51	48	45	44	81	38	45.9	46	44	38	32	31	61	20
12:00	46.7	50	48	44	42	41	70	37	31.5	36	34	29	24	23	49	18
13:00	52.8	54	53	51	49	49	79	37	49.6	52	50	45	43	42	65	21
14:00	54.6	57	56	54	53	53	71	50	50.2	53	52	49	48	48	62	45
15:00	53.8	56	55	53	51	51	68	40	49.7	52	51	49	46	45	61	29
16:00	47.4	51	48	45	43	43	73	39	35.4	39	36	29	26	25	57	19
17:00	46.8	49	48	46	44	43	74	40	32.6	36	33	27	23	23	54	19

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	50	50	47	45	45	63	41	34.2	35	32	26	24	23	61	20
09:00	47.0	50	49	45	43	43	68	40	28.6	33	31	26	23	22	45	19
10:00	48.7	51	50	47	44	44	76	39	39.9	42	40	33	28	27	56	20
11:00	45.5	48	47	44	42	41	67	36	30.3	35	33	26	22	21	48	14
12:00	45.0	48	47	43	40	39	66	34	32.8	34	33	26	20	19	51	14
13:00	45.6	49	47	44	41	40	73	36	31.0	36	33	27	22	21	48	15
14:00	46.7	51	49	45	41	41	69	36	35.0	38	35	29	23	22	59	17
15:00	44.8	48	47	42	39	38	66	32	27.8	32	31	25	21	20	50	15
16:00	48.5	51	48	43	40	39	75	36	25.3	30	28	23	19	19	44	14
17:00	45.6	48	47	44	41	41	77	38	25.4	30	28	23	19	18	43	15

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/29 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.9	51	50	47	45	44	66	42	32.0	36	35	30	26	26	48	22
09:00	46.9	50	49	46	43	43	67	39	30.4	34	33	28	25	24	49	21
10:00	46.0	48	47	44	41	40	78	37	29.4	34	32	27	23	22	45	17
11:00	44.0	47	46	43	40	40	60	36	29.3	34	32	27	23	22	46	18
12:00	43.6	46	45	43	40	40	68	36	28.5	33	32	26	22	21	43	17
13:00	47.1	51	47	42	39	38	70	35	29.3	34	32	26	21	20	50	15
14:00	48.0	48	46	42	39	38	77	35	28.4	33	32	26	21	20	46	15
15:00	49.4	50	48	43	40	39	77	34	28.2	33	31	26	22	21	46	18
16:00	46.2	50	49	44	41	40	70	36	27.9	32	31	26	22	22	46	18
17:00	47.5	50	49	46	44	43	75	39	28.1	32	30	25	22	22	50	18

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/30 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.1	51	50	49	47	47	71	44	28.2	33	31	26	23	23	42	20
09:00	47.7	50	49	47	45	45	68	42	28.6	33	31	26	23	23	45	19
10:00	48.9	52	51	48	44	44	68	39	28.3	33	31	26	23	22	41	18
11:00	47.5	49	48	45	42	41	69	35	27.9	32	31	26	22	21	43	16
12:00	46.9	50	48	45	41	41	63	34	27.9	32	31	26	22	21	45	16
13:00	46.8	50	48	44	41	40	67	34	27.4	32	30	25	21	20	46	16
14:00	49.3	50	48	42	38	38	73	34	28.2	33	31	26	22	21	42	16
15:00	46.4	48	46	41	37	36	76	31	29.6	32	30	24	20	20	55	16
16:00	45.2	48	47	43	40	40	76	34	26.3	31	29	23	20	20	45	16
17:00	45.9	48	47	45	42	42	70	38	26.5	31	29	24	20	20	45	16

騒音・振動データ収録装置 1時間値 日報データ

測定日：2025/12/31

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	50	49	47	45	44	67	42	26.1	30	29	24	22	21	39	18
09:00	46.1	49	47	45	43	43	64	41	26.8	31	29	24	22	21	44	19
10:00	45.7	48	47	45	43	42	68	39	28.4	33	31	26	23	22	43	19
11:00	44.9	48	47	44	41	40	64	36	32.3	37	35	29	24	23	47	18
12:00	46.0	48	46	43	39	39	69	35	33.7	39	37	30	24	22	48	16
13:00	42.8	46	44	41	38	37	70	34	26.6	31	29	24	20	19	41	15
14:00	47.8	50	48	44	39	38	68	34	28.3	32	31	26	21	20	42	15
15:00	43.8	45	44	41	37	36	78	32	25.4	30	28	23	20	19	39	16
16:00	44.4	47	45	42	38	37	71	33	25.3	29	28	23	20	19	45	17
17:00	45.0	48	47	44	40	40	75	36	24.7	29	28	22	19	18	47	15