

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.7	49	47	43	40	40	69	37	24.3	29	26	21	19	19	44	16
09:00	45.8	48	47	42	39	38	71	34	27.1	30	28	23	19	19	50	16
10:00	43.8	47	46	42	38	37	66	33	26.6	31	29	24	20	19	43	15
11:00	43.2	47	46	42	38	37	64	34	26.6	32	29	24	20	20	41	16
12:00	43.2	46	44	41	38	37	71	33	25.7	30	29	24	19	18	42	15
13:00	42.5	46	45	40	37	36	66	33	24.7	29	27	22	19	18	41	14
14:00	43.3	46	45	40	37	36	75	32	26.9	32	30	24	20	19	42	15
15:00	48.7	51	47	41	36	35	73	30	28.6	33	31	24	19	18	50	14
16:00	44.7	46	45	41	38	37	83	35	24.9	29	27	22	19	19	44	15
17:00	43.9	47	46	43	40	39	63	36	24.7	29	27	22	19	18	41	15

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	49	47	43	40	39	75	35	24.5	30	27	21	19	18	42	16
09:00	44.0	48	47	42	38	37	63	34	26.4	31	29	24	20	19	42	16
10:00	43.9	47	46	42	38	38	69	34	24.7	29	27	23	19	19	40	15
11:00	45.2	48	46	42	38	37	70	34	25.3	30	28	23	20	19	38	16
12:00	44.8	48	47	43	39	38	68	34	28.2	33	31	26	21	20	45	15
13:00	45.3	47	46	42	39	39	72	35	33.0	36	34	28	23	22	52	15
14:00	45.3	49	47	44	40	40	65	36	33.8	39	37	30	25	23	51	19
15:00	45.2	48	47	44	41	40	67	36	33.2	38	36	30	25	24	50	18
16:00	46.9	50	49	45	42	41	72	38	32.0	36	35	29	24	23	47	18
17:00	50.4	52	51	48	44	44	71	39	35.9	39	37	31	25	24	50	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	58.4	49	48	45	43	43	93	40	31.1	34	32	28	24	23	56	19
09:00	46.3	49	48	45	44	43	66	41	31.6	34	33	29	26	25	60	21
10:00	51.3	50	48	45	43	43	86	40	33.1	34	33	29	25	24	64	19
11:00	44.8	48	46	44	42	41	64	39	29.3	33	32	28	24	23	42	19
12:00	44.5	47	45	42	40	39	75	37	27.8	32	31	25	21	20	48	17
13:00	43.7	45	44	41	39	39	71	37	26.4	31	29	24	20	19	42	16
14:00	45.7	45	45	42	40	40	82	37	28.9	33	31	26	23	22	46	15
15:00	44.4	47	45	42	40	39	70	35	27.0	32	30	24	20	19	45	14
16:00	45.7	48	47	44	42	41	69	38	25.2	30	28	23	19	18	42	15
17:00	47.0	50	49	46	43	43	61	40	25.3	30	28	23	19	18	41	15

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.8	50	48	44	42	41	82	39	29.9	34	33	28	24	23	40	18
09:00	44.0	47	46	43	40	40	68	36	29.9	34	33	28	24	23	47	18
10:00	50.1	53	50	44	41	40	72	37	35.6	40	39	33	28	26	49	18
11:00	44.7	48	47	43	41	40	65	36	38.4	43	41	35	30	28	54	19
12:00	44.5	48	46	43	40	40	67	36	36.3	41	39	33	27	25	48	16
13:00	42.4	46	44	41	39	38	65	34	32.6	37	35	28	23	22	47	15
14:00	41.5	45	43	40	37	37	62	34	27.7	32	31	25	21	20	44	15
15:00	45.2	46	44	40	38	37	73	33	26.5	31	29	24	20	20	40	16
16:00	44.6	48	46	43	40	40	62	37	25.8	30	28	24	20	19	48	16
17:00	43.8	46	45	43	41	41	69	38	25.3	30	29	23	20	20	41	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	50	47	45	45	69	42	37.5	40	37	32	28	27	64	23
09:00	50.4	52	51	50	49	49	67	45	37.6	39	38	33	30	30	53	25
10:00	54.3	56	55	53	51	51	69	43	50.2	51	50	46	44	43	62	26
11:00	52.8	54	54	52	49	49	69	39	49.8	50	50	47	44	42	59	21
12:00	44.6	48	47	43	40	39	61	36	31.0	35	33	28	24	23	49	18
13:00	46.6	50	48	44	42	41	68	38	38.6	44	41	32	27	26	57	21
14:00	48.1	51	50	46	43	42	69	38	41.5	45	43	35	30	28	59	22
15:00	46.3	50	48	44	41	40	65	37	32.3	36	34	28	24	23	55	19
16:00	48.0	51	49	46	43	42	73	38	34.5	36	34	27	24	23	60	20
17:00	48.7	52	50	47	45	45	70	42	34.8	38	35	29	25	24	58	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.1	53	52	49	47	46	68	42	41.6	46	45	40	35	33	57	24
09:00	47.0	50	49	46	44	43	63	40	39.1	44	42	37	32	31	52	23
10:00	49.6	53	51	48	46	45	67	41	43.7	48	47	41	35	33	60	28
11:00	54.3	57	56	53	51	51	65	42	52.6	55	55	51	49	48	62	33
12:00	50.6	55	53	48	45	44	67	40	44.9	50	49	42	35	33	57	26
13:00	51.7	55	54	49	46	45	74	42	46.1	50	49	43	37	35	63	26
14:00	53.7	56	55	52	49	49	69	41	50.5	54	52	48	43	42	67	27
15:00	54.8	57	56	54	53	53	67	51	51.3	54	53	51	49	49	61	47
16:00	50.1	52	51	48	45	44	75	41	41.6	41	39	34	30	29	60	22
17:00	47.6	51	49	46	43	43	68	39	35.5	38	36	29	24	24	58	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/07

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.6	51	50	47	45	44	69	41	41.5	45	43	35	30	28	64	23
09:00	54.1	56	55	53	51	50	67	43	50.1	53	52	48	43	43	60	26
10:00	56.1	58	57	54	53	52	74	50	51.5	54	53	51	49	49	69	48
11:00	52.1	54	53	49	46	46	69	40	46.3	46	44	39	35	34	60	24
12:00	48.1	50	48	45	42	42	75	39	31.5	36	35	29	25	24	45	19
13:00	53.9	55	55	54	51	51	71	38	50.3	53	52	50	45	45	62	21
14:00	50.1	53	52	48	46	46	68	41	48.1	52	51	43	37	36	69	23
15:00	47.4	51	49	46	43	42	65	38	38.2	41	39	32	26	26	56	20
16:00	46.5	50	48	44	42	41	70	38	35.8	41	38	31	26	25	53	20
17:00	46.1	49	48	45	42	42	63	38	33.8	38	35	30	25	24	52	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/08

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.4	51	50	49	48	47	68	45	35.2	39	37	33	29	28	52	24
09:00	49.3	51	51	48	47	47	67	43	37.4	40	38	33	29	28	58	23
10:00	52.4	54	53	51	48	48	64	42	47.3	46	45	41	37	36	62	26
11:00	55.7	59	57	54	52	52	76	46	50.9	54	53	50	47	46	63	35
12:00	56.7	62	59	53	50	49	75	44	48.8	54	52	47	41	39	60	30
13:00	57.1	61	59	56	54	53	74	46	52.7	55	55	52	49	48	63	31
14:00	56.4	59	58	55	54	53	69	46	51.7	54	53	51	50	49	62	42
15:00	50.2	54	52	49	47	46	67	42	43.7	49	47	40	35	33	61	25
16:00	49.0	52	51	48	46	45	64	42	41.2	46	44	38	31	30	57	23
17:00	49.8	53	52	48	46	45	68	42	42.4	47	45	39	34	32	57	25

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.0	49	48	46	44	44	67	41	35.0	39	37	32	28	28	55	22
09:00	48.6	51	50	46	44	43	71	40	42.0	46	45	39	34	32	57	26
10:00	48.6	52	51	47	44	44	65	41	43.6	48	47	41	36	34	60	25
11:00	53.5	55	54	52	50	49	68	42	51.4	54	53	50	45	45	62	28
12:00	46.8	50	49	45	43	42	70	37	40.5	45	43	37	31	30	54	17
13:00	53.4	54	54	52	50	50	71	39	50.9	52	52	49	45	45	66	25
14:00	55.0	56	55	54	53	52	77	50	51.0	53	52	51	50	49	63	48
15:00	46.1	49	47	43	40	39	68	33	42.1	44	41	34	29	28	61	19
16:00	47.4	51	50	45	42	42	68	38	46.2	50	48	40	33	32	66	21
17:00	47.7	51	49	45	43	42	69	39	41.0	41	39	30	25	24	63	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	49	46	44	43	71	39	40.8	45	42	36	29	28	60	23
09:00	44.9	48	47	43	41	41	65	38	36.3	39	37	29	25	24	63	20
10:00	53.8	55	55	53	51	50	84	39	52.8	55	54	52	48	47	65	22
11:00	53.1	54	54	52	49	49	69	37	50.7	52	51	49	45	45	64	22
12:00	44.5	47	46	43	41	41	70	38	39.7	38	35	28	24	22	66	18
13:00	53.2	55	55	53	50	50	67	41	51.6	54	53	51	48	48	61	28
14:00	54.4	56	56	54	53	53	64	50	53.2	56	55	52	51	51	68	49
15:00	54.3	55	54	53	51	51	83	44	52.2	54	53	51	48	47	64	24
16:00	51.3	55	54	49	47	47	67	43	44.8	50	48	40	34	32	62	23
17:00	51.8	55	53	49	47	47	70	43	45.1	50	48	41	34	33	62	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/01/11

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.7	50	49	45	43	43	71	40	38.6	44	42	34	27	26	58	19
09:00	46.2	49	48	44	42	42	68	37	36.1	38	36	30	25	24	57	19
10:00	45.9	49	48	44	41	41	72	38	28.6	33	32	26	23	22	44	18
11:00	50.1	53	52	47	44	43	74	37	40.1	43	41	34	27	26	57	18
12:00	52.4	56	55	50	47	46	73	42	45.8	50	49	43	36	34	59	23
13:00	60.9	66	64	56	51	50	79	46	51.1	56	54	49	43	41	64	29
14:00	62.0	67	65	58	53	52	82	47	51.7	56	55	49	44	42	62	31
15:00	61.5	67	65	56	50	49	80	43	51.7	57	55	49	43	41	65	31
16:00	57.0	62	60	53	49	48	76	42	48.9	53	52	47	41	40	62	26
17:00	58.1	61	59	53	48	47	76	39	50.0	53	52	47	41	40	63	27

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/01/12

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	43.3	46	45	42	39	39	65	35	29.7	34	32	27	23	22	48	19
09:00	43.2	46	45	42	39	38	63	34	34.0	38	37	32	28	27	47	21
10:00	41.8	45	44	40	38	37	62	34	30.1	35	34	28	23	23	42	19
11:00	42.6	46	44	40	37	37	65	34	31.9	35	34	29	25	25	52	17
12:00	46.5	47	44	40	38	37	74	34	34.8	40	38	31	26	24	51	19
13:00	39.8	43	42	39	37	36	55	34	33.3	38	36	31	24	23	47	19
14:00	48.1	51	48	42	38	37	67	33	33.1	38	36	31	26	24	46	18
15:00	49.0	47	44	40	37	36	80	32	29.7	33	31	26	22	22	54	18
16:00	46.6	49	48	44	39	38	75	34	39.1	38	37	30	24	23	52	19
17:00	44.2	46	45	43	40	40	70	37	27.1	31	30	25	22	21	46	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.6	53	51	48	47	47	79	44	41.4	45	42	37	31	30	62	25
09:00	49.8	52	51	49	48	48	68	45	39.0	44	42	35	31	30	58	25
10:00	48.9	51	50	48	47	46	63	43	43.1	46	44	37	32	31	62	24
11:00	52.1	54	53	51	49	48	67	43	47.9	48	46	41	37	36	65	24
12:00	51.8	51	49	46	45	45	76	42	33.3	38	36	31	27	26	49	22
13:00	53.5	55	55	53	51	51	66	43	51.0	54	53	50	46	45	62	23
14:00	53.4	55	54	53	52	52	78	50	51.9	55	54	51	49	49	65	47
15:00	54.1	56	55	54	53	53	66	51	52.3	55	54	52	50	50	62	48
16:00	50.7	53	52	49	46	46	68	41	47.5	48	47	43	37	36	67	23
17:00	47.7	50	49	46	44	44	68	42	33.4	37	35	29	25	25	55	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	52	50	46	44	44	74	40	37.4	41	39	33	29	28	58	24
09:00	47.8	51	50	47	44	44	68	40	39.4	44	43	37	32	31	52	23
10:00	53.1	54	54	51	49	49	77	42	50.2	51	50	47	43	42	63	24
11:00	53.5	56	55	53	50	50	66	42	51.5	54	53	50	47	46	64	28
12:00	48.8	52	51	47	44	43	67	39	43.5	48	47	40	34	32	58	24
13:00	53.6	55	55	53	51	51	70	42	50.1	52	52	49	47	47	63	29
14:00	54.4	56	55	54	53	53	70	50	51.1	54	53	51	49	49	61	47
15:00	53.9	55	53	51	48	48	74	39	49.7	51	50	47	42	41	61	23
16:00	47.4	50	49	45	43	42	73	38	36.7	40	38	33	28	28	58	22
17:00	46.9	49	48	45	43	42	74	39	33.3	38	36	30	27	26	55	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	51	50	47	45	45	69	43	32.9	37	36	31	28	27	49	24
09:00	47.4	51	50	46	44	43	64	40	39.4	44	41	34	28	27	58	24
10:00	48.4	50	47	43	41	40	78	37	34.6	39	38	33	28	27	51	20
11:00	45.4	49	47	44	41	41	65	35	39.8	44	41	34	30	28	63	20
12:00	43.0	46	45	41	38	38	65	35	31.2	36	34	29	24	23	49	19
13:00	52.6	54	53	52	49	49	77	39	50.5	53	52	49	45	45	72	27
14:00	53.5	55	54	53	52	52	72	50	50.1	52	51	50	49	49	61	47
15:00	54.7	56	56	54	53	53	69	50	52.5	56	55	52	49	49	66	47
16:00	50.9	53	51	48	45	45	72	41	46.2	44	42	37	33	31	61	23
17:00	47.8	50	49	46	44	44	69	42	33.2	37	35	30	26	25	51	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	52	51	49	48	47	73	45	40.0	44	42	36	32	31	57	25
09:00	51.5	53	52	50	48	48	69	42	47.0	46	44	38	34	33	62	24
10:00	53.9	55	54	52	49	49	70	42	50.7	52	51	48	44	43	63	28
11:00	49.9	51	49	46	44	43	73	41	40.2	45	43	37	32	31	57	25
12:00	48.8	52	51	47	45	44	70	41	43.5	48	46	40	35	34	65	27
13:00	53.5	56	55	53	51	51	63	42	51.1	54	53	50	48	47	62	27
14:00	54.0	56	55	54	52	52	70	49	51.8	54	53	51	49	49	69	48
15:00	53.7	55	55	53	52	52	68	50	50.8	53	52	50	49	48	65	47
16:00	52.6	54	54	52	50	49	67	42	49.1	51	50	48	45	44	60	25
17:00	48.9	52	51	47	45	44	69	40	46.8	50	47	41	34	31	66	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	50	49	46	45	44	70	40	35.9	41	38	31	28	27	60	23
09:00	51.0	52	52	50	47	46	60	41	47.0	47	45	41	36	35	60	23
10:00	51.0	52	51	49	46	45	66	39	47.2	49	47	43	39	38	61	23
11:00	52.3	54	53	51	49	48	67	35	49.5	51	49	46	44	44	64	20
12:00	43.5	48	46	42	39	38	57	35	31.7	37	35	28	24	22	48	17
13:00	52.0	53	53	51	49	48	61	37	51.0	54	52	49	45	44	66	22
14:00	53.3	55	54	53	52	52	71	50	52.1	55	54	51	50	49	64	48
15:00	53.6	55	55	53	52	52	65	50	52.6	56	55	52	50	49	65	47
16:00	52.7	54	54	51	49	48	69	40	50.1	53	51	48	45	43	64	27
17:00	47.2	50	49	46	44	43	64	39	39.1	39	37	30	25	24	63	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	49	47	44	42	41	74	38	26.1	31	29	24	21	21	43	18
09:00	46.5	49	48	44	41	41	74	37	29.3	34	32	26	22	21	49	18
10:00	47.2	50	48	44	42	41	71	38	32.9	38	36	29	23	22	48	17
11:00	43.2	46	45	42	40	39	63	35	28.4	33	31	26	22	21	45	17
12:00	44.5	48	47	42	39	39	66	35	28.1	33	31	25	21	20	47	16
13:00	43.7	47	45	42	38	38	67	33	27.0	32	30	25	21	20	41	15
14:00	42.5	46	45	41	38	37	55	35	27.6	32	31	25	21	20	39	16
15:00																
16:00	43.0	46	45	42	39	38	65	34	25.9	30	29	24	21	20	41	16
17:00	44.5	47	46	43	40	40	72	36	34.8	38	36	30	24	23	53	15

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	52	50	47	45	44	77	41	41.8	45	43	35	30	28	61	24
09:00	54.7	57	56	54	52	52	73	41	50.8	53	51	49	46	46	62	25
10:00	50.0	50	49	46	44	44	68	39	45.1	43	41	37	32	31	60	24
11:00	46.5	50	49	45	42	42	68	38	36.3	41	39	32	28	27	59	23
12:00	47.3	49	47	44	41	40	70	36	32.6	37	36	30	26	25	45	20
13:00	53.7	55	54	53	51	50	79	38	51.8	55	54	51	48	46	64	22
14:00	52.7	54	53	52	51	51	70	48	50.3	52	51	50	49	49	65	48
15:00	48.1	49	48	44	41	40	79	35	39.7	40	38	33	28	27	57	21
16:00	48.1	52	50	45	42	42	68	38	39.2	43	40	34	28	28	60	23
17:00	48.1	51	49	46	44	43	69	39	37.1	40	38	32	27	26	55	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.0	52	51	47	45	45	67	42	40.2	45	42	36	30	29	60	24
09:00	54.8	57	56	52	50	50	75	43	49.1	51	50	45	40	39	63	26
10:00	57.2	60	59	56	55	54	76	53	51.9	55	54	51	50	49	61	47
11:00	56.3	60	58	55	52	51	72	46	50.5	53	52	49	46	45	62	34
12:00	54.9	59	57	52	48	48	74	45	47.1	52	51	45	38	36	62	28
13:00	57.0	60	58	55	54	53	77	49	51.9	55	54	51	49	49	64	42
14:00	55.3	60	58	53	50	50	70	43	49.3	53	52	48	44	43	61	28
15:00	52.1	56	55	50	47	46	70	42	46.2	51	49	44	38	35	59	27
16:00	54.4	59	57	52	49	48	71	43	48.0	53	51	46	41	39	60	27
17:00	52.3	56	54	50	47	46	70	41	46.6	51	49	44	38	36	62	27

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/01/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	44	71	41	39.4	43	42	36	32	31	61	25
09:00	70.1	60	56	53	51	51	99	43	50.7	54	53	49	46	45	65	27
10:00	55.7	57	57	55	54	54	63	51	51.2	54	53	51	49	49	63	47
11:00	52.7	54	54	51	50	49	74	41	48.7	51	50	47	44	43	60	25
12:00	46.1	49	48	45	42	41	71	38	37.4	42	41	35	30	29	53	23
13:00	53.9	55	55	54	52	51	70	41	50.1	52	51	50	48	47	60	25
14:00	48.1	49	48	45	42	42	61	36	43.1	43	41	37	32	31	59	22
15:00	45.7	48	47	44	41	40	74	36	39.0	42	41	35	29	28	59	21
16:00	46.2	49	48	44	41	40	72	36	36.0	39	38	32	27	25	55	21
17:00	45.4	48	47	44	41	41	68	37	33.1	38	35	30	26	25	51	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/01/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.5	52	50	47	45	45	68	42	36.4	40	39	34	30	30	54	24
09:00	52.1	54	53	50	47	47	68	42	47.0	49	48	43	38	37	62	28
10:00	53.8	56	55	53	50	50	66	42	49.6	52	51	48	45	45	63	33
11:00	51.8	56	54	48	45	44	71	40	46.4	51	50	44	38	37	59	28
12:00	52.1	57	55	48	45	44	71	41	46.6	52	50	44	38	36	60	29
13:00	47.7	52	50	46	43	42	67	39	42.5	48	46	39	33	32	56	25
14:00	54.1	56	55	53	52	51	75	42	49.6	51	51	48	46	46	62	29
15:00	53.4	55	54	52	50	49	71	39	49.1	51	50	47	44	44	64	27
16:00	51.1	49	48	45	43	42	91	37	39.0	42	40	35	30	29	68	24
17:00	48.1	51	49	45	43	42	67	39	42.6	43	40	34	28	27	68	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	52	51	48	47	46	68	42	40.2	43	41	36	31	30	60	26
09:00	53.3	55	54	52	50	50	66	42	49.7	50	49	46	42	41	62	27
10:00	52.0	52	50	47	43	42	76	35	47.0	48	46	41	35	34	63	22
11:00	46.2	49	47	42	39	39	74	34	38.1	43	41	34	29	28	62	21
12:00	43.7	47	45	41	39	38	65	33	34.4	39	38	32	26	25	48	18
13:00	51.9	51	50	47	45	44	80	34	47.1	48	46	42	37	36	64	20
14:00	53.5	55	54	53	52	52	75	50	50.2	52	52	50	48	48	63	47
15:00	50.5	51	50	48	46	46	68	38	46.6	47	46	43	40	39	57	23
16:00	47.4	51	49	45	43	42	75	38	40.5	45	43	37	29	27	59	23
17:00	48.4	52	50	46	44	43	67	41	42.4	45	43	37	30	28	60	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	50	48	46	44	43	64	39	40.5	45	42	35	28	27	63	22
09:00	51.9	53	51	49	46	46	72	39	49.6	48	46	40	35	34	64	21
10:00	54.2	56	55	54	53	53	69	50	52.4	55	54	52	50	49	65	47
11:00	50.7	52	51	46	44	44	65	36	47.8	48	46	41	38	36	64	22
12:00	43.2	47	45	41	38	38	67	34	33.8	39	37	31	25	24	47	17
13:00	45.6	48	47	43	40	40	67	38	38.9	44	41	34	29	28	57	21
14:00	54.0	55	54	53	52	52	76	45	50.5	53	52	50	49	49	62	42
15:00	52.6	54	53	51	50	50	72	38	48.9	51	50	48	47	47	61	37
16:00	47.2	50	48	44	42	42	68	38	41.7	45	43	36	30	29	57	22
17:00	47.0	50	48	45	43	42	68	38	43.1	44	42	33	28	27	64	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.5	49	48	45	42	41	69	39	38.2	42	41	34	29	28	52	20
09:00	56.6	60	59	53	48	47	71	41	46.3	51	50	44	37	35	57	26
10:00	51.9	56	54	49	45	44	74	38	46.3	51	50	43	37	35	58	23
11:00	49.3	54	52	47	44	43	69	39	45.7	50	48	41	34	31	72	22
12:00	50.3	55	53	48	45	44	71	39	44.8	50	49	42	34	32	56	24
13:00	50.1	54	52	47	44	43	69	40	44.7	49	48	42	36	34	56	24
14:00	50.3	54	52	47	44	43	73	39	43.1	48	46	39	32	30	58	23
15:00	57.0	61	59	52	47	46	81	42	47.5	52	51	45	39	37	63	29
16:00	53.2	58	56	50	47	46	74	42	45.6	50	49	43	37	36	59	27
17:00	48.7	51	49	45	42	41	74	38	38.5	43	41	34	28	27	54	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	55.0	59	57	48	44	44	71	40	41.2	46	44	39	34	33	56	25
09:00	52.4	54	53	52	49	48	79	41	47.1	48	46	42	37	36	63	28
10:00	55.0	57	56	54	53	53	71	50	52.3	55	54	52	50	49	64	47
11:00	54.2	56	55	54	51	51	65	39	51.6	55	54	51	48	47	65	37
12:00	44.7	48	47	43	41	40	64	37	39.2	44	42	37	31	29	51	21
13:00	48.3	51	50	47	44	43	71	36	41.7	47	45	39	34	32	63	24
14:00	51.7	54	53	48	46	45	71	38	44.4	47	45	37	32	31	59	22
15:00	53.3	55	54	53	50	50	68	40	49.3	52	51	48	44	43	59	24
16:00	45.9	49	48	44	41	41	70	37	38.0	40	38	32	27	25	57	18
17:00	46.9	49	47	44	41	40	72	37	34.0	38	36	30	26	24	55	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	53.7	53	50	46	45	44	79	40	40.9	44	42	36	31	30	63	22
09:00	68.0	52	50	46	44	43	101	39	44.1	47	45	37	32	31	67	24
10:00	51.7	53	52	49	47	47	67	36	48.2	49	47	42	39	38	62	21
11:00	53.9	56	55	52	49	49	75	40	52.0	54	52	48	44	43	74	22
12:00	43.8	47	45	42	40	39	62	36	33.9	38	37	31	26	25	50	20
13:00	52.6	55	54	51	50	50	62	37	50.6	54	53	49	46	45	64	22
14:00	53.8	55	55	53	53	52	67	50	53.1	57	56	52	49	48	67	45
15:00	54.2	56	55	54	53	53	73	50	52.6	56	55	52	50	49	66	47
16:00	52.5	53	53	51	48	48	64	38	49.7	51	50	46	43	41	63	25
17:00	49.4	52	49	45	43	42	75	38	44.6	41	39	32	26	25	66	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/01/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	51	48	46	45	73	42	41.1	46	43	38	33	32	56	24
09:00	52.6	56	55	50	47	47	68	39	47.9	49	47	42	36	35	67	23
10:00	55.4	58	57	55	54	54	66	52	52.2	55	54	51	49	49	68	47
11:00	54.4	56	55	54	52	52	67	42	50.4	53	52	49	47	46	68	28
12:00	47.4	51	49	46	43	43	68	40	39.8	44	43	37	32	31	52	23
13:00	48.8	50	49	46	43	43	72	39	41.9	45	43	38	32	31	61	22
14:00	54.7	53	53	51	49	48	91	39	48.9	50	49	45	42	41	61	25
15:00	54.0	55	55	54	53	52	69	50	50.2	52	51	50	49	49	68	47
16:00	50.7	53	51	47	43	43	83	39	47.7	51	48	41	34	33	71	24
17:00	48.6	50	48	45	42	41	83	37	45.2	47	45	36	31	30	66	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.7	50	48	45	43	43	67	38	34.4	38	37	33	29	28	51	22
09:00	48.3	52	50	46	43	43	72	39	41.3	45	43	36	32	31	61	23
10:00	54.6	57	56	53	52	51	73	42	52.2	55	54	50	47	46	68	26
11:00	55.2	57	55	52	50	49	78	39	50.0	53	52	48	45	44	68	24
12:00	47.2	50	48	44	41	41	77	36	34.5	39	38	32	27	25	49	19
13:00	53.8	56	55	53	52	51	65	41	52.2	55	54	49	46	46	70	22
14:00	49.8	52	51	47	44	43	67	40	46.2	48	47	43	40	39	68	32
15:00	54.1	56	55	53	51	51	65	40	51.5	55	54	50	48	48	66	38
16:00	50.0	51	50	48	45	44	66	39	46.4	46	43	38	33	32	62	20
17:00	46.8	50	48	45	43	42	68	38	32.2	35	34	29	26	25	53	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/01/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.5	52	50	46	44	43	69	41	41.0	45	43	37	33	32	58	26
09:00	51.3	55	53	49	45	45	71	42	47.3	52	50	44	35	33	65	26
10:00	55.1	56	56	55	54	53	83	52	51.7	54	53	51	50	49	62	46
11:00	53.9	55	55	53	51	51	68	41	50.8	53	52	49	46	46	69	29
12:00	49.9	54	52	47	44	44	68	40	45.0	50	48	42	36	34	57	26
13:00	55.0	57	56	54	52	52	71	40	51.3	54	53	51	47	47	64	27
14:00	54.8	57	56	54	53	53	68	51	51.4	54	53	51	49	49	66	47
15:00	54.0	55	55	54	53	52	66	50	50.5	53	52	50	49	49	63	47
16:00	51.6	53	52	50	48	47	68	39	47.4	49	47	44	40	39	65	23
17:00	46.3	49	47	45	42	42	67	38	36.3	40	38	33	28	27	54	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/01/31 測定場所：岩槻区末田 会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.9	51	50	46	44	44	64	40	41.7	47	45	39	34	33	57	23
09:00	52.0	53	52	50	48	48	62	38	48.5	50	48	44	40	39	62	23
10:00	54.9	57	56	54	53	53	66	52	52.5	55	54	52	50	50	66	48
11:00	53.3	55	55	52	50	50	63	40	50.8	53	52	49	46	45	72	27
12:00	46.8	51	49	45	43	42	63	39	42.0	47	46	39	32	30	56	23
13:00	54.1	55	55	54	52	52	66	43	50.6	53	52	50	48	47	63	32
14:00	54.2	55	55	54	53	52	74	50	49.9	52	51	49	48	48	61	47
15:00	49.9	50	49	47	45	44	70	37	46.8	47	45	40	35	33	63	22
16:00	46.1	49	48	45	42	41	64	36	38.8	42	40	34	28	27	58	22
17:00	47.3	50	49	45	43	42	68	38	44.3	46	43	37	30	28	63	20