

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/01

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.8	50	48	44	42	41	82	39	29.9	34	33	28	24	23	40	18
09:00	44.0	47	46	43	40	40	68	36	29.9	34	33	28	24	23	47	18
10:00	50.1	53	50	44	41	40	72	37	35.6	40	39	33	28	26	49	18
11:00	44.7	48	47	43	41	40	65	36	38.4	43	41	35	30	28	54	19
12:00	44.5	48	46	43	40	40	67	36	36.3	41	39	33	27	25	48	16
13:00	42.4	46	44	41	39	38	65	34	32.6	37	35	28	23	22	47	15
14:00	41.5	45	43	40	37	37	62	34	27.7	32	31	25	21	20	44	15
15:00	45.2	46	44	40	38	37	73	33	26.5	31	29	24	20	20	40	16
16:00	44.6	48	46	43	40	40	62	37	25.8	30	28	24	20	19	48	16
17:00	43.8	46	45	43	41	41	69	38	25.3	30	29	23	20	20	41	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/02

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.9	52	51	47	45	44	68	41	39.1	43	41	35	31	30	57	23
09:00	64.9	55	54	52	50	50	98	41	50.6	51	49	44	41	41	67	22
10:00	54.7	57	56	54	53	53	67	50	52.9	55	54	52	51	51	66	49
11:00	54.3	57	55	52	51	50	71	38	51.9	53	52	50	48	47	67	22
12:00	45.5	49	48	44	40	39	62	35	32.6	37	35	30	25	24	49	18
13:00	54.2	57	56	54	51	51	66	40	52.2	54	53	52	49	48	64	27
14:00	56.5	59	57	54	53	53	77	50	53.5	55	55	53	52	51	72	50
15:00	54.9	57	56	54	52	52	77	45	52.7	55	54	52	50	50	65	40
16:00	50.8	55	54	49	46	45	65	41	46.8	51	49	42	37	35	65	23
17:00	48.4	52	50	46	43	42	69	38	43.5	45	43	36	30	28	64	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.6	52	50	48	46	46	68	41	34.4	39	37	32	28	28	52	24
09:00	53.5	55	54	51	50	49	68	43	47.6	44	43	40	37	36	57	25
10:00	56.7	58	57	56	55	55	67	52	52.1	53	53	52	51	51	59	50
11:00	54.7	56	55	54	53	53	69	47	50.9	51	51	49	47	46	57	26
12:00	52.4	55	54	51	49	49	71	46	33.0	37	35	32	29	28	47	25
13:00	54.1	56	55	53	51	51	68	46	50.3	51	51	48	43	41	61	27
14:00	50.6	53	52	49	46	46	68	43	31.8	36	35	30	27	26	44	22
15:00	49.6	53	51	48	45	45	69	41	33.4	37	35	31	27	26	51	22
16:00	50.6	53	52	49	47	46	69	43	32.0	36	34	30	26	25	51	22
17:00	52.1	54	53	50	48	47	71	44	42.4	45	43	36	29	28	64	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.9	56	54	51	49	48	75	45	35.3	39	38	33	30	29	51	26
09:00	57.1	59	58	56	54	54	82	46	51.3	52	51	49	47	47	63	25
10:00	54.3	57	55	53	51	51	68	45	49.8	50	48	44	41	40	63	26
11:00	48.5	51	50	48	46	46	68	43	33.5	38	36	31	27	26	51	23
12:00	48.2	50	49	47	45	44	72	42	32.8	37	36	30	26	25	49	20
13:00	57.5	62	60	56	53	53	71	45	53.3	56	55	53	49	48	65	26
14:00	59.9	65	63	56	52	51	79	48	50.6	55	54	48	43	41	65	33
15:00	60.5	65	64	57	53	52	76	48	51.4	56	55	50	44	42	67	33
16:00	59.9	65	63	57	54	54	78	48	54.4	57	56	53	50	49	65	36
17:00	59.4	64	62	56	52	51	75	47	50.2	55	53	48	43	41	61	34

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	62.2	67	65	58	54	53	80	48	53.1	57	56	51	46	45	64	37
09:00	64.5	70	68	61	55	54	83	48	54.5	59	58	53	47	46	67	33
10:00	58.8	64	62	55	50	49	79	45	51.5	56	55	49	44	42	66	31
11:00	55.0	60	58	52	48	47	73	42	48.6	53	52	47	41	39	61	29
12:00	50.7	55	53	48	45	44	73	41	46.3	50	49	44	38	36	58	27
13:00	54.7	57	56	54	51	51	79	41	54.4	57	56	54	51	50	67	34
14:00	56.5	59	58	55	54	54	76	51	54.5	56	56	54	53	53	66	51
15:00	52.6	56	55	51	48	47	68	43	50.3	52	51	47	41	40	63	27
16:00	53.8	56	55	52	49	49	74	42	52.9	54	53	49	44	43	67	23
17:00	49.3	53	51	47	45	44	70	42	39.6	45	43	36	31	29	53	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.5	54	52	47	45	44	73	40	37.6	41	39	33	30	29	56	23
09:00	52.5	54	53	52	50	49	66	43	50.2	46	45	41	36	36	64	26
10:00	54.8	56	56	55	54	54	64	52	53.9	56	55	54	53	52	66	51
11:00	52.9	55	54	51	50	49	71	40	51.9	52	52	50	46	46	63	23
12:00	45.4	48	47	44	42	41	66	39	32.3	37	35	30	26	25	52	22
13:00	49.6	54	51	46	44	43	70	40	39.8	45	42	36	32	31	57	25
14:00	48.9	52	50	45	43	42	69	40	35.8	40	38	32	28	27	54	23
15:00	51.3	52	51	49	46	46	66	38	51.1	49	47	43	39	38	63	23
16:00	48.4	50	49	46	43	42	67	39	44.7	42	40	35	30	29	62	22
17:00	47.3	51	49	45	43	42	68	40	33.9	38	36	30	26	26	53	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.0	52	50	47	45	45	73	42	38.8	43	41	36	31	30	57	23
09:00	55.0	57	56	55	53	52	74	45	53.6	55	55	53	51	51	64	38
10:00	54.8	58	56	53	51	51	68	44	52.6	55	53	49	46	45	63	26
11:00	52.6	57	55	50	47	47	69	43	48.7	53	51	45	36	34	65	22
12:00	52.1	56	55	50	47	46	72	42	45.7	51	49	43	35	33	59	22
13:00	55.2	58	57	54	53	52	67	46	53.6	56	55	53	51	51	67	36
14:00	49.9	53	52	48	45	45	70	42	44.4	48	47	39	32	31	58	23
15:00	47.9	52	50	46	44	43	64	40	38.8	44	42	35	28	26	56	21
16:00	47.0	50	49	46	43	43	71	39	38.2	42	40	34	28	27	58	19
17:00	48.1	51	49	46	44	43	67	39	41.8	44	42	35	30	29	58	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	54.0	58	56	48	44	44	72	40	45.1	50	49	43	35	34	57	24
09:00	52.7	57	55	49	46	45	75	42	46.2	51	50	43	36	34	61	22
10:00	51.6	57	54	49	45	45	70	42	45.4	51	49	42	34	33	59	24
11:00	53.1	58	56	49	46	45	73	41	45.8	51	49	43	34	31	57	20
12:00	52.9	57	55	49	45	44	77	41	45.9	51	49	43	34	32	63	22
13:00	48.1	52	50	45	43	42	66	37	41.2	46	44	36	27	25	56	15
14:00	47.0	51	50	45	42	41	67	37	41.4	46	44	37	29	27	55	16
15:00	46.5	51	49	44	41	40	68	35	40.9	46	45	38	31	29	54	22
16:00	46.1	50	49	44	42	41	60	38	40.5	45	44	38	32	31	52	24
17:00	46.3	50	49	44	41	41	63	37	41.1	46	44	38	32	31	54	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.4	51	49	46	44	42	71	39	34.5	39	37	32	27	26	54	22
09:00	52.8	54	53	51	50	50	68	45	51.5	48	47	43	39	38	69	24
10:00	54.1	55	53	51	49	49	72	37	52.7	52	51	48	46	46	62	22
11:00	47.6	51	49	44	41	41	76	36	42.1	44	42	34	28	27	62	21
12:00	46.6	49	47	43	40	39	70	36	32.6	38	36	30	25	23	48	17
13:00	52.8	55	54	52	50	50	62	39	52.6	55	54	51	50	49	67	24
14:00	53.2	55	54	53	52	52	69	50	53.6	55	54	53	52	52	76	51
15:00	53.5	55	54	53	52	52	73	49	53.9	56	55	53	52	52	68	51
16:00	54.6	57	55	54	53	52	71	45	54.7	57	56	54	53	52	71	44
17:00	48.3	51	50	46	43	43	69	39	45.9	50	48	41	34	32	66	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.7	55	53	51	49	48	71	45	39.1	44	41	36	33	32	58	26
09:00	55.1	57	56	54	53	52	68	46	50.0	49	48	46	44	43	55	29
10:00	55.3	57	56	55	54	54	69	52	52.4	53	53	52	52	51	63	50
11:00	53.3	54	54	52	50	50	67	45	49.6	47	46	44	42	41	59	30
12:00	53.6	53	52	48	46	45	82	41	35.1	39	38	33	30	29	49	23
13:00	54.1	56	55	54	52	51	69	42	51.6	53	53	51	48	47	61	24
14:00	47.8	51	50	46	43	43	71	39	37.0	40	38	33	29	28	53	20
15:00	47.6	51	50	46	43	42	66	37	40.3	43	41	34	29	28	56	20
16:00	46.4	50	48	45	42	42	64	39	37.3	38	37	31	25	24	58	19
17:00	48.8	52	50	46	44	43	70	39	41.6	43	41	34	29	27	61	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	47	45	44	66	40	33.6	38	36	31	26	25	52	20
09:00	54.4	56	55	53	51	50	73	42	53.6	57	56	51	43	43	70	25
10:00	55.3	57	56	55	54	53	75	51	53.8	56	55	53	52	52	63	51
11:00	52.6	53	52	49	47	47	71	38	52.1	51	50	45	41	39	69	21
12:00	44.7	47	46	43	40	39	71	37	31.7	37	35	29	24	23	47	17
13:00	53.4	55	55	52	50	49	68	40	52.8	55	54	51	47	46	68	23
14:00	48.5	52	50	45	42	41	68	37	46.0	47	45	36	30	28	66	20
15:00	48.8	53	51	46	43	42	69	38	42.0	47	45	39	32	30	57	23
16:00	46.0	49	47	44	41	41	72	37	41.2	43	41	35	28	27	65	20
17:00	48.3	51	49	46	43	42	72	39	49.6	51	49	41	32	30	67	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	49	47	44	44	68	39	43.7	45	43	36	29	27	67	22
09:00	54.5	56	55	54	52	51	70	43	53.3	55	54	50	48	47	65	26
10:00	55.9	59	56	54	53	53	74	51	53.3	55	55	53	52	52	63	50
11:00	52.7	54	53	51	49	48	68	38	51.3	51	51	47	43	43	66	21
12:00	44.4	47	46	43	40	40	68	37	34.2	38	36	30	25	24	62	17
13:00	53.5	55	55	53	51	51	69	39	53.2	55	55	53	49	48	66	26
14:00	49.0	50	49	47	43	43	68	38	47.7	47	46	41	34	32	65	20
15:00	45.2	49	47	43	41	40	63	35	34.8	39	37	32	27	26	52	22
16:00	47.6	51	50	46	44	43	66	40	47.4	50	48	39	31	30	70	22
17:00	48.3	51	50	46	44	43	70	39	47.5	45	43	36	32	30	65	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	50	49	46	43	42	71	39	36.3	41	38	33	29	28	54	23
09:00	53.0	54	53	52	50	50	70	43	50.7	47	46	43	38	38	65	24
10:00	55.5	57	56	54	53	53	75	50	52.9	54	54	53	52	52	63	50
11:00	51.7	53	52	50	48	48	68	38	51.3	51	51	48	44	43	63	22
12:00	45.3	49	47	44	41	40	66	36	33.1	38	36	31	25	24	48	18
13:00	46.7	50	48	44	42	41	67	37	39.4	43	41	36	33	32	64	24
14:00	49.7	52	51	46	43	43	66	38	46.5	49	47	39	34	33	62	23
15:00	53.7	55	55	53	53	52	66	50	53.9	57	56	53	50	50	67	47
16:00	53.4	55	54	53	51	51	73	42	52.1	55	54	51	49	48	67	39
17:00	48.1	51	49	45	42	42	69	39	35.9	40	37	32	27	26	62	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.0	49	48	44	42	41	67	37	36.2	41	38	31	26	25	57	18
09:00	53.0	54	52	50	46	45	77	38	49.5	50	49	42	36	35	67	20
10:00	53.6	55	54	53	53	52	71	50	51.3	54	53	50	48	48	63	46
11:00	52.6	54	53	51	48	48	69	36	51.2	53	52	47	40	39	64	16
12:00	43.7	47	46	42	40	39	64	36	31.3	36	34	28	23	22	51	17
13:00	52.6	53	53	52	50	49	64	36	49.9	51	50	47	45	44	63	18
14:00	51.0	52	51	48	46	46	66	36	49.5	51	49	43	38	38	64	21
15:00	49.5	50	49	46	43	42	65	36	47.7	48	46	40	34	32	64	21
16:00	53.0	55	54	51	48	48	69	41	51.6	54	53	49	44	44	63	29
17:00	45.7	48	47	44	42	41	64	37	40.5	43	40	34	27	26	62	19

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/15

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.0	46	45	42	39	38	74	34	27.5	33	30	24	19	19	47	14
09:00	44.4	47	46	42	38	37	70	34	26.6	31	30	24	20	19	39	14
10:00	43.2	47	45	41	38	38	69	34	28.2	33	31	25	21	20	45	14
11:00	42.6	46	44	41	37	37	68	34	28.1	33	31	25	21	20	43	15
12:00	41.9	46	44	40	37	36	63	34	29.2	34	32	27	21	20	43	13
13:00	44.2	46	44	39	36	35	65	32	28.8	34	32	24	19	18	46	13
14:00	42.4	46	44	40	37	36	68	33	36.9	37	33	26	21	20	66	14
15:00	42.4	45	43	39	36	35	68	31	27.5	32	31	24	20	19	47	14
16:00	42.2	46	44	41	37	37	67	33	27.1	32	30	24	20	19	45	12
17:00	43.4	46	45	42	39	38	63	34	28.5	32	30	24	20	19	53	14

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/16

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	49	45	43	43	66	39	35.8	40	37	32	28	26	60	21
09:00	45.5	48	47	44	41	40	67	37	33.3	38	36	31	26	25	49	20
10:00	46.0	49	47	43	41	40	71	36	36.0	41	39	33	27	26	57	22
11:00	48.5	49	47	43	40	39	75	36	34.5	39	37	31	26	24	54	19
12:00	43.4	45	45	41	39	38	69	35	32.5	37	35	30	24	23	49	17
13:00	52.2	54	53	50	48	47	64	38	50.1	50	49	45	41	40	67	22
14:00	50.6	53	51	48	44	43	73	37	45.5	45	42	35	29	29	67	22
15:00	54.0	56	55	54	53	52	73	50	54.1	57	56	53	50	49	68	47
16:00	50.3	53	51	47	45	44	70	40	50.0	51	49	43	38	37	69	24
17:00	48.9	51	49	46	44	43	76	39	42.8	44	41	35	30	29	68	18

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.3	49	48	44	42	41	67	37	33.4	38	36	31	27	25	48	22
09:00	54.4	56	55	54	52	51	70	42	51.2	54	53	50	47	47	63	36
10:00	49.6	52	50	47	44	43	69	38	46.6	47	45	39	35	34	62	21
11:00	52.1	54	54	51	48	48	61	39	49.5	52	51	49	45	44	61	27
12:00	45.0	48	46	42	39	39	69	36	34.2	39	37	30	25	25	50	19
13:00	51.6	52	52	50	47	47	62	38	51.0	52	51	47	42	40	64	20
14:00	52.2	54	52	48	45	44	73	38	48.5	48	47	42	36	34	64	19
15:00	47.2	50	49	46	43	43	68	38	41.8	46	44	38	33	31	58	21
16:00	48.6	52	51	47	45	44	70	42	46.5	50	48	41	34	32	70	23
17:00	47.9	51	49	45	43	43	71	39	42.1	44	41	35	30	28	65	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.9	49	48	44	42	42	68	39	36.1	40	38	33	28	27	53	22
09:00	51.8	53	51	49	45	44	69	38	49.6	49	47	42	36	35	69	22
10:00	52.2	54	53	50	49	48	73	40	49.7	52	51	47	46	46	66	38
11:00	50.8	51	51	49	46	46	70	38	49.1	49	48	45	43	42	69	22
12:00	45.3	48	46	43	40	40	68	36	38.3	40	38	32	26	25	63	20
13:00	53.2	55	54	52	50	50	65	40	52.3	54	53	50	46	46	63	24
14:00	53.8	55	55	54	53	52	64	50	53.0	55	54	53	52	51	66	50
15:00	53.8	55	55	54	53	52	67	50	52.9	55	54	52	51	51	65	50
16:00	54.2	56	55	54	52	51	71	44	55.2	58	57	53	51	50	74	40
17:00	47.8	51	50	46	44	43	66	39	46.0	48	46	37	30	29	70	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/03/19

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.6	50	49	46	45	44	69	41	36.6	40	39	33	30	29	54	23
09:00	47.2	50	49	46	44	43	69	41	36.2	40	39	34	29	28	53	23
10:00	47.5	51	50	46	43	43	67	39	37.7	42	40	34	29	28	54	21
11:00	46.7	50	48	45	43	42	73	39	36.9	40	39	33	28	27	62	18
12:00	47.2	49	47	44	42	41	73	37	35.5	38	36	29	25	23	63	17
13:00	53.8	55	55	53	52	51	63	39	52.4	56	55	50	48	46	64	18
14:00	54.6	57	56	54	53	53	69	50	52.4	55	54	52	50	50	66	48
15:00	49.4	52	51	47	44	44	71	40	42.8	46	45	39	33	31	59	23
16:00	47.7	51	49	46	44	44	69	40	40.8	45	43	38	33	32	58	23
17:00	49.7	53	51	47	45	45	70	42	43.4	48	46	40	35	34	65	28

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/03/20

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	46	43	42	68	38	29.6	34	33	27	23	22	46	18
09:00	48.0	51	50	46	43	42	67	39	30.0	34	33	28	25	24	42	20
10:00	47.4	50	49	46	43	43	64	39	31.0	35	34	29	25	25	43	21
11:00	49.0	53	51	47	43	42	71	39	29.8	34	32	27	24	23	47	19
12:00	46.0	49	48	45	42	42	68	39	28.9	33	31	27	23	22	45	18
13:00	45.5	48	47	44	41	41	69	38	31.7	37	35	29	24	23	45	19
14:00	45.4	48	47	44	41	40	67	38	29.1	34	32	27	23	22	47	17
15:00	45.0	48	47	44	41	40	65	36	26.7	32	30	24	20	19	42	14
16:00	45.3	48	47	44	41	40	68	36	26.7	31	30	25	21	20	45	16
17:00	45.9	48	47	44	41	40	69	36	25.9	31	29	24	20	19	39	15

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/21

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.5	53	51	48	46	46	67	42	42.7	47	46	40	35	33	59	25
09:00	56.1	58	57	55	52	52	66	41	51.5	54	53	48	45	44	62	30
10:00	54.3	56	55	54	53	53	68	50	52.6	55	54	52	50	50	63	48
11:00	53.3	55	55	52	51	51	66	40	51.1	54	53	50	48	47	66	32
12:00	49.7	51	48	44	41	40	80	36	40.3	44	43	36	31	30	59	20
13:00	49.5	50	48	44	42	41	80	37	41.2	46	44	39	34	32	54	23
14:00	44.1	48	46	43	40	39	62	35	39.0	44	42	36	30	29	57	21
15:00	45.3	49	47	43	40	39	68	34	47.9	50	48	41	31	29	71	20
16:00	44.9	48	47	43	41	40	65	36	42.8	45	44	38	30	29	65	20
17:00	47.0	50	48	45	43	42	75	38	44.5	45	43	39	33	31	73	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/22

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	42.9	46	44	41	39	38	68	35	26.1	31	29	23	20	19	42	16
09:00	43.2	46	44	41	38	38	71	34	26.7	31	30	24	20	19	45	14
10:00	43.6	46	45	41	38	37	68	34	26.4	31	29	23	19	18	45	14
11:00	42.3	45	44	40	38	37	70	34	27.0	32	30	24	20	19	42	15
12:00	41.7	44	43	40	37	37	68	33	29.6	35	33	26	21	20	48	14
13:00	41.1	44	43	40	37	36	64	34	30.1	35	34	26	21	20	47	15
14:00	41.6	45	43	40	37	36	63	33	29.3	34	32	26	20	19	45	15
15:00	42.2	46	44	40	37	36	65	32	27.6	32	31	25	20	19	46	14
16:00	45.1	48	46	43	41	40	66	37	29.8	34	33	27	22	21	46	17
17:00	45.2	48	47	43	41	40	70	36	28.2	33	31	26	22	21	43	16

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	48	46	44	43	69	40	40.2	45	42	35	30	28	57	22
09:00	54.1	56	55	53	52	51	68	40	52.6	54	53	50	47	47	66	25
10:00	53.6	55	54	53	52	52	68	50	53.5	56	55	53	51	50	67	48
11:00	51.1	52	51	48	47	46	67	38	50.5	47	46	42	40	39	65	21
12:00	43.0	46	45	42	39	38	67	35	32.4	37	35	29	24	23	52	19
13:00	49.1	50	48	44	40	40	71	38	43.9	43	41	35	28	27	61	20
14:00	53.2	54	54	53	52	52	65	49	53.1	56	55	53	51	51	63	49
15:00	52.6	54	54	52	52	51	67	49	53.5	55	55	53	52	52	66	51
16:00	53.8	55	54	53	50	49	72	40	53.2	55	54	50	47	46	68	25
17:00	48.8	51	49	44	42	41	84	37	44.5	48	46	34	28	26	66	19

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/03/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	50	46	44	44	65	40	40.3	45	43	38	33	31	56	23
09:00	51.9	53	52	49	46	45	71	37	52.0	50	48	43	39	38	65	20
10:00	53.8	55	55	54	53	52	70	49	53.9	57	56	53	51	51	65	49
11:00	53.2	55	54	52	51	50	66	39	53.0	55	55	51	49	49	69	38
12:00	42.9	46	45	41	38	38	68	35	34.6	40	38	31	25	24	49	17
13:00	53.0	54	54	53	50	50	65	40	52.9	56	55	52	50	49	66	38
14:00	52.3	54	53	52	51	51	67	49	53.5	56	55	53	52	52	64	51
15:00	47.5	50	48	45	42	41	68	36	46.3	45	43	38	32	31	67	21
16:00	48.6	52	50	47	45	44	67	41	43.7	48	47	41	36	34	59	22
17:00	48.7	52	50	46	44	44	71	41	42.8	48	46	39	33	32	59	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/25

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	49	45	43	43	66	40	41.5	46	43	37	32	31	61	24
09:00	51.7	54	53	50	48	47	63	39	51.1	54	53	47	42	40	67	22
10:00	55.0	57	56	54	53	52	73	50	54.3	58	57	53	50	50	68	47
11:00	52.3	55	53	50	49	49	63	39	51.9	52	51	47	45	44	67	19
12:00	47.6	50	49	43	40	39	67	36	31.1	36	35	28	23	22	46	18
13:00	53.5	55	54	53	51	50	68	38	52.9	56	55	52	49	48	65	25
14:00	53.2	55	54	53	52	52	69	50	52.2	54	53	52	51	51	62	50
15:00	54.0	55	55	54	53	52	69	50	53.0	55	54	52	52	52	65	50
16:00	54.0	55	55	54	53	52	70	50	53.3	55	54	53	52	52	67	51
17:00	50.5	53	52	48	46	45	68	41	42.4	44	43	36	31	30	63	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/26

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.7	54	52	50	48	47	79	45	40.1	44	42	37	33	33	58	27
09:00	53.4	55	55	52	50	49	68	45	50.3	50	49	42	39	39	62	26
10:00	54.6	56	56	54	53	53	65	51	52.5	53	53	52	52	52	58	50
11:00	53.0	54	54	51	50	49	69	42	49.9	50	48	44	42	41	60	21
12:00	48.4	52	50	47	44	44	66	40	31.2	36	34	29	24	23	46	19
13:00	52.6	54	53	51	47	46	70	40	48.7	48	47	46	37	36	60	21
14:00	47.6	50	49	46	44	43	68	40	34.0	37	35	31	27	26	57	19
15:00	49.2	52	50	46	43	42	72	39	33.7	38	36	30	26	25	54	19
16:00	51.1	53	50	46	44	43	75	41	33.5	38	36	31	26	25	53	19
17:00	48.6	51	50	47	44	44	75	41	37.9	42	40	34	29	28	55	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/27

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	43	71	39	39.0	43	41	34	29	28	58	20
09:00	49.6	51	50	47	44	44	72	37	47.4	44	42	36	31	30	63	20
10:00	52.3	54	52	49	46	46	68	39	50.3	49	47	43	38	37	66	21
11:00	45.7	49	47	44	42	41	66	38	37.4	42	39	32	26	25	60	19
12:00	46.8	50	48	44	41	41	69	38	35.2	40	38	33	27	26	51	20
13:00	51.4	54	52	47	45	44	73	39	38.8	44	42	36	31	30	56	22
14:00	54.9	59	57	53	50	50	71	43	49.6	49	48	43	38	37	63	23
15:00	57.1	59	59	56	55	54	66	50	54.0	57	56	53	52	52	66	50
16:00	50.9	54	52	49	47	46	68	42	47.9	51	50	45	39	38	64	29
17:00	48.6	52	50	47	44	44	66	40	43.3	48	46	40	34	33	58	25

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/28

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	51	50	47	44	44	82	39	39.1	44	41	33	27	26	63	22
09:00	52.5	53	51	48	44	43	72	38	46.2	45	43	36	31	29	61	20
10:00	53.9	56	55	54	53	52	67	50	52.1	54	54	51	50	50	62	48
11:00	52.7	54	53	51	49	48	73	35	51.3	52	51	48	45	44	68	19
12:00	43.1	47	46	42	38	37	61	34	30.6	36	34	28	23	21	45	16
13:00	51.2	54	53	49	45	43	67	34	50.1	53	51	47	40	38	70	17
14:00	46.8	50	49	45	42	42	65	37	44.0	48	46	38	33	32	67	28
15:00	51.8	53	52	49	48	47	76	35	50.4	51	50	45	42	41	64	18
16:00	53.1	55	54	52	51	51	70	43	51.9	54	53	51	49	48	64	32
17:00	47.4	51	49	46	43	42	64	38	41.2	44	42	35	26	24	59	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	48	47	44	40	40	66	36	26.0	30	29	24	20	19	41	15
09:00	44.6	48	46	43	40	39	65	35	26.2	31	29	24	20	19	41	15
10:00	43.2	46	45	42	39	38	71	34	26.2	31	29	23	20	19	44	14
11:00	42.7	46	45	41	38	37	65	34	30.6	33	31	24	19	18	56	14
12:00	45.7	47	45	41	37	36	73	33	26.6	31	29	24	19	18	42	14
13:00	43.9	46	44	41	37	37	71	33	26.7	31	29	24	20	19	47	14
14:00	42.9	45	44	41	38	37	74	33	26.8	32	30	25	21	19	41	14
15:00	42.7	46	45	41	37	36	62	32	26.6	31	29	24	20	19	45	13
16:00	44.8	49	47	43	40	40	69	36	28.6	33	32	26	21	20	46	16
17:00	44.6	48	47	44	41	41	64	38	26.8	31	30	24	20	20	43	16

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	48	46	44	43	69	40	40.2	45	42	35	30	28	57	22
09:00	54.1	56	55	53	52	51	68	40	52.6	54	53	50	47	47	66	25
10:00	53.6	55	54	53	52	52	68	50	53.5	56	55	53	51	50	67	48
11:00	51.1	52	51	48	47	46	67	38	50.5	47	46	42	40	39	65	21
12:00	43.0	46	45	42	39	38	67	35	32.4	37	35	29	24	23	52	19
13:00	49.1	50	48	44	40	40	71	38	43.9	43	41	35	28	27	61	20
14:00	53.2	54	54	53	52	52	65	49	53.1	56	55	53	51	51	63	49
15:00	52.6	54	54	52	52	51	67	49	53.5	55	55	53	52	52	66	51
16:00	53.8	55	54	53	50	49	72	40	53.2	55	54	50	47	46	68	25
17:00	48.8	51	49	44	42	41	84	37	44.5	48	46	34	28	26	66	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/03/31

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.0	51	50	46	44	43	71	39	39.0	43	41	34	29	28	58	20
09:00	49.6	51	50	47	44	44	72	37	47.4	44	42	36	31	30	63	20
10:00	52.3	54	52	49	46	46	68	39	50.3	49	47	43	38	37	66	21
11:00	45.7	49	47	44	42	41	66	38	37.4	42	39	32	26	25	60	19
12:00	46.8	50	48	44	41	41	69	38	35.2	40	38	33	27	26	51	20
13:00	51.4	54	52	47	45	44	73	39	38.8	44	42	36	31	30	56	22
14:00	54.9	59	57	53	50	50	71	43	49.6	49	48	43	38	37	63	23
15:00	57.1	59	59	56	55	54	66	50	54.0	57	56	53	52	52	66	50
16:00	50.9	54	52	49	47	46	68	42	47.9	51	50	45	39	38	64	29
17:00	48.6	52	50	47	44	44	66	40	43.3	48	46	40	34	33	58	25