

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 57.0 | 59 | 58 | 56 | 55 | 54 | 70 | 51 | 41.3 | 44 | 43 | 39 | 36 | 35 | 61 | 31 |
| 09:00 | 54.0 | 57 | 56 | 53 | 50 | 50 | 68 | 43 | 38.4 | 41 | 40 | 36 | 32 | 31 | 57 | 26 |
| 10:00 | 52.9 | 55 | 54 | 52 | 50 | 50 | 73 | 46 | 40.0 | 42 | 41 | 34 | 31 | 31 | 56 | 28 |
| 11:00 | 55.1 | 57 | 56 | 53 | 51 | 50 | 72 | 42 | 52.1 | 50 | 49 | 44 | 40 | 40 | 60 | 28 |
| 12:00 | 50.7 | 54 | 52 | 48 | 45 | 44 | 71 | 39 | 32.8 | 36 | 35 | 31 | 29 | 29 | 45 | 25 |
| 13:00 | 56.3 | 58 | 58 | 56 | 53 | 53 | 67 | 40 | 54.4 | 55 | 55 | 55 | 50 | 50 | 58 | 26 |
| 14:00 | 52.8 | 54 | 53 | 49 | 47 | 46 | 66 | 37 | 49.9 | 49 | 48 | 44 | 40 | 37 | 58 | 25 |
| 15:00 | 53.1 | 53 | 52 | 50 | 47 | 46 | 69 | 40 | 50.7 | 49 | 47 | 41 | 35 | 35 | 60 | 23 |
| 16:00 | 56.5 | 58 | 57 | 55 | 54 | 54 | 68 | 43 | 54.1 | 55 | 54 | 52 | 52 | 51 | 61 | 32 |
| 17:00 | 49.0 | 52 | 50 | 47 | 45 | 45 | 69 | 41 | 38.7 | 43 | 41 | 33 | 27 | 27 | 59 | 22 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 47.4 | 51 | 49 | 45 | 43 | 43 | 68 | 39 | 40.2 | 43 | 42 | 35 | 30 | 29 | 61 | 22 |
| 09:00 | 56.1 | 58 | 57 | 56 | 54 | 53 | 72 | 42 | 54.9 | 56 | 56 | 55 | 52 | 52 | 64 | 33 |
| 10:00 | 53.3 | 54 | 53 | 51 | 48 | 47 | 63 | 40 | 51.9 | 50 | 48 | 45 | 40 | 38 | 62 | 21 |
| 11:00 | 52.5 | 56 | 54 | 49 | 46 | 46 | 79 | 42 | 43.2 | 48 | 46 | 39 | 32 | 30 | 59 | 22 |
| 12:00 | 51.9 | 55 | 54 | 50 | 47 | 46 | 70 | 42 | 44.7 | 50 | 48 | 41 | 34 | 32 | 57 | 22 |
| 13:00 | 56.5 | 58 | 58 | 56 | 54 | 54 | 68 | 45 | 54.3 | 56 | 56 | 54 | 51 | 51 | 63 | 30 |
| 14:00 | 53.3 | 55 | 54 | 51 | 49 | 48 | 64 | 42 | 50.5 | 50 | 49 | 43 | 39 | 38 | 63 | 24 |
| 15:00 | 48.3 | 51 | 50 | 47 | 45 | 44 | 64 | 39 | 43.0 | 46 | 44 | 38 | 32 | 31 | 60 | 22 |
| 16:00 | 47.1 | 50 | 49 | 46 | 44 | 43 | 64 | 39 | 40.3 | 41 | 39 | 32 | 26 | 25 | 57 | 19 |
| 17:00 | 47.6 | 51 | 49 | 46 | 44 | 43 | 65 | 39 | 39.1 | 42 | 39 | 32 | 26 | 24 | 58 | 19 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 47.4 | 51 | 49 | 45 | 42 | 41 | 66 | 38 | 27.4 | 32 | 30 | 26 | 23 | 22 | 43 | 19 |
| 09:00 | 47.9 | 53 | 50 | 45 | 42 | 42 | 69 | 39 | 27.3 | 31 | 30 | 25 | 23 | 22 | 42 | 20 |
| 10:00 | 46.0 | 50 | 47 | 43 | 40 | 39 | 69 | 35 | 28.3 | 32 | 31 | 26 | 23 | 23 | 45 | 19 |
| 11:00 | 43.4 | 47 | 45 | 41 | 39 | 38 | 64 | 35 | 28.4 | 33 | 31 | 26 | 23 | 22 | 46 | 19 |
| 12:00 | 43.7 | 46 | 45 | 42 | 39 | 38 | 67 | 36 | 31.8 | 36 | 34 | 28 | 23 | 22 | 53 | 17 |
| 13:00 | 43.1 | 46 | 45 | 42 | 40 | 39 | 65 | 36 | 33.6 | 39 | 36 | 29 | 24 | 23 | 54 | 19 |
| 14:00 | 61.0 | 59 | 57 | 50 | 45 | 44 | 83 | 38 | 41.0 | 46 | 44 | 35 | 28 | 27 | 64 | 20 |
| 15:00 | 54.1 | 57 | 56 | 52 | 49 | 48 | 75 | 44 | 44.4 | 50 | 47 | 39 | 31 | 30 | 67 | 24 |
| 16:00 | 49.3 | 53 | 51 | 48 | 45 | 45 | 66 | 42 | 40.4 | 46 | 44 | 36 | 29 | 28 | 58 | 22 |
| 17:00 | 48.1 | 52 | 50 | 46 | 44 | 44 | 68 | 42 | 45.2 | 46 | 43 | 35 | 28 | 27 | 80 | 23 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 48.7 | 49 | 47 | 44 | 42 | 41 | 78 | 39 | 27.8 | 32 | 30 | 26 | 24 | 23 | 44 | 21 |
| 09:00 | 44.9 | 48 | 46 | 43 | 41 | 41 | 62 | 38 | 28.5 | 32 | 31 | 27 | 25 | 24 | 42 | 22 |
| 10:00 | 43.9 | 47 | 45 | 42 | 40 | 39 | 71 | 37 | 27.9 | 32 | 30 | 26 | 24 | 24 | 39 | 20 |
| 11:00 | 42.5 | 46 | 44 | 41 | 39 | 38 | 63 | 36 | 28.2 | 32 | 31 | 26 | 24 | 23 | 45 | 20 |
| 12:00 | 43.1 | 46 | 45 | 42 | 39 | 39 | 65 | 36 | 28.0 | 32 | 31 | 26 | 23 | 22 | 41 | 19 |
| 13:00 | 44.9 | 47 | 45 | 42 | 40 | 40 | 71 | 37 | 30.7 | 35 | 33 | 28 | 25 | 24 | 48 | 22 |
| 14:00 | 46.5 | 50 | 48 | 44 | 42 | 42 | 68 | 39 | 36.5 | 42 | 40 | 33 | 28 | 27 | 53 | 22 |
| 15:00 | 46.9 | 50 | 48 | 44 | 43 | 42 | 71 | 40 | 35.9 | 41 | 39 | 31 | 27 | 26 | 50 | 23 |
| 16:00 | 45.0 | 49 | 47 | 43 | 41 | 40 | 69 | 35 | 35.7 | 38 | 37 | 30 | 26 | 25 | 53 | 19 |
| 17:00 | 47.8 | 51 | 49 | 46 | 43 | 43 | 69 | 38 | 36.6 | 39 | 37 | 30 | 24 | 23 | 54 | 18 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/05

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 47.2 | 51 | 50 | 46 | 43 | 42 | 65 | 38 | 41.1 | 46 | 44 | 38 | 31 | 30 | 54 | 23 |
| 09:00 | 47.7 | 51 | 50 | 45 | 43 | 42 | 70 | 38 | 39.6 | 45 | 43 | 36 | 28 | 26 | 53 | 20 |
| 10:00 | 46.7 | 51 | 49 | 45 | 43 | 42 | 65 | 38 | 34.3 | 40 | 37 | 31 | 25 | 24 | 51 | 18 |
| 11:00 | 44.2 | 47 | 46 | 43 | 40 | 40 | 68 | 37 | 30.8 | 35 | 33 | 27 | 22 | 21 | 48 | 16 |
| 12:00 | 44.7 | 47 | 45 | 41 | 38 | 37 | 68 | 35 | 30.2 | 35 | 33 | 26 | 21 | 20 | 48 | 15 |
| 13:00 | 42.4 | 45 | 44 | 40 | 36 | 36 | 63 | 32 | 31.1 | 36 | 33 | 27 | 21 | 20 | 51 | 16 |
| 14:00 | 41.6 | 45 | 44 | 39 | 37 | 36 | 65 | 33 | 31.0 | 36 | 34 | 26 | 21 | 20 | 52 | 16 |
| 15:00 | 44.3 | 47 | 46 | 42 | 39 | 38 | 67 | 34 | 37.1 | 42 | 39 | 31 | 25 | 23 | 62 | 18 |
| 16:00 | 45.1 | 49 | 47 | 42 | 40 | 39 | 65 | 36 | 33.8 | 39 | 37 | 30 | 25 | 24 | 51 | 19 |
| 17:00 | 47.1 | 50 | 47 | 43 | 41 | 40 | 74 | 38 | 35.5 | 41 | 38 | 29 | 24 | 22 | 56 | 18 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/06

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 44.8 | 49 | 46 | 42 | 40 | 39 | 68 | 37 | 27.9 | 32 | 31 | 26 | 23 | 22 | 45 | 19 |
| 09:00 | 44.4 | 48 | 46 | 42 | 39 | 39 | 68 | 37 | 28.0 | 32 | 31 | 26 | 23 | 22 | 45 | 19 |
| 10:00 | 43.5 | 46 | 45 | 41 | 39 | 38 | 67 | 35 | 28.5 | 33 | 31 | 26 | 22 | 22 | 51 | 19 |
| 11:00 | 42.7 | 46 | 45 | 41 | 38 | 38 | 63 | 35 | 29.6 | 34 | 33 | 27 | 23 | 22 | 45 | 18 |
| 12:00 | 43.7 | 47 | 45 | 41 | 39 | 38 | 63 | 35 | 29.8 | 34 | 32 | 26 | 21 | 21 | 51 | 16 |
| 13:00 | 44.6 | 48 | 46 | 42 | 40 | 39 | 64 | 36 | 31.1 | 35 | 33 | 28 | 24 | 23 | 49 | 19 |
| 14:00 | 45.0 | 47 | 45 | 43 | 41 | 40 | 72 | 38 | 34.0 | 40 | 37 | 30 | 25 | 24 | 49 | 19 |
| 15:00 | 46.0 | 49 | 47 | 43 | 41 | 41 | 69 | 38 | 34.6 | 40 | 38 | 29 | 24 | 23 | 52 | 20 |
| 16:00 | 44.9 | 48 | 47 | 43 | 41 | 40 | 68 | 38 | 31.5 | 36 | 34 | 28 | 24 | 24 | 48 | 19 |
| 17:00 | 46.1 | 49 | 47 | 43 | 41 | 41 | 71 | 38 | 31.6 | 36 | 34 | 28 | 24 | 23 | 55 | 19 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.1 | 50 | 48 | 44 | 42 | 41 | 69 | 39 | 41.3 | 47 | 44 | 37 | 31 | 30 | 57 | 23 |
| 09:00 | 48.4 | 51 | 49 | 45 | 41 | 40 | 70 | 37 | 36.9 | 41 | 39 | 32 | 27 | 26 | 59 | 20 |
| 10:00 | 57.9 | 61 | 60 | 57 | 55 | 55 | 69 | 53 | 55.7 | 57 | 57 | 55 | 55 | 55 | 65 | 53 |
| 11:00 | 56.1 | 58 | 57 | 54 | 52 | 52 | 70 | 39 | 54.8 | 56 | 56 | 53 | 52 | 51 | 64 | 22 |
| 12:00 | 45.5 | 49 | 47 | 44 | 42 | 41 | 62 | 39 | 37.0 | 42 | 40 | 33 | 28 | 27 | 53 | 22 |
| 13:00 | 55.2 | 57 | 56 | 55 | 52 | 52 | 64 | 40 | 55.2 | 57 | 56 | 55 | 50 | 50 | 62 | 23 |
| 14:00 | 58.8 | 64 | 62 | 57 | 51 | 50 | 73 | 44 | 50.6 | 48 | 47 | 43 | 39 | 38 | 62 | 28 |
| 15:00 | 60.1 | 64 | 63 | 58 | 55 | 54 | 75 | 45 | 54.5 | 56 | 56 | 54 | 51 | 51 | 61 | 29 |
| 16:00 | 55.2 | 57 | 56 | 54 | 53 | 53 | 70 | 43 | 54.3 | 56 | 55 | 53 | 52 | 52 | 63 | 40 |
| 17:00 | 47.9 | 51 | 49 | 45 | 43 | 42 | 70 | 39 | 39.7 | 44 | 42 | 36 | 31 | 30 | 58 | 23 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 47.9 | 52 | 50 | 47 | 44 | 43 | 69 | 39 | 39.8 | 44 | 42 | 36 | 32 | 30 | 56 | 22 |
| 09:00 | 54.8 | 54 | 53 | 52 | 49 | 48 | 85 | 36 | 53.4 | 50 | 49 | 47 | 43 | 42 | 68 | 22 |
| 10:00 | 54.6 | 56 | 56 | 54 | 50 | 49 | 67 | 40 | 53.7 | 56 | 54 | 52 | 47 | 46 | 60 | 31 |
| 11:00 | 55.3 | 56 | 55 | 54 | 52 | 50 | 66 | 39 | 53.8 | 53 | 53 | 51 | 48 | 48 | 64 | 23 |
| 12:00 | 47.4 | 50 | 48 | 44 | 41 | 41 | 68 | 36 | 35.1 | 39 | 37 | 32 | 27 | 25 | 51 | 20 |
| 13:00 | 55.2 | 57 | 56 | 54 | 52 | 52 | 65 | 39 | 54.2 | 55 | 55 | 52 | 50 | 49 | 65 | 23 |
| 14:00 | 53.4 | 54 | 53 | 51 | 49 | 49 | 64 | 39 | 53.0 | 52 | 51 | 49 | 45 | 44 | 70 | 24 |
| 15:00 | 47.2 | 50 | 49 | 45 | 43 | 43 | 68 | 39 | 40.2 | 43 | 40 | 34 | 30 | 29 | 62 | 22 |
| 16:00 | 46.2 | 49 | 48 | 45 | 43 | 43 | 68 | 40 | 39.0 | 43 | 41 | 35 | 30 | 29 | 57 | 23 |
| 17:00 | 48.6 | 51 | 49 | 46 | 44 | 43 | 71 | 41 | 41.8 | 45 | 43 | 37 | 31 | 30 | 59 | 22 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 50.3 | 54 | 53 | 49 | 46 | 45 | 68 | 42 | 45.1 | 50 | 48 | 43 | 37 | 35 | 61 | 25 |
| 09:00 | 56.4 | 59 | 58 | 54 | 52 | 51 | 72 | 44 | 52.6 | 55 | 54 | 50 | 46 | 45 | 61 | 27 |
| 10:00 | 58.3 | 61 | 60 | 57 | 56 | 56 | 70 | 53 | 54.6 | 57 | 56 | 54 | 53 | 53 | 61 | 51 |
| 11:00 | 55.0 | 58 | 57 | 53 | 50 | 50 | 74 | 43 | 51.0 | 54 | 53 | 48 | 43 | 42 | 61 | 26 |
| 12:00 | 54.3 | 59 | 57 | 51 | 48 | 48 | 75 | 45 | 47.4 | 53 | 51 | 45 | 37 | 36 | 60 | 29 |
| 13:00 | 56.2 | 59 | 58 | 56 | 53 | 52 | 68 | 45 | 53.4 | 55 | 55 | 53 | 49 | 48 | 62 | 27 |
| 14:00 | 49.4 | 52 | 51 | 48 | 46 | 46 | 65 | 41 | 41.5 | 45 | 43 | 38 | 32 | 31 | 55 | 23 |
| 15:00 | 50.7 | 52 | 51 | 48 | 45 | 45 | 69 | 41 | 46.1 | 47 | 45 | 38 | 31 | 30 | 62 | 22 |
| 16:00 | 55.2 | 57 | 57 | 54 | 52 | 51 | 62 | 42 | 52.9 | 55 | 55 | 52 | 49 | 49 | 63 | 38 |
| 17:00 | 54.4 | 56 | 55 | 53 | 51 | 50 | 68 | 38 | 52.2 | 52 | 52 | 47 | 46 | 46 | 61 | 19 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 44.3 | 49 | 46 | 41 | 38 | 37 | 67 | 34 | 26.7 | 32 | 30 | 24 | 19 | 18 | 44 | 13 |
| 09:00 | 44.4 | 49 | 46 | 40 | 37 | 36 | 63 | 32 | 26.5 | 32 | 30 | 24 | 20 | 19 | 42 | 15 |
| 10:00 | 46.0 | 51 | 48 | 40 | 36 | 36 | 67 | 32 | 31.1 | 35 | 33 | 25 | 20 | 19 | 55 | 14 |
| 11:00 | 42.2 | 46 | 44 | 40 | 36 | 36 | 64 | 31 | 31.1 | 36 | 33 | 26 | 21 | 20 | 48 | 15 |
| 12:00 | 46.8 | 51 | 47 | 40 | 37 | 37 | 75 | 34 | 33.6 | 40 | 37 | 28 | 21 | 20 | 50 | 15 |
| 13:00 | 44.5 | 47 | 45 | 41 | 38 | 37 | 68 | 33 | 35.7 | 41 | 38 | 29 | 22 | 21 | 56 | 15 |
| 14:00 | 44.0 | 48 | 46 | 42 | 39 | 38 | 61 | 35 | 36.8 | 42 | 39 | 30 | 23 | 21 | 59 | 15 |
| 15:00 | 45.6 | 49 | 47 | 44 | 41 | 40 | 68 | 38 | 39.6 | 46 | 44 | 34 | 26 | 24 | 56 | 20 |
| 16:00 | 46.5 | 50 | 49 | 45 | 42 | 42 | 63 | 38 | 40.5 | 47 | 44 | 33 | 26 | 24 | 57 | 18 |
| 17:00 | 46.2 | 50 | 48 | 45 | 42 | 42 | 71 | 39 | 39.7 | 46 | 43 | 32 | 25 | 24 | 57 | 18 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 49.2 | 52 | 51 | 48 | 45 | 45 | 67 | 39 | 43.8 | 49 | 47 | 41 | 34 | 32 | 59 | 23 |
| 09:00 | 46.3 | 49 | 48 | 45 | 43 | 42 | 63 | 39 | 39.5 | 44 | 42 | 36 | 31 | 29 | 55 | 21 |
| 10:00 | 47.8 | 52 | 49 | 45 | 43 | 42 | 68 | 39 | 38.9 | 45 | 43 | 35 | 29 | 28 | 54 | 23 |
| 11:00 | 47.3 | 51 | 49 | 45 | 43 | 43 | 68 | 40 | 40.9 | 46 | 44 | 37 | 30 | 29 | 57 | 20 |
| 12:00 | 45.7 | 49 | 47 | 44 | 42 | 41 | 63 | 39 | 38.8 | 44 | 41 | 33 | 27 | 26 | 59 | 22 |
| 13:00 | 49.4 | 52 | 50 | 46 | 44 | 44 | 71 | 39 | 42.3 | 48 | 46 | 39 | 33 | 32 | 57 | 22 |
| 14:00 | 48.2 | 51 | 50 | 47 | 45 | 44 | 68 | 42 | 44.9 | 50 | 48 | 42 | 35 | 33 | 62 | 27 |
| 15:00 | 49.8 | 55 | 53 | 47 | 45 | 44 | 73 | 41 | 42.6 | 47 | 45 | 38 | 31 | 29 | 62 | 24 |
| 16:00 | 49.9 | 54 | 52 | 47 | 45 | 45 | 70 | 42 | 42.9 | 48 | 46 | 38 | 32 | 31 | 59 | 23 |
| 17:00 | 49.3 | 52 | 50 | 47 | 45 | 44 | 72 | 40 | 44.8 | 49 | 47 | 41 | 35 | 33 | 60 | 23 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 48.9 | 54 | 51 | 45 | 43 | 42 | 71 | 38 | 44.9 | 49 | 47 | 41 | 35 | 33 | 63 | 22 |
| 09:00 | 49.3 | 53 | 51 | 48 | 45 | 44 | 69 | 40 | 44.7 | 49 | 47 | 42 | 38 | 37 | 61 | 26 |
| 10:00 | 48.6 | 53 | 51 | 46 | 43 | 42 | 65 | 37 | 40.9 | 45 | 44 | 37 | 30 | 29 | 60 | 20 |
| 11:00 | 49.6 | 51 | 49 | 43 | 41 | 40 | 77 | 37 | 38.0 | 42 | 40 | 33 | 28 | 27 | 64 | 18 |
| 12:00 | 44.9 | 49 | 46 | 42 | 40 | 39 | 68 | 36 | 32.4 | 37 | 35 | 29 | 25 | 24 | 52 | 20 |
| 13:00 | 45.3 | 48 | 47 | 44 | 41 | 41 | 67 | 37 | 42.1 | 46 | 43 | 36 | 31 | 30 | 62 | 22 |
| 14:00 | 48.1 | 52 | 50 | 45 | 42 | 42 | 68 | 37 | 44.9 | 50 | 48 | 41 | 35 | 34 | 62 | 23 |
| 15:00 | 46.9 | 51 | 49 | 45 | 43 | 42 | 62 | 39 | 46.1 | 51 | 49 | 42 | 36 | 34 | 63 | 23 |
| 16:00 | 48.8 | 52 | 50 | 47 | 44 | 44 | 74 | 40 | 44.6 | 49 | 47 | 42 | 36 | 34 | 59 | 24 |
| 17:00 | 49.2 | 53 | 51 | 47 | 45 | 44 | 67 | 41 | 45.7 | 50 | 48 | 42 | 36 | 34 | 63 | 24 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 49.6 | 52 | 51 | 47 | 45 | 44 | 73 | 38 | 43.5 | 49 | 47 | 39 | 30 | 27 | 61 | 22 |
| 09:00 | 48.3 | 51 | 49 | 46 | 44 | 44 | 78 | 38 | 45.8 | 50 | 49 | 43 | 37 | 36 | 63 | 25 |
| 10:00 | 45.5 | 49 | 47 | 44 | 41 | 41 | 71 | 37 | 40.6 | 46 | 44 | 36 | 30 | 28 | 60 | 21 |
| 11:00 | 46.5 | 50 | 48 | 45 | 43 | 42 | 62 | 39 | 44.6 | 49 | 47 | 41 | 35 | 33 | 61 | 25 |
| 12:00 | 45.0 | 49 | 47 | 43 | 41 | 40 | 67 | 38 | 42.6 | 47 | 44 | 35 | 29 | 28 | 64 | 22 |
| 13:00 | 47.2 | 50 | 49 | 45 | 43 | 42 | 71 | 39 | 43.8 | 48 | 46 | 40 | 34 | 32 | 64 | 24 |
| 14:00 | 47.5 | 50 | 49 | 46 | 43 | 43 | 73 | 39 | 46.6 | 51 | 49 | 44 | 37 | 34 | 69 | 24 |
| 15:00 | 49.1 | 53 | 50 | 46 | 43 | 43 | 73 | 38 | 45.5 | 50 | 48 | 41 | 34 | 32 | 65 | 25 |
| 16:00 | 49.3 | 53 | 51 | 48 | 45 | 45 | 63 | 40 | 46.3 | 51 | 49 | 43 | 37 | 35 | 67 | 27 |
| 17:00 | 50.6 | 54 | 52 | 48 | 46 | 46 | 71 | 41 | 42.9 | 47 | 45 | 38 | 32 | 30 | 61 | 23 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.2 | 49 | 48 | 45 | 42 | 42 | 67 | 39 | 42.6 | 45 | 43 | 36 | 28 | 26 | 58 | 22 |
| 09:00 | 47.0 | 50 | 49 | 46 | 43 | 43 | 69 | 39 | 45.1 | 49 | 48 | 41 | 36 | 34 | 62 | 25 |
| 10:00 | 46.9 | 51 | 49 | 45 | 43 | 42 | 69 | 38 | 41.5 | 45 | 43 | 37 | 30 | 29 | 61 | 21 |
| 11:00 | 47.5 | 51 | 49 | 45 | 43 | 42 | 69 | 38 | 43.4 | 48 | 46 | 38 | 30 | 29 | 62 | 22 |
| 12:00 | 48.0 | 52 | 50 | 46 | 43 | 42 | 70 | 39 | 42.7 | 48 | 46 | 38 | 32 | 31 | 61 | 23 |
| 13:00 | 50.9 | 55 | 53 | 49 | 46 | 45 | 67 | 39 | 46.7 | 52 | 50 | 44 | 40 | 39 | 62 | 27 |
| 14:00 | 52.4 | 56 | 54 | 49 | 46 | 46 | 79 | 42 | 47.7 | 52 | 51 | 45 | 39 | 37 | 65 | 27 |
| 15:00 | 52.8 | 58 | 56 | 50 | 47 | 47 | 69 | 43 | 48.4 | 53 | 52 | 46 | 40 | 38 | 63 | 27 |
| 16:00 | 51.5 | 56 | 54 | 50 | 47 | 46 | 66 | 43 | 47.9 | 53 | 51 | 45 | 40 | 39 | 62 | 30 |
| 17:00 | 52.4 | 56 | 54 | 50 | 47 | 46 | 74 | 43 | 48.7 | 54 | 52 | 46 | 40 | 39 | 62 | 29 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.6 | 50 | 48 | 44 | 42 | 41 | 65 | 38 | 42.6 | 45 | 43 | 37 | 29 | 28 | 64 | 22 |
| 09:00 | 46.8 | 50 | 49 | 45 | 43 | 42 | 66 | 37 | 44.9 | 47 | 46 | 40 | 34 | 32 | 60 | 21 |
| 10:00 | 46.6 | 50 | 49 | 45 | 43 | 42 | 68 | 36 | 44.4 | 48 | 46 | 40 | 35 | 33 | 62 | 21 |
| 11:00 | 45.7 | 49 | 47 | 43 | 40 | 40 | 67 | 36 | 38.9 | 43 | 41 | 34 | 27 | 26 | 58 | 18 |
| 12:00 | 45.9 | 49 | 47 | 43 | 40 | 40 | 68 | 37 | 32.5 | 37 | 35 | 29 | 24 | 23 | 54 | 16 |
| 13:00 | 47.5 | 49 | 48 | 44 | 41 | 41 | 71 | 37 | 39.4 | 44 | 42 | 35 | 28 | 27 | 61 | 19 |
| 14:00 | 47.9 | 51 | 50 | 46 | 43 | 42 | 70 | 37 | 44.1 | 48 | 46 | 40 | 34 | 32 | 63 | 21 |
| 15:00 | 46.9 | 50 | 49 | 46 | 44 | 43 | 62 | 38 | 46.3 | 51 | 49 | 43 | 37 | 36 | 63 | 25 |
| 16:00 | 46.9 | 50 | 49 | 45 | 43 | 42 | 69 | 39 | 43.2 | 48 | 46 | 40 | 32 | 31 | 61 | 23 |
| 17:00 | 47.9 | 50 | 48 | 44 | 42 | 42 | 72 | 39 | 39.9 | 45 | 43 | 35 | 29 | 28 | 59 | 22 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 45.1 | 48 | 47 | 44 | 41 | 41 | 64 | 36 | 43.8 | 48 | 46 | 39 | 32 | 30 | 63 | 19 |
| 09:00 | 45.3 | 48 | 47 | 44 | 42 | 41 | 70 | 36 | 42.1 | 44 | 43 | 37 | 31 | 29 | 61 | 19 |
| 10:00 | 46.4 | 49 | 48 | 45 | 42 | 42 | 65 | 35 | 44.6 | 49 | 47 | 41 | 35 | 33 | 65 | 20 |
| 11:00 | 46.7 | 50 | 47 | 43 | 41 | 40 | 69 | 36 | 38.2 | 44 | 41 | 33 | 27 | 25 | 57 | 19 |
| 12:00 | 42.7 | 46 | 45 | 41 | 39 | 38 | 63 | 35 | 30.0 | 35 | 33 | 28 | 24 | 23 | 49 | 21 |
| 13:00 | 47.0 | 50 | 49 | 46 | 44 | 43 | 59 | 37 | 46.0 | 51 | 49 | 42 | 36 | 34 | 65 | 20 |
| 14:00 | 45.6 | 48 | 47 | 45 | 42 | 41 | 65 | 38 | 44.0 | 49 | 47 | 40 | 33 | 31 | 64 | 25 |
| 15:00 | 45.5 | 49 | 47 | 44 | 41 | 40 | 69 | 35 | 40.7 | 44 | 42 | 35 | 29 | 27 | 63 | 21 |
| 16:00 | 46.9 | 50 | 49 | 45 | 43 | 42 | 65 | 37 | 44.3 | 47 | 45 | 39 | 33 | 31 | 66 | 22 |
| 17:00 | 49.4 | 53 | 51 | 47 | 45 | 44 | 70 | 39 | 45.3 | 50 | 48 | 43 | 38 | 36 | 61 | 21 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 44.9 | 49 | 46 | 43 | 40 | 39 | 69 | 36 | 27.3 | 32 | 30 | 24 | 20 | 19 | 47 | 15 |
| 09:00 | 43.5 | 46 | 45 | 42 | 39 | 39 | 71 | 36 | 26.7 | 31 | 30 | 24 | 21 | 20 | 42 | 15 |
| 10:00 | 44.5 | 48 | 45 | 41 | 39 | 38 | 68 | 35 | 27.9 | 33 | 31 | 25 | 22 | 21 | 43 | 19 |
| 11:00 | 47.4 | 47 | 45 | 41 | 38 | 38 | 77 | 35 | 27.7 | 33 | 31 | 25 | 22 | 21 | 41 | 18 |
| 12:00 | 42.3 | 45 | 44 | 41 | 38 | 38 | 70 | 35 | 29.9 | 34 | 32 | 26 | 22 | 22 | 48 | 19 |
| 13:00 | 44.8 | 46 | 44 | 40 | 38 | 37 | 70 | 35 | 27.7 | 32 | 31 | 25 | 21 | 21 | 46 | 17 |
| 14:00 | 46.3 | 50 | 47 | 41 | 38 | 38 | 69 | 35 | 29.4 | 34 | 32 | 26 | 23 | 22 | 52 | 19 |
| 15:00 | 47.0 | 51 | 48 | 43 | 40 | 40 | 70 | 36 | 37.1 | 43 | 41 | 33 | 26 | 25 | 56 | 20 |
| 16:00 | 47.2 | 51 | 49 | 45 | 42 | 41 | 69 | 39 | 42.4 | 47 | 46 | 38 | 31 | 29 | 57 | 22 |
| 17:00 | 48.0 | 51 | 49 | 45 | 42 | 42 | 70 | 38 | 42.8 | 48 | 46 | 39 | 32 | 30 | 58 | 23 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.9 | 51 | 49 | 45 | 42 | 42 | 72 | 37 | 44.8 | 50 | 48 | 41 | 34 | 32 | 63 | 23 |
| 09:00 | 47.1 | 51 | 49 | 45 | 42 | 41 | 66 | 36 | 37.8 | 41 | 39 | 33 | 28 | 27 | 58 | 19 |
| 10:00 | 50.8 | 53 | 51 | 46 | 43 | 43 | 77 | 39 | 41.5 | 45 | 44 | 38 | 33 | 32 | 62 | 24 |
| 11:00 | 48.0 | 52 | 50 | 45 | 43 | 42 | 69 | 39 | 42.4 | 47 | 45 | 38 | 31 | 30 | 62 | 23 |
| 12:00 | 53.1 | 51 | 49 | 43 | 41 | 40 | 83 | 38 | 38.3 | 44 | 42 | 34 | 28 | 26 | 54 | 22 |
| 13:00 | 48.6 | 49 | 48 | 45 | 43 | 43 | 81 | 39 | 44.2 | 49 | 47 | 40 | 34 | 32 | 62 | 24 |
| 14:00 | 53.3 | 54 | 51 | 46 | 43 | 43 | 81 | 40 | 43.1 | 49 | 46 | 40 | 32 | 30 | 59 | 24 |
| 15:00 | 47.4 | 50 | 49 | 46 | 44 | 44 | 68 | 42 | 43.2 | 48 | 46 | 41 | 36 | 35 | 61 | 25 |
| 16:00 | 50.2 | 52 | 51 | 49 | 47 | 47 | 65 | 42 | 46.8 | 51 | 50 | 44 | 37 | 35 | 62 | 27 |
| 17:00 | 47.6 | 50 | 49 | 45 | 43 | 42 | 68 | 40 | 41.4 | 46 | 44 | 37 | 30 | 29 | 59 | 20 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 47.1 | 51 | 50 | 45 | 42 | 42 | 69 | 39 | 44.6 | 49 | 47 | 41 | 34 | 32 | 65 | 24 |
| 09:00 | 47.2 | 51 | 49 | 45 | 43 | 43 | 65 | 39 | 44.9 | 49 | 47 | 43 | 38 | 37 | 64 | 25 |
| 10:00 | 48.3 | 51 | 50 | 45 | 43 | 43 | 72 | 39 | 43.9 | 49 | 47 | 41 | 36 | 34 | 62 | 26 |
| 11:00 | 48.1 | 54 | 50 | 45 | 42 | 42 | 68 | 38 | 41.4 | 46 | 45 | 38 | 31 | 30 | 59 | 23 |
| 12:00 | 47.9 | 51 | 49 | 44 | 42 | 41 | 69 | 38 | 40.4 | 46 | 44 | 37 | 32 | 30 | 57 | 23 |
| 13:00 | 49.5 | 53 | 51 | 46 | 44 | 43 | 71 | 40 | 45.3 | 50 | 48 | 41 | 34 | 32 | 62 | 23 |
| 14:00 | 52.7 | 53 | 51 | 47 | 45 | 45 | 84 | 42 | 46.8 | 51 | 50 | 45 | 39 | 37 | 63 | 28 |
| 15:00 | 47.2 | 50 | 49 | 46 | 44 | 44 | 67 | 41 | 43.3 | 47 | 45 | 38 | 33 | 31 | 64 | 23 |
| 16:00 | 48.1 | 52 | 50 | 46 | 44 | 43 | 67 | 41 | 43.7 | 48 | 47 | 40 | 33 | 31 | 61 | 24 |
| 17:00 | 51.0 | 55 | 52 | 47 | 45 | 44 | 72 | 42 | 44.5 | 50 | 47 | 41 | 34 | 32 | 64 | 25 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 49.3 | 53 | 52 | 47 | 43 | 43 | 67 | 39 | 43.7 | 49 | 47 | 39 | 33 | 32 | 64 | 25 |
| 09:00 | 49.4 | 51 | 50 | 47 | 45 | 44 | 75 | 40 | 43.1 | 48 | 46 | 40 | 35 | 34 | 58 | 25 |
| 10:00 | 46.4 | 50 | 48 | 44 | 42 | 41 | 65 | 38 | 41.9 | 46 | 44 | 38 | 31 | 29 | 58 | 23 |
| 11:00 | 46.3 | 50 | 49 | 45 | 43 | 42 | 61 | 39 | 43.5 | 49 | 47 | 40 | 33 | 32 | 62 | 22 |
| 12:00 | 44.3 | 48 | 46 | 42 | 40 | 39 | 65 | 37 | 35.1 | 39 | 37 | 31 | 26 | 25 | 57 | 20 |
| 13:00 | 46.6 | 50 | 49 | 45 | 42 | 42 | 65 | 39 | 43.7 | 48 | 47 | 40 | 33 | 31 | 63 | 24 |
| 14:00 | 51.8 | 53 | 52 | 48 | 45 | 44 | 65 | 40 | 44.8 | 49 | 47 | 41 | 36 | 34 | 64 | 25 |
| 15:00 | 52.2 | 55 | 54 | 48 | 46 | 45 | 68 | 41 | 45.3 | 50 | 48 | 43 | 37 | 35 | 65 | 25 |
| 16:00 | 48.1 | 51 | 50 | 47 | 45 | 44 | 65 | 41 | 45.8 | 50 | 48 | 43 | 38 | 36 | 65 | 27 |
| 17:00 | 52.9 | 54 | 51 | 46 | 44 | 44 | 79 | 40 | 44.0 | 47 | 45 | 39 | 32 | 30 | 62 | 22 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 52.6 | 55 | 53 | 51 | 48 | 47 | 70 | 42 | 43.6 | 48 | 46 | 41 | 37 | 35 | 61 | 24 |
| 09:00 | 51.7 | 54 | 52 | 50 | 48 | 47 | 74 | 44 | 45.0 | 50 | 48 | 42 | 36 | 35 | 63 | 28 |
| 10:00 | 51.8 | 54 | 52 | 50 | 47 | 47 | 77 | 43 | 43.0 | 47 | 45 | 40 | 35 | 34 | 61 | 28 |
| 11:00 | 50.9 | 54 | 52 | 49 | 47 | 46 | 72 | 42 | 42.7 | 47 | 45 | 39 | 35 | 34 | 60 | 26 |
| 12:00 | 49.6 | 52 | 51 | 49 | 46 | 46 | 69 | 43 | 36.8 | 41 | 40 | 34 | 29 | 28 | 50 | 23 |
| 13:00 | 48.5 | 51 | 50 | 48 | 46 | 45 | 63 | 41 | 41.1 | 45 | 43 | 37 | 32 | 31 | 57 | 22 |
| 14:00 | 48.0 | 51 | 50 | 47 | 44 | 44 | 69 | 41 | 39.0 | 44 | 41 | 35 | 30 | 28 | 59 | 22 |
| 15:00 | 50.6 | 53 | 50 | 47 | 44 | 44 | 76 | 40 | 39.3 | 44 | 42 | 37 | 31 | 30 | 54 | 23 |
| 16:00 | 47.1 | 50 | 48 | 45 | 42 | 41 | 69 | 38 | 37.4 | 37 | 35 | 31 | 26 | 25 | 55 | 21 |
| 17:00 | 49.9 | 54 | 51 | 47 | 44 | 43 | 71 | 39 | 41.3 | 44 | 41 | 36 | 32 | 31 | 62 | 20 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 52.4 | 55 | 53 | 50 | 48 | 47 | 69 | 45 | 41.9 | 45 | 43 | 37 | 34 | 33 | 63 | 26 |
| 09:00 | 48.7 | 51 | 50 | 48 | 46 | 45 | 64 | 42 | 35.0 | 39 | 37 | 32 | 28 | 27 | 57 | 23 |
| 10:00 | 48.5 | 52 | 50 | 47 | 45 | 44 | 67 | 41 | 32.4 | 37 | 35 | 30 | 25 | 25 | 52 | 20 |
| 11:00 | 50.0 | 53 | 52 | 48 | 46 | 45 | 73 | 42 | 35.9 | 40 | 38 | 33 | 28 | 27 | 52 | 21 |
| 12:00 | 49.9 | 53 | 52 | 49 | 46 | 45 | 71 | 41 | 33.5 | 38 | 36 | 31 | 27 | 26 | 49 | 20 |
| 13:00 | 48.6 | 51 | 51 | 48 | 45 | 45 | 65 | 41 | 39.6 | 43 | 41 | 35 | 30 | 29 | 57 | 22 |
| 14:00 | 48.9 | 52 | 51 | 48 | 45 | 45 | 72 | 40 | 40.8 | 45 | 43 | 35 | 30 | 29 | 60 | 23 |
| 15:00 | 48.3 | 51 | 50 | 47 | 45 | 44 | 65 | 41 | 40.2 | 43 | 41 | 35 | 30 | 28 | 58 | 22 |
| 16:00 | 48.3 | 51 | 50 | 47 | 44 | 44 | 70 | 40 | 40.0 | 44 | 42 | 36 | 31 | 30 | 57 | 22 |
| 17:00 | 49.2 | 52 | 51 | 47 | 45 | 45 | 71 | 41 | 42.8 | 47 | 45 | 39 | 33 | 31 | 61 | 20 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 48.9 | 52 | 51 | 47 | 45 | 44 | 68 | 40 | 42.4 | 46 | 45 | 39 | 33 | 31 | 62 | 20 |
| 09:00 | 49.0 | 52 | 50 | 46 | 43 | 43 | 81 | 38 | 43.6 | 47 | 45 | 39 | 32 | 31 | 62 | 17 |
| 10:00 | 47.7 | 51 | 49 | 45 | 41 | 40 | 73 | 37 | 38.6 | 43 | 41 | 31 | 24 | 23 | 59 | 19 |
| 11:00 | 47.6 | 51 | 49 | 45 | 42 | 41 | 71 | 37 | 41.3 | 44 | 42 | 35 | 28 | 26 | 63 | 18 |
| 12:00 | 45.3 | 49 | 47 | 42 | 39 | 39 | 67 | 35 | 32.7 | 36 | 34 | 29 | 24 | 22 | 51 | 16 |
| 13:00 | 50.0 | 53 | 51 | 46 | 43 | 42 | 75 | 38 | 43.4 | 46 | 45 | 39 | 34 | 32 | 60 | 23 |
| 14:00 | 47.7 | 50 | 49 | 46 | 43 | 43 | 72 | 39 | 43.0 | 47 | 45 | 39 | 32 | 30 | 61 | 19 |
| 15:00 | 47.7 | 51 | 49 | 45 | 42 | 42 | 75 | 38 | 38.5 | 44 | 42 | 35 | 29 | 27 | 53 | 21 |
| 16:00 | 48.2 | 51 | 50 | 47 | 44 | 43 | 72 | 39 | 42.1 | 46 | 45 | 39 | 32 | 30 | 60 | 22 |
| 17:00 | 49.3 | 53 | 51 | 47 | 45 | 44 | 69 | 37 | 44.4 | 49 | 47 | 41 | 35 | 33 | 61 | 22 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 45.6 | 49 | 47 | 43 | 40 | 39 | 70 | 36 | 27.3 | 32 | 30 | 24 | 21 | 20 | 47 | 17 |
| 09:00 | 47.6 | 52 | 49 | 43 | 40 | 39 | 68 | 35 | 26.3 | 31 | 29 | 24 | 21 | 20 | 41 | 16 |
| 10:00 | 46.5 | 52 | 48 | 42 | 39 | 39 | 70 | 35 | 28.0 | 33 | 31 | 25 | 21 | 20 | 47 | 16 |
| 11:00 | 44.7 | 49 | 47 | 41 | 38 | 37 | 65 | 33 | 27.0 | 31 | 30 | 25 | 21 | 20 | 47 | 15 |
| 12:00 | 46.0 | 49 | 47 | 41 | 38 | 37 | 71 | 32 | 41.6 | 32 | 30 | 23 | 19 | 18 | 78 | 13 |
| 13:00 | 48.4 | 51 | 48 | 42 | 38 | 37 | 74 | 34 | 27.9 | 33 | 31 | 24 | 20 | 19 | 44 | 14 |
| 14:00 | 45.6 | 48 | 46 | 42 | 39 | 39 | 70 | 35 | 28.7 | 33 | 31 | 25 | 21 | 20 | 47 | 16 |
| 15:00 | 49.6 | 52 | 49 | 43 | 39 | 39 | 72 | 36 | 30.1 | 35 | 33 | 25 | 21 | 20 | 48 | 15 |
| 16:00 | 49.2 | 54 | 51 | 44 | 41 | 40 | 77 | 35 | 32.2 | 37 | 35 | 29 | 23 | 22 | 56 | 18 |
| 17:00 | 49.1 | 52 | 49 | 44 | 40 | 39 | 73 | 36 | 27.6 | 32 | 30 | 26 | 22 | 21 | 40 | 15 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/25

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.9 | 51 | 49 | 45 | 42 | 41 | 67 | 38 | 40.5 | 44 | 42 | 36 | 30 | 28 | 58 | 20 |
| 09:00 | 47.7 | 51 | 50 | 45 | 43 | 42 | 69 | 38 | 42.2 | 46 | 45 | 39 | 34 | 32 | 59 | 22 |
| 10:00 | 48.9 | 52 | 49 | 45 | 42 | 41 | 72 | 38 | 43.6 | 47 | 45 | 39 | 34 | 31 | 59 | 23 |
| 11:00 | 46.0 | 49 | 47 | 43 | 41 | 40 | 69 | 37 | 39.0 | 42 | 40 | 34 | 29 | 28 | 63 | 22 |
| 12:00 | 44.2 | 47 | 46 | 42 | 40 | 39 | 66 | 35 | 39.3 | 43 | 41 | 33 | 27 | 26 | 60 | 20 |
| 13:00 | 46.3 | 49 | 48 | 45 | 44 | 43 | 63 | 40 | 42.9 | 48 | 46 | 40 | 35 | 33 | 63 | 25 |
| 14:00 | 48.4 | 52 | 50 | 46 | 44 | 43 | 71 | 40 | 43.4 | 48 | 46 | 41 | 35 | 33 | 60 | 25 |
| 15:00 | 46.4 | 50 | 48 | 44 | 42 | 41 | 63 | 39 | 37.8 | 43 | 41 | 35 | 29 | 28 | 55 | 23 |
| 16:00 | 47.1 | 50 | 49 | 46 | 44 | 43 | 64 | 40 | 44.2 | 49 | 47 | 42 | 38 | 36 | 62 | 27 |
| 17:00 | 48.3 | 52 | 51 | 46 | 44 | 43 | 65 | 40 | 40.5 | 44 | 40 | 35 | 30 | 28 | 55 | 24 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/26

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 59.1 | 60 | 58 | 51 | 47 | 46 | 78 | 39 | 41.0 | 43 | 41 | 35 | 30 | 29 | 63 | 22 |
| 09:00 | 57.5 | 60 | 59 | 55 | 51 | 50 | 72 | 45 | 44.6 | 49 | 47 | 42 | 37 | 35 | 62 | 25 |
| 10:00 | 52.6 | 55 | 54 | 51 | 48 | 47 | 65 | 42 | 42.7 | 47 | 45 | 38 | 33 | 32 | 62 | 24 |
| 11:00 | 46.9 | 49 | 48 | 46 | 44 | 44 | 65 | 43 | 37.3 | 42 | 40 | 33 | 28 | 27 | 56 | 23 |
| 12:00 | 46.4 | 48 | 47 | 45 | 44 | 44 | 66 | 42 | 39.2 | 43 | 41 | 35 | 30 | 29 | 61 | 24 |
| 13:00 | 47.9 | 51 | 50 | 47 | 45 | 45 | 63 | 43 | 43.8 | 48 | 46 | 39 | 34 | 32 | 60 | 25 |
| 14:00 | 48.4 | 51 | 50 | 47 | 46 | 45 | 67 | 43 | 43.3 | 48 | 46 | 41 | 34 | 33 | 64 | 25 |
| 15:00 | 48.4 | 51 | 49 | 45 | 43 | 42 | 71 | 38 | 43.9 | 48 | 46 | 38 | 32 | 31 | 63 | 24 |
| 16:00 | 52.9 | 54 | 51 | 46 | 43 | 43 | 80 | 39 | 43.8 | 48 | 47 | 42 | 34 | 33 | 63 | 25 |
| 17:00 | 49.5 | 54 | 51 | 45 | 43 | 42 | 72 | 39 | 41.5 | 45 | 43 | 36 | 31 | 29 | 59 | 22 |

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/05/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 50.1 | 53 | 52 | 48 | 46 | 45 | 72 | 39 | 43.5 | 48 | 47 | 40 | 32 | 31 | 62 | 22 |
| 09:00 | 48.1 | 51 | 50 | 47 | 45 | 44 | 65 | 41 | 45.2 | 50 | 48 | 43 | 38 | 36 | 61 | 27 |
| 10:00 | 46.4 | 49 | 48 | 45 | 42 | 42 | 70 | 38 | 43.3 | 48 | 46 | 39 | 30 | 29 | 61 | 23 |
| 11:00 | 49.2 | 53 | 51 | 45 | 43 | 42 | 70 | 39 | 44.0 | 49 | 46 | 38 | 32 | 30 | 60 | 23 |
| 12:00 | 45.9 | 50 | 48 | 44 | 41 | 40 | 66 | 36 | 42.1 | 44 | 41 | 34 | 28 | 27 | 65 | 22 |
| 13:00 | 48.0 | 50 | 48 | 44 | 41 | 41 | 73 | 38 | 38.2 | 43 | 41 | 35 | 29 | 28 | 55 | 23 |
| 14:00 | 53.2 | 55 | 53 | 49 | 44 | 43 | 69 | 38 | 44.8 | 49 | 47 | 41 | 35 | 34 | 61 | 22 |
| 15:00 | 52.5 | 57 | 56 | 50 | 45 | 44 | 66 | 39 | 44.4 | 48 | 47 | 40 | 35 | 34 | 61 | 25 |
| 16:00 | 48.2 | 52 | 50 | 47 | 44 | 43 | 67 | 39 | 44.2 | 49 | 47 | 40 | 34 | 32 | 63 | 21 |
| 17:00 | 47.2 | 50 | 48 | 45 | 43 | 42 | 68 | 39 | 42.2 | 44 | 42 | 36 | 31 | 30 | 58 | 20 |

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/05/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 46.7 | 50 | 48 | 44 | 41 | 41 | 72 | 38 | 41.2 | 44 | 42 | 37 | 31 | 29 | 60 | 22 |
| 09:00 | 46.3 | 49 | 48 | 44 | 42 | 41 | 67 | 39 | 39.1 | 43 | 41 | 34 | 28 | 27 | 57 | 22 |
| 10:00 | 46.4 | 50 | 48 | 44 | 42 | 42 | 69 | 39 | 39.5 | 42 | 40 | 35 | 30 | 28 | 61 | 22 |
| 11:00 | 45.6 | 48 | 47 | 45 | 43 | 42 | 67 | 40 | 39.5 | 44 | 43 | 36 | 31 | 30 | 58 | 24 |
| 12:00 | 45.8 | 49 | 47 | 44 | 42 | 42 | 72 | 40 | 40.4 | 46 | 44 | 36 | 28 | 27 | 59 | 22 |
| 13:00 | 46.9 | 50 | 48 | 45 | 43 | 43 | 64 | 41 | 42.3 | 46 | 44 | 38 | 33 | 31 | 65 | 23 |
| 14:00 | 48.2 | 52 | 50 | 46 | 44 | 44 | 66 | 39 | 43.5 | 47 | 45 | 38 | 33 | 32 | 62 | 20 |
| 15:00 | 49.1 | 53 | 51 | 46 | 44 | 43 | 73 | 39 | 43.9 | 49 | 46 | 39 | 33 | 32 | 60 | 20 |
| 16:00 | 48.4 | 52 | 50 | 46 | 43 | 43 | 72 | 39 | 47.9 | 51 | 49 | 41 | 35 | 33 | 80 | 26 |
| 17:00 | 49.6 | 52 | 50 | 45 | 43 | 42 | 78 | 38 | 42.2 | 43 | 41 | 34 | 29 | 28 | 60 | 19 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 51.4 | 55 | 53 | 49 | 47 | 47 | 77 | 42 | 45.3 | 50 | 48 | 43 | 36 | 34 | 65 | 26 |
| 09:00 | 51.9 | 55 | 53 | 50 | 48 | 47 | 72 | 43 | 44.1 | 48 | 47 | 41 | 36 | 34 | 57 | 23 |
| 10:00 | 58.9 | 63 | 62 | 57 | 53 | 52 | 75 | 47 | 46.5 | 51 | 49 | 44 | 39 | 38 | 63 | 30 |
| 11:00 | 54.5 | 58 | 55 | 51 | 48 | 47 | 75 | 43 | 45.1 | 50 | 48 | 42 | 36 | 35 | 60 | 27 |
| 12:00 | 49.5 | 53 | 51 | 48 | 46 | 45 | 67 | 42 | 40.9 | 46 | 44 | 36 | 29 | 28 | 55 | 23 |
| 13:00 | 51.5 | 55 | 54 | 50 | 48 | 48 | 65 | 45 | 45.5 | 50 | 49 | 43 | 37 | 35 | 63 | 26 |
| 14:00 | 54.3 | 58 | 57 | 52 | 49 | 49 | 70 | 45 | 47.6 | 52 | 50 | 45 | 39 | 37 | 63 | 27 |
| 15:00 | 53.1 | 57 | 55 | 51 | 49 | 48 | 72 | 44 | 47.1 | 52 | 50 | 45 | 39 | 37 | 64 | 27 |
| 16:00 | 52.9 | 57 | 55 | 51 | 49 | 48 | 75 | 43 | 47.9 | 52 | 51 | 46 | 41 | 40 | 62 | 31 |
| 17:00 | 52.5 | 55 | 53 | 49 | 46 | 46 | 78 | 40 | 44.4 | 49 | 47 | 41 | 35 | 34 | 58 | 23 |

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/05/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 45.0 | 47 | 46 | 42 | 40 | 39 | 71 | 35 | 31.7 | 37 | 35 | 29 | 24 | 23 | 47 | 19 |
| 09:00 | 43.7 | 47 | 45 | 41 | 38 | 38 | 64 | 34 | 33.3 | 38 | 36 | 30 | 25 | 23 | 49 | 18 |
| 10:00 | 46.0 | 47 | 45 | 42 | 39 | 39 | 76 | 36 | 33.4 | 38 | 36 | 30 | 25 | 24 | 51 | 20 |
| 11:00 | 44.4 | 48 | 46 | 42 | 40 | 39 | 65 | 36 | 34.8 | 40 | 38 | 31 | 26 | 24 | 51 | 19 |
| 12:00 | 45.6 | 49 | 48 | 44 | 42 | 41 | 68 | 38 | 41.9 | 47 | 45 | 37 | 29 | 27 | 60 | 22 |
| 13:00 | 47.4 | 51 | 49 | 45 | 42 | 42 | 71 | 39 | 42.1 | 47 | 44 | 35 | 28 | 26 | 61 | 22 |
| 14:00 | 46.2 | 49 | 48 | 44 | 43 | 42 | 67 | 40 | 38.3 | 44 | 42 | 34 | 28 | 27 | 55 | 22 |
| 15:00 | 47.8 | 52 | 50 | 45 | 43 | 42 | 66 | 39 | 40.1 | 45 | 43 | 36 | 29 | 28 | 59 | 22 |
| 16:00 | 46.4 | 50 | 48 | 45 | 43 | 42 | 66 | 39 | 35.3 | 41 | 38 | 32 | 27 | 26 | 51 | 22 |
| 17:00 | 47.2 | 51 | 49 | 45 | 43 | 42 | 70 | 40 | 36.7 | 42 | 39 | 32 | 26 | 25 | 56 | 22 |

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/05/31

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

| 測定時刻 | 騒音 [dB] | | | | | | | | 振動 [dB] | | | | | | | |
|-------|---------|-----|-----|-----|-----|-----|------|------|---------|-----|-----|-----|-----|-----|------|------|
| | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin | Leq | L05 | L10 | L50 | L90 | L95 | Lmax | Lmin |
| 08:00 | 42.7 | 46 | 45 | 41 | 39 | 38 | 67 | 35 | 27.3 | 32 | 30 | 24 | 20 | 20 | 45 | 15 |
| 09:00 | 51.5 | 49 | 46 | 41 | 38 | 37 | 80 | 33 | 26.9 | 31 | 29 | 24 | 21 | 21 | 47 | 16 |
| 10:00 | 44.6 | 48 | 45 | 41 | 38 | 38 | 69 | 35 | 27.9 | 33 | 31 | 25 | 22 | 21 | 45 | 19 |
| 11:00 | 43.8 | 47 | 44 | 40 | 38 | 37 | 66 | 35 | 27.6 | 32 | 30 | 26 | 22 | 22 | 44 | 18 |
| 12:00 | 43.2 | 47 | 45 | 41 | 37 | 37 | 64 | 35 | 28.7 | 33 | 31 | 26 | 22 | 21 | 46 | 19 |
| 13:00 | 42.5 | 46 | 44 | 40 | 38 | 37 | 64 | 35 | 35.0 | 40 | 38 | 30 | 24 | 23 | 51 | 18 |
| 14:00 | 45.9 | 50 | 47 | 42 | 39 | 39 | 72 | 36 | 38.7 | 44 | 42 | 33 | 27 | 25 | 59 | 21 |
| 15:00 | 45.1 | 49 | 47 | 42 | 40 | 39 | 74 | 36 | 36.9 | 43 | 40 | 32 | 27 | 25 | 53 | 20 |
| 16:00 | 44.8 | 49 | 47 | 43 | 40 | 39 | 63 | 37 | 38.2 | 43 | 41 | 34 | 27 | 25 | 57 | 20 |
| 17:00 | 44.0 | 48 | 46 | 43 | 40 | 39 | 61 | 37 | 37.1 | 42 | 41 | 34 | 27 | 26 | 54 | 21 |