

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	50	48	46	46	62	43	42.8	44	42	35	30	29	61	23
09:00	52.7	54	53	52	50	49	63	41	50.5	52	51	46	42	42	63	23
10:00	52.5	53	53	51	49	49	69	42	48.1	49	47	43	38	37	63	25
11:00	49.3	52	51	49	46	45	67	42	38.2	42	40	32	28	27	58	21
12:00	47.7	50	49	47	45	45	62	42	31.8	37	35	29	26	25	46	21
13:00	49.8	52	51	49	48	47	62	43	40.1	44	42	35	30	29	58	22
14:00	49.7	51	51	49	48	48	61	45	34.9	39	37	31	27	26	53	23
15:00	50.0	52	51	50	48	47	65	43	36.1	40	38	33	28	28	58	21
16:00	50.5	52	52	50	48	48	65	43	41.6	45	43	38	33	32	68	21
17:00	49.9	51	51	49	48	47	70	45	36.2	41	39	32	27	26	54	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.2	50	50	47	45	45	65	42	31.4	34	33	30	25	25	46	19
09:00	64.9	63	61	56	51	50	83	43	34.8	39	37	32	27	26	52	21
10:00	51.0	53	52	50	48	48	73	43	31.7	37	35	29	25	24	45	21
11:00	51.7	53	53	52	50	50	68	47	36.4	42	40	32	27	26	52	20
12:00	52.7	54	54	53	51	51	66	49	33.6	39	37	29	25	24	51	20
13:00	52.5	54	54	52	51	51	66	48	39.9	45	43	36	29	28	55	23
14:00	53.7	56	55	53	52	52	69	50	44.7	50	48	41	34	32	64	25
15:00	54.0	56	55	53	52	52	67	50	45.4	51	49	41	34	32	60	25
16:00	52.9	56	54	52	51	50	65	47	45.0	50	48	40	32	31	61	23
17:00	50.7	53	52	50	48	48	63	45	41.9	47	45	38	31	29	58	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/03

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.0	54	52	48	46	46	69	41	42.8	47	45	39	33	31	58	23
09:00	55.8	58	57	55	53	53	67	45	50.4	51	50	48	44	44	64	27
10:00	55.0	56	56	55	54	54	63	52	50.8	53	52	50	49	49	62	47
11:00	54.4	56	55	54	53	53	72	49	49.3	51	50	48	47	47	61	38
12:00	52.6	55	54	52	51	51	65	48	33.6	38	36	31	26	25	51	18
13:00	55.4	56	56	55	54	54	85	52	49.4	51	50	49	47	46	60	28
14:00	55.2	56	56	55	54	54	69	52	50.1	52	51	50	49	48	62	47
15:00	55.3	57	56	55	54	54	70	52	50.4	53	52	50	49	49	62	47
16:00	53.3	54	54	53	52	51	68	46	48.2	51	49	45	43	42	59	25
17:00	50.1	52	51	49	48	47	71	45	40.4	45	43	37	33	32	55	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/04

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.5	54	52	49	47	46	67	43	40.1	44	41	35	29	28	61	19
09:00	54.6	56	56	54	53	52	66	44	51.9	55	54	50	48	47	63	29
10:00	55.1	56	55	54	53	52	73	47	50.6	51	51	47	43	43	65	25
11:00	52.3	54	53	52	50	49	67	46	42.8	45	43	38	32	31	57	23
12:00	50.3	52	51	50	49	48	63	46	33.9	39	37	31	27	26	50	23
13:00	53.5	55	54	53	51	51	69	48	47.4	50	49	44	38	36	70	29
14:00	55.6	57	56	55	54	54	72	53	50.2	53	52	49	48	48	66	47
15:00	55.7	58	57	55	54	54	72	52	50.2	52	51	50	49	49	61	47
16:00	53.8	55	55	54	52	51	66	47	49.1	52	51	48	45	44	67	30
17:00	52.4	54	54	52	49	49	72	46	41.7	46	44	39	34	33	57	23

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/08/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.4	52	51	48	46	45	67	40	45.8	50	48	42	34	33	72	26
09:00	53.7	55	55	53	52	51	68	46	50.9	53	52	48	45	44	67	25
10:00	54.9	56	56	55	54	53	65	51	51.2	54	53	50	49	49	62	42
11:00	52.0	54	53	52	50	50	66	46	40.5	44	41	35	30	29	63	25
12:00	52.6	54	54	52	51	50	63	43	34.0	39	37	31	27	26	49	22
13:00	54.2	56	55	54	53	53	63	48	49.0	51	50	48	45	45	61	25
14:00	55.0	56	56	55	54	54	69	51	50.2	52	51	50	49	49	60	48
15:00	55.2	57	56	54	53	52	76	48	49.5	50	49	46	43	42	65	28
16:00	52.3	54	54	52	50	50	69	47	41.2	46	44	36	31	31	61	23
17:00	51.4	53	52	51	49	48	71	45	40.7	46	44	37	31	30	60	26

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/08/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.2	54	53	52	49	48	67	44	38.7	43	41	36	31	30	54	22
09:00	59.9	61	59	55	53	52	73	39	50.5	51	50	46	43	42	62	23
10:00	59.2	62	61	58	55	54	69	46	48.4	48	47	44	39	38	64	25
11:00	57.2	60	59	55	52	52	72	47	40.5	43	41	36	32	31	62	25
12:00	52.3	54	54	52	50	49	65	46	32.8	38	36	31	26	25	46	22
13:00	53.3	55	55	53	52	51	67	48	40.6	45	42	36	31	30	61	24
14:00	53.6	55	55	53	52	51	66	48	40.9	45	43	37	32	31	58	24
15:00	51.6	54	53	51	49	49	66	46	39.8	43	41	35	30	29	58	23
16:00	52.1	54	53	52	50	49	67	46	40.1	44	42	37	32	31	59	24
17:00	51.5	54	53	51	49	48	76	45	37.1	41	39	33	28	27	57	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.3	53	52	51	49	48	68	43	38.8	43	41	36	32	31	59	24
09:00	53.1	55	54	52	50	50	63	43	49.7	50	49	45	40	39	63	25
10:00	54.7	56	56	54	53	53	72	50	51.0	53	52	50	49	49	63	47
11:00	51.7	53	53	51	50	49	65	46	43.2	45	44	38	33	32	62	26
12:00	51.8	54	53	52	50	49	64	46	37.7	43	41	33	28	27	56	22
13:00	52.7	54	54	52	51	51	68	48	41.5	46	44	38	33	32	57	24
14:00	54.2	56	55	54	52	52	67	49	47.1	50	48	43	38	37	66	25
15:00	55.4	57	56	55	54	54	66	52	50.2	52	52	50	49	49	64	47
16:00	54.8	56	56	55	53	53	65	49	49.4	52	51	48	45	44	59	27
17:00	53.6	55	55	53	52	52	69	49	41.3	44	42	36	32	31	59	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.2	53	52	50	46	46	69	41	40.9	47	43	36	29	28	61	22
09:00	52.6	54	54	51	49	49	71	41	49.0	48	47	43	39	38	59	25
10:00	54.3	56	55	54	53	52	70	50	51.7	54	53	51	50	50	62	48
11:00	54.2	56	55	54	53	52	68	48	51.4	54	53	51	48	48	60	38
12:00	51.9	54	53	52	50	49	58	46	36.0	40	39	33	27	26	50	21
13:00	53.9	55	55	54	52	52	67	48	50.6	53	52	50	46	45	66	23
14:00	54.4	56	55	54	53	53	62	51	50.1	52	51	49	49	48	68	47
15:00	53.9	55	55	54	53	52	64	49	49.6	52	50	48	47	46	61	35
16:00	55.2	57	57	54	53	53	64	49	40.2	45	43	38	34	33	54	25
17:00	53.7	55	55	53	52	52	70	48	36.0	40	38	33	28	27	55	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.1	48	48	45	43	42	72	38	26.6	31	29	25	22	21	44	19
09:00	46.5	49	48	46	43	42	68	38	28.5	33	32	26	22	22	45	19
10:00	50.0	52	51	50	48	48	68	46	28.0	32	30	27	24	24	43	20
11:00	51.4	53	52	51	49	49	71	47	27.9	33	31	26	22	21	45	18
12:00	51.4	53	53	51	49	48	71	44	27.7	33	31	26	22	21	40	18
13:00	51.9	53	53	52	50	50	65	46	25.8	30	29	24	21	20	41	18
14:00	50.9	53	52	51	49	49	69	45	28.5	33	31	25	21	21	48	17
15:00	52.3	54	53	52	51	50	76	48	31.4	36	34	28	24	24	48	19
16:00	52.6	54	54	52	51	50	66	48	38.8	44	42	34	29	28	54	23
17:00	53.3	55	54	53	52	51	63	49	39.8	45	43	36	30	29	55	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	52	48	46	45	70	42	41.5	47	44	37	32	30	59	23
09:00	52.3	53	53	51	49	49	65	42	50.6	49	47	42	40	39	69	23
10:00	55.0	56	56	55	54	54	72	52	51.2	53	52	51	50	50	61	48
11:00	54.6	56	56	54	53	53	67	49	49.9	52	51	48	46	46	62	28
12:00	52.9	55	54	53	51	50	60	46	37.2	42	40	34	28	27	54	22
13:00	55.8	58	57	55	54	53	72	49	48.9	51	50	47	45	43	62	26
14:00	60.1	63	62	59	56	56	79	53	50.3	53	52	50	49	49	59	48
15:00	57.2	59	59	56	54	54	68	50	51.1	54	53	50	49	49	66	48
16:00	53.2	55	54	53	52	51	68	49	45.6	48	47	41	37	36	61	26
17:00	52.8	54	54	52	51	50	76	47	39.2	44	42	36	31	29	59	25

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/11

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	51.1	53	52	47	44	44	78	41	41.0	44	42	33	29	28	62	22
09:00	49.2	51	50	48	46	46	68	41	33.9	37	35	31	28	27	58	22
10:00	51.0	53	52	50	48	48	65	43	36.4	40	39	31	27	26	57	21
11:00	51.8	54	53	52	50	50	67	47	35.4	40	38	33	29	28	50	24
12:00	51.7	53	53	51	50	50	63	46	37.6	42	40	34	29	28	54	21
13:00	53.7	56	55	53	51	51	69	48	44.4	50	48	41	34	32	59	25
14:00	53.7	57	55	53	51	51	70	49	45.3	51	49	43	35	33	59	26
15:00	52.9	56	54	52	50	50	68	48	44.0	49	47	40	32	31	58	24
16:00	52.4	54	54	52	50	50	71	48	41.7	47	45	37	30	28	57	22
17:00	51.7	54	53	51	50	49	65	46	39.7	46	43	35	28	27	54	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/12

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	49	48	44	43	42	66	40	34.0	39	37	31	27	26	50	22
09:00	46.4	50	48	45	42	42	69	39	36.8	43	40	33	26	25	53	20
10:00	49.7	52	51	48	46	45	71	40	36.5	42	39	32	27	26	52	21
11:00	51.6	54	53	51	50	49	66	46	37.1	42	40	33	27	26	54	21
12:00	54.5	56	55	51	47	47	72	41	38.3	41	39	31	26	24	56	19
13:00	53.2	55	55	53	51	51	68	48	41.7	47	45	36	29	28	58	22
14:00	53.2	55	55	53	51	51	68	48	43.2	48	46	38	31	29	59	22
15:00	52.8	55	54	52	51	50	67	48	44.2	50	48	39	32	31	60	25
16:00	53.4	56	55	53	51	51	69	47	45.0	49	47	40	32	31	59	21
17:00	52.3	54	53	52	50	50	63	47	33.7	38	37	31	27	26	47	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/13

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.8	48	47	44	42	41	66	38	26.8	31	30	25	22	21	42	18
09:00	46.7	49	48	45	43	42	67	39	29.0	33	32	27	24	23	42	20
10:00	51.9	54	53	51	50	49	65	41	29.8	34	32	28	25	24	44	20
11:00	55.8	56	55	51	49	48	73	41	36.4	36	34	27	23	23	55	20
12:00	54.4	56	56	54	52	51	74	46	29.5	34	32	27	24	23	49	19
13:00	54.6	57	56	54	52	52	72	48	29.1	34	32	27	22	21	43	17
14:00	60.7	61	60	56	52	51	76	44	44.6	46	44	37	32	31	62	21
15:00	61.5	61	58	52	49	49	91	41	47.7	46	44	36	31	30	78	22
16:00	58.0	61	59	55	51	50	69	45	40.0	44	43	37	31	30	51	23
17:00	54.8	57	56	52	50	49	78	43	39.9	42	40	34	29	28	66	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/14

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	51	50	48	46	45	67	42	28.0	33	31	26	22	21	45	16
09:00	50.2	52	52	49	47	47	71	43	27.6	32	30	25	21	20	47	16
10:00	51.9	54	53	52	50	49	62	45	27.8	32	31	26	22	21	41	17
11:00	52.1	54	54	52	50	50	70	47	27.7	33	31	25	22	22	40	19
12:00	51.9	54	53	52	50	50	60	46	28.3	33	31	26	22	22	45	19
13:00	51.3	53	52	51	49	48	64	43	27.7	31	29	24	21	21	56	19
14:00	51.9	54	53	52	50	50	65	45	29.5	33	31	25	22	21	54	19
15:00	52.6	54	54	52	51	51	69	48	37.5	43	41	34	28	27	54	21
16:00	52.9	54	54	52	51	50	72	48	34.6	39	37	31	26	24	50	20
17:00	52.2	54	53	52	50	50	68	46	35.8	41	39	32	27	26	51	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/15

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.6	49	48	44	42	41	72	37	27.8	32	31	26	21	20	43	15
09:00	47.9	50	49	46	44	43	73	39	28.9	33	31	27	23	23	47	20
10:00	49.0	51	50	48	46	45	62	40	33.3	38	36	29	25	24	52	20
11:00	52.0	53	53	52	50	50	71	47	30.9	35	33	28	25	24	45	20
12:00	53.4	55	55	53	52	51	71	49	29.3	34	32	27	24	23	48	20
13:00	53.5	55	55	53	52	51	63	48	40.4	46	44	36	30	29	58	23
14:00	54.2	56	55	53	52	52	74	50	30.4	35	33	28	23	22	47	17
15:00	52.1	54	53	52	50	50	69	48	30.6	35	33	27	23	22	51	17
16:00	51.9	53	53	52	50	50	64	46	36.2	41	39	32	26	25	50	18
17:00	51.6	53	52	51	49	49	72	46	35.8	42	39	32	26	25	51	19

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/16

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.5	49	48	45	43	43	71	39	26.0	31	29	24	20	20	41	14
09:00	46.1	48	47	45	43	42	69	39	27.3	32	30	25	22	22	42	19
10:00	48.4	51	50	48	45	45	66	42	29.9	34	33	28	24	23	44	20
11:00	51.1	53	52	50	49	48	74	43	28.5	33	31	26	22	22	45	19
12:00	53.0	55	54	53	51	51	67	48	29.4	34	32	27	23	23	45	19
13:00	51.2	53	52	51	49	48	61	42	33.7	37	35	28	24	23	50	18
14:00	51.4	52	52	50	49	48	70	42	27.5	31	30	25	22	21	51	18
15:00	54.5	56	55	54	52	52	76	48	26.2	31	29	24	20	19	40	15
16:00	51.9	54	53	51	50	49	64	45	25.5	30	28	23	20	19	42	16
17:00	52.5	54	54	52	50	50	62	46	25.7	31	29	23	20	19	40	16

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.4	51	51	48	46	45	70	40	44.7	48	45	38	31	30	65	21
09:00	52.2	54	53	51	50	49	60	41	52.6	53	52	46	44	44	63	23
10:00	54.6	56	56	54	53	53	64	50	54.2	57	56	54	52	52	64	50
11:00	54.1	56	56	53	51	51	66	46	48.2	47	46	40	36	35	62	26
12:00	52.7	54	54	53	51	50	64	48	31.6	36	34	29	25	24	50	20
13:00	52.0	54	53	52	50	49	69	47	42.2	47	45	37	32	31	61	21
14:00	52.3	54	54	52	50	50	64	47	40.4	42	41	36	30	29	58	24
15:00	53.1	55	54	53	51	51	67	48	35.9	39	37	33	29	28	53	22
16:00	52.8	55	54	52	51	51	67	48	39.5	43	42	35	31	30	64	24
17:00	52.3	54	54	52	50	50	69	46	40.9	44	42	37	32	30	60	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.9	51	50	46	44	43	71	40	38.7	43	41	35	31	30	59	24
09:00	52.3	54	53	51	49	49	68	41	53.4	55	54	49	46	45	65	25
10:00	52.5	54	53	52	50	50	67	43	52.0	53	51	47	44	43	67	25
11:00	49.8	52	51	49	47	46	69	42	40.3	44	42	36	30	29	58	23
12:00	49.3	51	51	49	47	46	70	42	33.5	38	36	30	26	25	52	20
13:00	53.0	54	54	53	52	51	70	47	51.8	54	53	51	48	47	63	30
14:00	54.7	56	56	54	53	53	70	51	53.4	56	55	53	52	51	67	50
15:00	51.7	54	54	51	49	49	67	46	41.8	44	43	38	33	31	61	25
16:00	52.8	55	54	52	51	51	66	47	43.3	48	46	40	36	34	60	27
17:00	52.7	55	54	52	51	50	66	48	41.4	44	42	36	31	30	62	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/19

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	51	49	46	44	44	69	40	40.6	46	44	37	30	29	58	21
09:00	52.6	54	53	52	50	49	65	42	52.7	54	52	50	46	45	63	25
10:00	53.8	55	55	54	52	52	61	50	53.6	56	55	53	51	51	64	49
11:00	50.0	51	51	49	47	46	68	42	48.7	48	46	41	36	35	65	23
12:00	47.7	50	49	47	45	45	66	40	32.1	37	35	30	25	24	50	21
13:00	51.2	54	53	49	47	47	77	42	40.6	45	43	37	32	31	59	21
14:00	51.5	54	53	50	48	47	71	44	42.3	47	45	39	34	33	62	25
15:00	51.0	54	53	50	48	48	70	45	41.2	44	42	37	31	29	59	22
16:00	51.1	54	53	50	49	48	66	45	41.5	45	44	38	32	30	56	23
17:00	51.5	54	53	51	49	49	67	47	42.1	45	43	38	33	31	69	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/20

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.9	50	48	46	44	43	69	39	40.3	44	42	37	32	31	57	25
09:00	51.0	52	51	50	48	47	66	39	51.2	50	49	45	41	41	65	25
10:00	53.0	55	54	52	50	50	73	41	52.4	55	54	51	49	49	62	39
11:00	49.1	53	50	46	44	43	72	39	37.2	41	40	34	29	28	56	24
12:00	49.7	54	50	46	43	42	73	38	32.6	37	36	30	26	25	49	22
13:00	53.1	55	54	53	51	51	69	42	51.6	53	53	51	47	47	65	23
14:00	54.0	57	55	53	52	52	67	50	52.1	54	53	52	51	50	63	49
15:00	52.1	54	53	51	50	50	67	47	47.1	50	48	43	37	36	59	27
16:00	52.1	54	53	52	50	50	69	48	43.1	47	45	39	32	31	58	25
17:00	50.7	53	52	50	49	48	66	46	40.9	44	42	36	31	30	59	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.3	49	48	45	43	43	68	39	41.3	46	44	36	31	30	62	22
09:00	51.9	53	52	50	48	47	65	40	51.3	51	50	47	41	40	61	24
10:00	52.9	54	53	52	50	49	68	41	51.6	53	52	50	46	46	64	25
11:00	48.7	51	50	47	45	45	75	41	37.5	42	40	34	29	28	55	23
12:00	48.0	50	49	46	44	44	71	40	33.0	38	36	30	26	25	50	22
13:00	54.1	56	55	54	52	52	68	46	51.5	53	52	51	49	47	68	26
14:00	54.7	56	55	54	53	53	70	51	52.5	54	54	52	51	51	66	50
15:00	61.5	61	60	56	53	53	82	46	47.4	50	49	44	39	38	65	28
16:00	66.3	68	68	66	63	62	84	57	49.2	52	51	48	45	44	64	37
17:00	55.1	56	54	51	49	49	72	45	40.1	42	41	36	33	32	55	27

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	52	50	48	46	45	68	42	40.3	44	42	36	30	29	58	22
09:00	54.3	57	55	54	52	51	69	43	54.4	57	56	54	49	47	66	26
10:00	54.6	56	56	54	53	53	70	50	53.4	56	55	53	51	51	65	49
11:00	53.2	56	55	53	51	50	69	46	49.5	51	50	47	43	43	60	27
12:00	50.3	52	51	49	47	47	81	43	32.8	36	35	31	28	28	48	22
13:00	52.4	54	54	52	51	50	62	46	49.9	53	51	45	41	40	64	22
14:00	54.3	56	55	54	53	53	68	51	52.1	55	54	51	50	50	64	49
15:00	54.2	56	55	54	53	53	73	50	52.1	54	53	52	51	51	66	49
16:00	78.6	58	57	53	51	50	120	43	48.1	49	47	42	38	37	66	21
17:00	50.5	52	52	50	49	48	65	45	33.0	37	35	29	24	24	51	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	49	46	43	43	68	39	26.3	31	29	23	20	19	41	15
09:00	49.2	53	52	47	45	44	72	40	27.1	32	30	25	21	21	43	16
10:00	48.7	52	51	47	45	44	62	40	28.5	33	31	25	22	22	53	20
11:00	48.4	51	50	47	45	45	68	42	27.3	32	30	25	22	22	40	20
12:00	49.4	51	50	48	46	45	83	43	26.9	31	29	25	22	22	46	19
13:00	48.9	51	50	48	47	46	62	43	27.2	31	30	25	23	22	43	20
14:00	49.5	51	51	49	47	47	69	44	28.1	32	31	25	22	21	52	19
15:00	51.3	53	52	49	46	46	78	41	26.7	31	29	24	22	21	47	19
16:00	49.4	51	50	47	45	45	70	42	30.3	34	32	27	23	23	45	19
17:00	49.2	51	50	48	47	46	68	43	33.0	38	36	30	26	24	52	20

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	49	47	45	44	74	40	40.1	44	42	36	31	29	58	24
09:00	52.7	55	54	52	50	50	64	41	53.0	56	55	52	48	47	63	25
10:00	52.2	53	52	50	49	48	74	41	52.1	52	51	48	46	45	64	26
11:00	47.2	50	49	46	44	44	63	42	41.5	46	44	37	31	30	61	22
12:00	45.3	48	46	43	42	41	68	38	33.5	38	37	31	26	26	49	22
13:00	52.6	54	54	52	50	50	65	42	51.9	55	54	51	49	47	65	25
14:00	52.2	54	53	52	50	50	69	44	51.0	52	51	49	46	45	61	26
15:00	48.8	51	50	48	47	46	64	44	41.0	45	43	37	32	30	60	25
16:00	49.5	52	51	49	48	47	65	44	43.1	46	44	38	33	31	60	23
17:00	49.4	51	50	49	47	47	66	44	39.1	43	40	34	30	29	63	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/25

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.5	51	49	46	44	44	66	39	40.6	45	43	36	31	30	55	25
09:00	51.0	53	51	49	46	45	73	39	50.9	50	48	44	38	37	65	24
10:00	53.7	56	55	53	52	51	64	50	53.5	56	55	53	51	51	68	49
11:00	52.1	54	53	51	50	50	69	40	51.7	54	53	50	48	47	64	27
12:00	45.1	47	47	44	43	42	70	39	34.3	39	37	31	28	27	51	25
13:00	52.2	54	54	51	50	49	66	42	52.2	55	54	51	47	47	66	27
14:00	51.8	54	53	51	50	50	66	44	51.7	54	53	51	49	49	63	37
15:00	50.9	54	53	49	48	47	69	44	43.4	48	47	40	35	34	59	27
16:00	50.7	53	52	50	48	48	72	44	41.7	46	44	38	33	32	61	26
17:00	48.7	51	50	48	47	46	67	44	36.1	40	38	32	29	28	56	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/08/26

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	52.1	53	48	45	43	42	75	40	38.7	43	42	34	30	29	57	25
09:00	50.7	52	51	48	46	46	67	40	52.1	52	51	45	39	38	63	25
10:00	52.8	54	54	53	51	51	65	49	54.7	56	56	54	54	53	66	52
11:00	52.7	55	54	52	51	50	65	41	54.4	56	55	54	53	52	68	40
12:00	44.8	47	46	44	43	42	69	40	34.9	37	36	31	27	26	48	23
13:00	52.6	55	54	52	50	50	62	43	54.1	56	55	54	52	51	66	27
14:00	52.9	55	54	52	51	51	69	49	54.2	55	55	54	53	53	62	51
15:00	52.5	54	54	52	51	51	65	49	53.8	55	55	54	53	53	64	51
16:00	51.5	54	53	50	48	48	71	44	50.9	53	52	46	42	41	62	29
17:00	49.8	52	51	48	46	46	72	43	40.9	44	42	37	31	30	61	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	51	50	47	45	45	66	40	38.4	43	41	35	30	29	57	23
09:00	47.0	50	49	46	44	43	68	40	41.9	46	44	38	32	31	62	27
10:00	49.8	53	52	48	45	45	64	40	48.7	46	43	38	33	32	64	25
11:00	54.3	56	55	54	52	52	67	44	55.4	57	57	55	53	52	67	39
12:00	51.7	54	52	48	46	45	70	42	43.3	46	45	39	34	32	60	24
13:00	52.9	55	54	52	49	49	78	43	53.4	55	54	52	47	46	62	26
14:00	54.0	57	56	53	51	51	71	43	54.0	56	55	52	51	51	63	38
15:00	55.0	57	56	54	54	53	64	50	54.1	56	55	54	53	53	62	50
16:00	52.9	54	54	52	50	50	65	41	52.8	53	52	50	48	48	62	26
17:00	47.5	49	48	46	45	44	72	42	33.0	37	35	30	26	26	52	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	50	47	45	45	66	42	43.4	45	43	38	32	31	69	25
09:00	51.9	54	53	51	48	48	64	43	52.5	55	54	50	43	42	64	28
10:00	54.5	56	56	54	53	53	67	50	55.2	57	57	55	54	54	65	52
11:00	51.2	53	52	49	47	47	65	41	50.4	48	48	44	40	39	62	26
12:00	46.5	49	47	45	43	43	66	40	34.4	38	37	31	27	26	54	23
13:00	52.9	55	55	53	50	50	64	42	54.0	56	55	54	49	49	61	25
14:00	53.8	56	55	53	52	51	69	49	54.4	56	56	54	53	53	64	52
15:00	53.1	55	54	53	52	51	66	50	54.1	56	55	54	53	52	64	51
16:00	49.8	52	51	49	47	47	60	43	47.2	48	46	40	36	35	62	26
17:00	48.7	51	50	48	46	46	65	44	36.7	40	38	33	29	28	53	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/29

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.1	51	50	46	43	43	72	39	45.0	48	45	39	32	30	66	21
09:00	53.4	56	54	50	47	46	88	39	49.9	47	45	40	36	35	60	22
10:00	53.0	54	53	52	50	49	72	40	53.1	53	53	51	47	47	62	24
11:00	48.0	52	50	46	43	43	64	39	46.6	50	48	39	31	29	67	23
12:00	46.5	49	48	45	42	41	63	38	32.6	37	35	31	27	26	51	22
13:00	52.6	54	54	52	50	49	66	40	54.2	56	55	54	50	49	65	21
14:00	52.8	55	54	52	50	50	65	40	53.5	55	54	52	50	50	61	27
15:00	46.6	50	48	44	41	41	69	38	34.2	38	36	31	27	26	57	20
16:00	47.0	50	48	45	42	41	69	38	41.6	42	40	32	27	25	68	18
17:00	46.6	49	48	45	43	42	66	38	39.0	42	39	33	27	26	58	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/30

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.2	50	49	43	39	39	72	35	26.4	31	29	23	20	19	44	16
09:00	46.9	50	48	45	42	42	65	37	26.4	31	29	25	22	21	41	18
10:00	47.9	51	49	47	45	44	64	40	27.7	32	31	26	23	22	42	18
11:00	47.0	50	48	46	44	44	63	40	27.6	32	30	24	21	21	53	17
12:00	48.6	52	51	46	44	43	66	39	27.4	32	30	25	23	22	42	19
13:00	47.9	53	50	46	44	43	67	39	26.3	30	29	24	22	21	42	18
14:00	49.1	53	51	46	44	43	67	39	27.0	31	30	24	21	21	47	16
15:00	46.1	48	47	45	43	43	66	40	26.2	31	29	24	21	21	41	19
16:00	46.3	49	48	45	43	43	60	40	26.2	31	29	23	20	20	45	16
17:00	46.7	49	48	46	44	43	66	40	27.4	31	30	24	21	20	54	17

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/08/31

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.3	51	49	46	44	43	75	40	44.5	49	47	41	34	32	62	23
09:00	52.9	54	53	51	49	49	68	40	54.3	53	52	48	46	46	65	23
10:00	53.4	55	55	53	51	51	66	43	55.6	59	58	52	50	50	67	37
11:00	53.6	56	55	53	51	51	64	42	55.7	58	57	55	52	52	65	38
12:00	46.4	50	48	45	43	43	64	41	39.2	42	41	35	32	31	50	21
13:00	53.9	56	55	52	51	50	73	43	54.2	56	55	54	52	51	62	30
14:00	55.5	57	55	51	50	50	80	43	53.3	55	54	51	50	49	64	26
15:00	48.7	52	50	47	45	45	67	42	41.2	45	44	39	33	31	64	24
16:00	47.8	50	50	47	45	44	64	42	38.6	43	41	35	30	30	57	22
17:00	52.9	58	57	50	47	46	65	44	44.0	50	47	40	31	29	58	26