

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/01

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.1	50	49	46	43	43	67	38	41.1	44	42	36	31	30	59	24
09:00	50.6	52	51	48	46	45	72	40	51.8	47	46	42	38	36	67	22
10:00	60.4	62	62	58	55	54	71	50	55.8	58	57	55	54	54	66	43
11:00	56.4	60	59	53	50	50	67	41	38.9	43	41	36	30	29	60	24
12:00	46.8	50	49	46	44	43	60	40	34.0	39	37	31	27	27	52	22
13:00	53.1	55	54	53	51	51	65	42	54.3	56	55	54	51	50	65	26
14:00	52.6	54	53	52	50	50	65	43	53.5	55	55	51	48	48	64	31
15:00	48.3	51	50	47	45	45	67	42	42.5	47	45	38	31	29	63	22
16:00	52.4	53	51	47	45	45	87	42	41.2	45	43	37	32	30	58	24
17:00	48.4	51	50	47	45	45	66	42	40.1	42	40	34	28	27	58	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/02

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒 音 [dB]								振 動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.6	49	48	44	42	42	65	39	39.9	44	41	34	29	28	57	22
09:00	53.7	56	54	51	49	49	73	38	54.1	54	54	49	46	46	67	24
10:00	52.3	54	53	51	50	49	66	42	53.7	54	54	50	48	47	62	28
11:00	45.8	49	48	45	44	43	61	41	39.1	44	41	35	30	29	60	24
12:00	46.9	49	48	44	42	41	67	39	32.5	37	35	30	25	25	49	22
13:00	52.1	54	53	52	49	49	69	40	53.6	55	55	54	51	49	61	25
14:00	49.6	52	51	48	47	46	63	42	50.4	51	49	47	43	42	61	29
15:00	46.9	50	48	46	44	44	65	41	43.9	44	43	37	30	28	64	24
16:00	48.2	51	50	47	45	45	66	42	45.4	49	47	41	35	33	64	25
17:00	48.0	51	49	46	45	44	67	42	35.4	40	37	32	27	26	58	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/03

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.7	50	49	45	43	43	67	39	41.7	46	43	38	33	32	56	25
09:00	51.6	53	52	49	48	47	62	40	53.4	53	52	49	47	47	64	38
10:00	54.5	56	55	54	51	51	73	42	54.8	57	56	54	52	51	63	38
11:00	45.8	48	48	45	43	43	61	40	42.7	45	44	41	38	38	59	26
12:00	45.0	47	47	44	42	42	62	39	33.4	38	36	30	27	26	51	23
13:00	52.9	55	54	53	50	50	61	42	53.9	56	55	54	49	48	63	23
14:00	53.8	56	55	53	52	52	66	50	54.2	56	55	54	53	53	65	51
15:00	54.2	56	55	53	52	52	72	45	53.2	55	54	52	50	49	62	31
16:00	47.7	50	49	47	45	45	64	42	41.6	46	44	36	31	30	58	25
17:00	48.8	51	49	47	45	44	71	42	43.2	45	43	38	33	32	68	21

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/04

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.4	49	47	45	43	43	69	40	33.7	38	36	31	27	26	53	22
09:00	53.4	55	54	52	50	49	66	38	51.9	51	50	46	45	44	59	25
10:00	55.4	58	57	54	53	53	78	50	54.6	56	56	54	53	53	64	52
11:00	51.4	53	52	49	48	47	70	42	50.3	48	47	42	39	38	62	24
12:00	48.6	53	51	46	43	43	64	39	32.1	36	35	30	27	26	47	22
13:00	52.8	54	54	53	51	50	61	41	53.5	55	55	53	50	49	64	26
14:00	53.6	55	54	53	52	52	75	50	53.8	56	55	53	53	52	64	51
15:00	49.7	52	50	48	46	46	66	42	46.4	45	43	38	34	33	60	24
16:00	47.8	50	49	47	45	45	71	42	41.6	43	41	35	29	28	61	22
17:00	49.5	52	50	47	45	45	82	40	39.9	42	40	35	30	29	57	19

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/05

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	50	48	46	43	43	84	39	32.0	36	34	28	24	23	52	18
09:00	51.0	53	52	49	46	46	70	40	49.9	46	44	39	35	34	61	20
10:00	55.4	57	56	55	53	53	85	50	54.2	56	55	54	53	53	63	51
11:00	48.9	50	49	46	44	43	70	39	46.7	41	40	35	31	29	63	20
12:00	45.6	49	47	44	41	41	73	38	29.7	35	33	27	24	23	48	20
13:00	52.9	55	54	53	50	50	62	41	53.6	55	55	53	51	49	63	27
14:00	51.2	52	52	50	49	48	59	42	51.9	51	50	47	43	42	65	25
15:00	60.2	56	54	46	44	44	85	41	41.2	44	43	36	31	30	59	23
16:00	48.2	50	48	46	44	44	75	41	36.5	41	38	31	26	26	57	21
17:00	48.3	51	50	46	45	44	68	41	40.2	44	42	35	30	29	56	22

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/06

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	49	48	45	43	42	63	39	28.9	34	32	26	23	22	43	20
09:00	46.7	49	48	45	42	42	64	39	27.6	32	31	26	23	23	42	20
10:00	46.8	50	49	45	43	43	69	40	27.9	32	31	26	22	22	44	18
11:00	48.5	51	50	48	45	45	62	42	30.1	34	33	28	25	24	45	22
12:00	48.8	51	50	48	45	45	64	41	30.9	35	33	29	26	25	48	22
13:00	48.9	51	51	48	46	46	64	43	30.9	35	34	29	26	25	45	22
14:00	51.9	54	53	51	49	49	65	45	33.7	38	36	32	29	28	47	24
15:00	49.6	52	51	49	47	46	72	43	30.3	34	33	28	25	25	44	22
16:00	48.5	51	50	47	46	45	66	42	28.4	32	31	27	24	24	44	22
17:00	49.6	52	51	49	47	47	68	43	30.2	34	32	29	26	26	45	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/07

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.4	52	51	49	48	48	69	46	38.4	42	40	35	31	30	58	27
09:00	54.6	57	56	53	51	51	77	46	52.6	54	54	49	46	45	60	26
10:00	51.3	54	52	51	49	48	71	45	49.5	48	46	42	37	36	62	24
11:00	52.4	54	53	52	51	50	65	45	52.1	52	51	49	48	46	61	26
12:00	48.5	50	49	47	46	46	67	43	32.5	36	35	31	28	28	48	25
13:00	53.6	55	55	53	51	51	63	45	52.2	52	51	50	46	46	56	27
14:00	54.1	55	55	54	53	53	66	50	53.2	54	54	53	53	52	59	51
15:00	50.8	54	52	49	47	47	69	43	45.7	43	41	37	32	30	60	24
16:00	50.3	52	52	49	48	47	71	43	36.6	40	38	33	29	28	57	21
17:00	52.1	55	52	48	47	47	71	43	37.8	41	39	34	31	30	61	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/08

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	54	52	47	45	45	65	42	37.3	41	39	33	30	29	60	25
09:00	52.4	55	53	51	49	49	64	43	51.8	50	49	44	41	41	64	23
10:00	49.4	52	51	48	46	46	61	42	47.2	47	46	38	34	33	60	25
11:00	48.6	52	50	46	45	44	73	43	34.6	39	37	32	28	28	51	24
12:00	47.2	50	49	46	44	44	68	42	31.7	36	34	29	26	25	49	23
13:00	53.2	55	54	53	51	51	68	44	53.8	56	55	53	51	50	67	29
14:00	54.8	57	55	54	53	52	73	47	53.9	57	56	53	52	52	68	42
15:00	48.4	51	50	48	46	46	61	43	41.2	45	43	39	34	33	60	26
16:00	56.7	60	59	52	48	48	73	44	42.2	46	44	40	35	34	58	26
17:00	51.2	53	51	49	47	47	73	44	40.6	41	40	35	31	30	62	25

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/09

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.8	53	51	48	47	46	68	45	37.8	41	39	33	29	28	62	25
09:00	53.2	55	54	52	51	50	72	46	52.0	51	50	47	43	42	62	25
10:00	53.2	55	54	52	51	50	64	46	51.4	51	50	47	44	43	63	29
11:00	49.3	52	51	48	47	47	63	44	43.4	48	46	35	30	29	62	23
12:00	48.8	50	49	46	45	45	73	43	31.0	35	33	29	26	26	48	23
13:00	53.8	55	55	54	52	52	64	47	53.8	57	55	53	51	50	65	36
14:00	54.4	56	56	54	53	52	69	51	53.3	55	54	53	52	52	69	50
15:00	51.3	54	52	49	47	47	73	43	47.4	45	43	38	33	32	62	22
16:00	49.3	51	51	48	47	46	67	43	41.3	45	43	37	33	32	61	22
17:00	50.8	52	51	48	47	46	73	42	39.3	43	41	36	31	30	57	23

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/10

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.3	50	48	46	44	44	71	42	35.2	39	37	31	27	26	56	23
09:00	54.9	57	55	53	51	50	77	44	53.9	56	56	52	49	48	65	27
10:00	48.6	52	50	47	45	44	74	42	39.8	43	41	37	32	31	56	24
11:00	47.5	50	49	46	44	44	71	42	38.5	43	40	34	30	29	59	23
12:00	47.2	52	50	45	43	43	63	41	31.6	36	34	29	24	24	50	19
13:00	53.1	55	54	53	51	51	65	42	53.9	57	56	53	50	50	65	21
14:00	54.1	57	56	53	52	52	68	50	53.9	56	55	53	52	52	66	50
15:00	49.8	52	51	48	46	46	63	41	50.4	52	50	41	37	36	68	22
16:00	48.2	51	50	47	45	44	70	42	39.3	44	42	35	28	27	57	21
17:00	48.4	51	50	47	45	44	69	41	39.1	41	40	35	31	30	58	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/11

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.1	52	50	47	45	45	68	42	39.7	43	40	36	32	31	59	28
09:00	49.1	52	51	47	45	44	73	42	38.7	41	39	34	31	30	61	27
10:00	47.6	50	49	46	44	43	74	41	37.0	40	37	31	28	27	56	24
11:00	52.6	54	54	52	49	49	78	41	55.0	56	56	55	48	48	60	24
12:00	46.7	50	49	45	43	43	65	40	35.8	37	36	32	26	25	49	18
13:00	52.2	54	53	52	49	48	72	42	54.2	55	54	53	46	43	64	19
14:00	53.2	55	54	53	52	52	75	50	55.3	56	56	55	55	55	61	54
15:00	51.0	52	51	48	46	46	67	40	51.4	47	46	41	38	37	62	22
16:00	49.0	52	50	46	44	43	71	40	37.5	41	38	32	27	26	60	19
17:00	47.8	50	48	45	44	43	72	41	35.1	39	36	30	26	25	55	18

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/12

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.7	55	53	48	46	45	68	42	37.9	42	40	34	30	29	55	22
09:00	66.1	62	61	51	49	48	87	42	35.6	40	38	32	28	27	52	23
10:00	63.6	66	65	61	55	55	79	44	54.1	56	56	50	48	48	61	25
11:00	63.0	68	66	61	56	55	75	48	37.6	40	39	35	31	30	49	23
12:00	58.5	53	52	49	44	44	74	42	31.7	36	35	29	24	23	51	18
13:00	53.4	55	54	53	51	51	70	42	55.2	57	56	55	51	50	68	22
14:00	48.3	51	50	46	44	43	65	41	46.0	46	44	37	31	30	65	19
15:00	46.6	49	48	46	44	44	64	41	42.2	42	39	30	24	23	69	19
16:00	46.8	49	48	45	44	43	73	41	37.5	39	37	31	26	25	70	20
17:00	48.1	51	49	46	45	44	67	42	39.1	43	40	33	27	26	61	20

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/13

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.2	48	47	44	43	42	71	41	26.2	31	29	23	19	19	46	15
09:00	45.6	48	47	44	43	42	66	41	26.7	31	29	24	20	19	46	16
10:00	47.4	49	48	46	44	43	64	40	32.9	35	34	28	24	23	48	15
11:00	53.7	56	55	49	46	45	66	42	37.2	40	38	32	24	23	48	15
12:00	49.4	50	49	47	44	44	63	42	32.8	34	32	27	22	21	49	15
13:00	56.2	60	59	55	50	48	69	43	41.9	45	44	39	32	30	53	21
14:00	46.5	49	48	45	44	43	65	41	30.5	34	32	27	23	22	44	18
15:00	47.5	50	49	46	44	44	65	41	30.9	34	32	27	23	23	45	17
16:00	47.3	49	48	46	44	44	74	41	27.5	31	30	26	23	22	45	18
17:00	47.0	50	48	46	44	44	64	41	27.4	32	30	25	22	21	40	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/14

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.9	51	49	46	45	44	67	42	36.9	41	40	33	29	28	54	24
09:00	47.9	51	49	46	45	45	70	42	41.4	44	42	37	33	32	59	26
10:00	52.8	55	54	52	51	50	72	43	55.8	58	57	54	51	51	66	29
11:00	53.1	55	54	52	51	50	72	43	54.3	55	54	51	49	48	65	30
12:00	48.0	51	50	47	46	45	61	43	38.9	43	41	36	33	32	52	25
13:00	53.5	55	55	53	52	51	67	46	54.4	55	55	54	52	51	64	33
14:00	54.1	56	55	53	52	52	75	50	54.7	56	55	54	54	54	67	52
15:00	53.6	56	55	53	52	52	67	46	54.8	57	56	53	50	50	68	28
16:00	49.4	52	51	48	47	47	73	45	43.9	46	45	43	41	40	58	30
17:00	48.8	51	50	48	46	46	70	44	37.7	42	40	33	29	28	58	23

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/15

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.2	51	50	47	46	45	68	42	38.6	41	39	35	31	30	57	26
09:00	53.0	54	53	51	49	49	76	43	51.7	50	49	45	42	42	58	27
10:00	52.3	56	54	49	47	47	73	42	50.5	50	49	43	41	41	63	23
11:00	49.8	55	52	46	44	44	71	41	33.8	38	36	31	27	26	54	21
12:00	47.8	50	49	46	44	44	79	41	31.3	36	34	29	25	24	45	20
13:00	53.8	57	55	52	50	50	69	44	54.0	56	54	52	50	49	68	24
14:00	53.7	56	55	53	51	51	70	43	54.9	57	56	53	51	50	69	27
15:00	49.6	52	51	47	45	45	77	42	42.1	45	43	40	34	33	63	25
16:00	48.0	51	50	47	45	45	65	42	39.9	45	42	35	30	29	58	24
17:00	49.3	52	50	47	45	45	75	42	40.9	45	43	35	30	29	68	24

騒音・振動データ収録装置

1時間値 日報データ

測定日：2026/09/16

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	53	51	48	47	46	70	43	43.2	48	46	40	35	34	63	25
09:00	52.4	54	53	51	49	48	72	43	52.9	53	52	48	43	42	67	24
10:00	54.8	57	56	54	53	53	71	50	55.0	56	56	55	54	54	59	53
11:00	56.4	57	56	53	49	48	69	42	47.8	48	47	43	38	37	62	23
12:00	53.1	54	54	51	49	48	82	44	36.4	41	39	34	31	30	54	25
13:00	54.2	55	55	53	52	52	82	47	55.4	57	56	55	53	52	66	41
14:00	52.9	54	54	52	50	49	76	42	54.5	55	54	53	47	46	62	23
15:00	47.7	51	49	46	44	44	69	42	41.1	43	43	41	32	30	54	20
16:00	52.3	54	54	51	49	48	69	45	41.6	45	43	38	32	31	63	26
17:00	54.3	56	55	53	51	51	71	46	41.3	45	43	38	34	33	58	26

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/17

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.8	52	50	47	45	44	66	42	39.2	42	39	34	29	29	58	21
09:00	52.9	55	53	51	49	49	69	42	53.4	50	49	47	44	43	60	23
10:00	51.2	53	52	50	48	47	67	43	51.8	50	49	45	43	43	60	23
11:00	48.0	50	49	47	46	45	70	42	40.4	42	41	36	30	28	64	21
12:00	47.1	49	48	46	45	45	68	42	31.9	36	35	30	27	26	46	20
13:00	52.9	54	54	53	51	51	64	43	55.3	57	56	55	52	52	66	27
14:00	52.7	54	53	52	50	50	77	44	54.9	55	55	53	49	49	64	27
15:00	48.2	51	50	47	45	45	66	42	44.6	47	46	43	38	37	65	26
16:00	49.3	52	50	48	46	45	74	43	42.1	46	44	41	35	34	60	24
17:00	49.6	52	50	47	45	45	73	43	38.6	43	40	35	30	29	57	21

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/18

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.9	54	52	48	46	46	72	43	40.0	44	42	36	31	29	58	26
09:00	57.8	60	59	56	53	52	72	44	55.7	58	57	54	49	48	66	37
10:00	53.6	55	54	53	52	52	70	50	55.8	57	57	56	55	55	68	54
11:00	53.3	55	54	52	51	51	66	43	55.6	58	56	53	51	51	68	26
12:00	47.3	49	49	47	45	45	73	43	43.4	45	44	43	43	42	51	39
13:00	48.8	51	50	48	46	46	65	43	44.3	48	46	42	38	37	61	27
14:00	53.8	56	55	53	52	52	68	50	56.2	58	57	56	55	55	70	54
15:00	51.3	53	52	50	49	49	72	44	54.0	54	53	50	48	47	69	30
16:00	47.9	51	49	47	45	45	64	43	41.1	44	43	38	35	34	58	23
17:00	49.6	52	51	48	46	46	71	43	41.5	45	43	36	32	30	61	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/19

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.8	50	49	46	44	44	65	41	32.9	37	35	30	26	25	52	20
09:00	54.2	56	56	54	52	51	69	42	57.0	59	59	57	52	51	68	23
10:00	51.5	52	52	50	47	47	66	42	52.7	50	49	45	40	39	65	24
11:00	47.6	51	49	46	44	43	73	41	36.1	41	39	32	28	28	57	24
12:00	45.7	48	47	45	43	43	65	41	32.6	37	35	30	26	25	50	20
13:00	54.0	55	54	53	51	50	74	41	54.8	56	56	55	50	50	59	23
14:00	55.5	56	55	52	50	49	84	42	54.1	54	53	51	48	47	64	27
15:00	48.3	49	48	45	44	43	76	41	45.3	46	43	34	29	27	65	23
16:00	47.7	50	49	47	45	44	69	42	41.2	46	44	36	30	29	57	23
17:00	48.1	51	49	47	45	45	62	43	39.5	44	41	33	28	27	57	20

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/20

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.7	52	51	49	47	47	63	40	29.7	33	32	28	25	24	44	16
09:00	48.2	50	49	47	45	44	67	41	28.3	33	31	26	24	23	43	19
10:00	49.3	51	50	48	47	46	63	43	29.7	34	32	28	25	24	44	19
11:00	47.5	50	49	46	44	44	72	42	32.4	36	34	28	24	23	48	18
12:00	47.9	52	50	46	44	43	68	41	32.7	38	36	30	24	23	47	18
13:00	45.4	48	47	45	43	42	65	40	28.2	33	31	26	22	21	44	16
14:00	46.3	49	48	46	44	43	59	41	27.5	32	31	25	21	20	43	16
15:00	47.7	49	49	47	46	46	59	43	29.4	34	32	27	24	23	43	20
16:00	52.4	53	53	51	50	50	66	43	33.8	37	35	31	28	28	46	19
17:00	51.7	54	53	51	49	49	67	46	32.6	36	35	31	28	27	47	24

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/21

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	58.7	59	58	55	52	51	83	46	41.6	41	40	35	31	30	53	24
09:00	49.7	52	51	49	47	46	68	44	31.0	35	33	29	26	26	46	23
10:00	52.9	54	52	49	47	47	80	43	31.3	35	34	30	27	26	44	23
11:00	55.7	57	57	55	53	53	68	48	36.5	40	39	35	32	31	49	25
12:00	51.5	53	53	51	48	48	72	44	31.7	36	34	30	27	26	47	22
13:00	52.5	54	54	52	50	49	72	44	32.5	36	34	30	27	27	49	22
14:00	51.9	54	53	51	49	48	79	45	32.0	36	34	30	27	26	45	22
15:00	52.6	55	54	51	49	49	71	45	37.5	41	39	33	29	28	56	24
16:00	51.8	54	53	51	49	49	65	47	33.4	39	37	30	27	26	52	22
17:00	51.7	54	53	51	49	48	65	46	32.9	37	36	30	27	26	47	21

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/22

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	49.0	52	51	48	46	45	66	42	39.1	44	42	35	29	27	56	22
09:00	62.4	58	57	52	47	46	84	42	37.1	42	40	34	29	28	50	22
10:00	68.3	57	55	51	45	45	85	42	35.3	39	38	32	28	26	50	22
11:00	46.9	49	48	45	43	43	71	41	30.2	35	33	28	24	23	44	20
12:00	44.5	47	46	44	42	42	61	40	28.5	33	31	26	23	22	44	19
13:00	45.7	48	47	44	42	42	68	40	28.4	33	31	26	23	22	42	19
14:00	46.9	51	49	44	42	42	64	39	28.7	33	31	27	24	23	48	20
15:00	45.5	48	47	45	43	43	67	40	33.5	34	31	27	24	23	60	20
16:00	47.4	50	49	46	44	44	64	41	35.1	38	36	31	26	25	54	20
17:00	47.5	50	49	47	45	44	67	42	32.6	36	34	29	25	24	49	18

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/23

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	45.8	49	47	44	42	41	69	39	27.7	32	31	26	22	21	45	18
09:00	46.2	49	47	45	43	42	68	39	28.3	33	31	26	23	22	44	18
10:00	46.7	50	49	44	42	41	61	39	28.8	34	32	27	23	22	44	17
11:00	51.9	51	48	44	42	42	83	39	28.8	33	32	27	23	23	44	18
12:00	45.5	48	47	44	43	43	66	41	28.9	33	32	27	23	23	46	17
13:00	45.3	48	47	45	43	42	58	40	28.9	33	31	27	24	24	43	21
14:00	46.5	48	47	45	43	43	68	41	31.9	37	35	30	26	25	45	22
15:00	47.8	50	48	45	43	43	73	41	31.5	36	34	29	26	26	46	22
16:00	46.2	48	47	45	43	43	66	40	30.5	35	33	29	26	26	53	22
17:00	47.0	49	47	45	43	42	72	40	29.8	34	32	28	26	25	43	22

騒音・振動データ収録装置

1時間値

日報データ

測定日：2026/09/24

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	48.7	52	50	47	45	44	74	41	42.8	47	45	39	33	30	59	23
09:00	50.8	53	52	49	46	45	71	42	51.7	48	46	42	36	35	63	25
10:00	52.8	55	54	51	50	49	72	42	55.1	57	56	51	50	50	66	38
11:00	52.9	55	54	52	51	51	70	43	56.0	58	57	54	52	52	67	31
12:00	46.5	50	48	45	43	43	68	41	32.9	38	36	30	26	26	49	22
13:00	52.7	54	54	52	51	50	63	42	55.7	57	57	55	53	52	66	24
14:00	53.0	54	54	53	52	51	69	50	55.5	57	56	55	55	54	67	53
15:00	49.4	51	51	48	46	45	72	42	48.5	50	48	43	37	35	64	25
16:00	48.7	51	50	47	45	45	76	41	41.9	46	44	38	31	30	57	23
17:00	48.1	51	49	46	45	44	67	42	35.7	39	37	30	26	25	56	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/25

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	47.8	51	49	45	43	43	71	41	37.5	42	39	33	28	27	63	23
09:00	51.2	52	51	49	47	46	70	40	54.2	51	49	45	39	38	67	23
10:00	53.7	55	55	53	52	52	65	50	56.8	59	58	56	56	55	67	54
11:00	48.3	51	50	47	45	45	75	42	46.2	47	46	39	34	33	62	27
12:00	46.4	49	48	44	43	42	67	40	33.8	38	36	32	29	29	49	24
13:00	47.9	51	50	47	45	45	68	41	40.1	44	43	39	35	34	59	28
14:00	52.7	54	54	52	51	51	68	43	55.5	57	57	55	52	52	67	31
15:00	53.1	54	54	53	52	52	68	50	55.9	57	57	56	55	55	65	54
16:00	50.5	52	51	49	48	48	65	42	53.2	52	50	46	43	43	66	26
17:00	48.1	50	49	46	45	44	72	42	37.7	42	40	33	28	27	55	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/26

測定場所：岩槻区末田

会社名：株式会社 藤榮商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.7	53	51	48	47	46	79	43	41.2	46	44	38	33	32	59	23
09:00	53.2	55	54	52	51	51	66	45	55.2	55	54	52	51	50	59	25
10:00	52.4	54	53	51	49	49	74	43	53.4	53	52	47	45	44	59	24
11:00	48.8	51	50	47	46	45	70	43	36.6	40	38	33	29	28	56	25
12:00	48.2	50	49	47	45	45	67	42	32.0	36	34	30	27	27	51	23
13:00	53.6	55	55	53	52	51	73	45	56.1	57	57	54	53	52	64	28
14:00	54.3	56	55	54	53	52	67	48	56.3	57	57	56	54	54	62	40
15:00	49.6	52	51	48	47	46	75	42	40.9	44	42	37	33	31	66	25
16:00	48.1	51	49	47	45	45	66	42	37.8	41	39	34	31	30	56	24
17:00	48.9	51	50	47	45	45	74	42	37.6	41	39	34	30	28	57	22

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/27

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	46.2	49	47	44	41	41	70	39	25.8	31	29	23	18	17	42	13
09:00	45.1	48	47	44	42	41	63	39	26.7	31	29	23	19	18	44	15
10:00	46.5	50	48	44	42	42	72	40	27.7	33	31	25	20	20	43	17
11:00	45.3	48	47	44	42	42	73	40	26.8	31	30	25	22	22	40	18
12:00	45.4	48	47	44	42	42	66	40	28.3	33	31	26	22	21	46	16
13:00	45.0	48	47	43	42	41	67	38	28.5	33	31	25	20	20	50	15
14:00	45.2	48	46	43	42	41	69	39	27.9	32	31	25	20	20	45	15
15:00	44.3	47	45	43	42	41	67	39	26.9	32	30	24	20	19	46	15
16:00	45.8	48	46	44	43	42	69	40	27.0	31	29	24	21	20	46	16
17:00	46.2	48	47	45	43	43	72	41	26.8	31	30	25	22	21	39	16

騒音・振動データ収録装置 1時間値 日報データ

測定日：2026/09/28

測定場所：岩槻区末田

会社名：株式会社 藤栄商事

測定時刻	騒音 [dB]								振動 [dB]							
	Leq	L05	L10	L50	L90	L95	Lmax	Lmin	Leq	L05	L10	L50	L90	L95	Lmax	Lmin
08:00	50.8	52	51	48	47	46	70	44	37.6	41	39	34	31	31	61	28
09:00	52.6	55	53	50	47	47	77	44	50.7	48	47	43	39	38	59	29
10:00	53.9	56	55	53	52	51	67	43	55.3	56	56	54	53	53	59	39
11:00	47.5	50	49	47	45	45	68	43	38.7	43	41	35	31	30	56	23
12:00	48.1	50	48	46	44	44	71	42	31.7	37	35	29	25	24	47	21
13:00	53.6	55	54	53	52	51	69	44	56.0	57	57	56	53	53	62	28
14:00	51.4	53	52	50	47	47	70	43	52.7	52	51	48	41	39	63	24
15:00	47.9	51	50	47	45	45	71	42	45.7	49	45	37	33	32	57	26
16:00	47.5	50	48	46	44	44	67	42	37.0	41	38	32	27	26	56	22
17:00	49.3	51	50	47	46	45	70	43	39.6	44	41	32	27	26	59	21

[illegible]